


California Environmental Quality Act
INITIAL STUDY

Artis Senior Living Project

*Lead
Agency:*



*City of Arcadia
240 W. Huntington Drive
Arcadia, CA 91007
(626) 574-5422
Contact: Vanessa Quiroz,
Associate Planner*

*Prepared
by:*



*3760 Kilroy Airport Way
Suite 270
Long Beach, CA 90806
Office: (562) 200-7165
Fax: (562) 200-1766*



Table of Contents

SECTION A. Environmental Checklist Form	1
SECTION B. Environmental Factors Potentially Affected	20
SECTION C. Determination.....	21
SECTION D. Evaluation of Environmental Impacts	22
I. Aesthetics	22
II. Agriculture and Forestry Resources	25
III. Air Quality	28
IV. Biological Resources	34
V. Cultural Resources	40
VI. Energy	42
VII. Geology and Soils.....	45
VIII. Greenhouse Gas Emissions	51
IX. Hazards and Hazardous Materials	56
X. Hydrology and Water Quality	61
XI. Land Use and Planning	67
XII. Mineral Resources	69
XIII. Noise	70
XIV. Population and Housing	77
XV. Public Services	78
XVI. Recreation.....	80
XVII. Transportation/Traffic.....	81
XVIII. Tribal Cultural Resources.....	85
XIX. Utilities and Service Systems	89
XX. Wildfire	94
XXI. Mandatory Findings of Significance	95
SECTION E. List of Mitigation Measures	97
SECTION F. References	103



List of Tables

Table III-1	Short-Term Construction Emissions.....	31
Table III-2	Long-Term Operational Air Emissions	32
Table III-3	Localized Significance of Construction Emissions.....	33
Table VI-1	Project and Countywide Energy Consumption	43
Table VIII-1	Estimated Greenhouse Gas Emissions	52
Table VIII-2	Project Consistency with the 2017 CARB Scoping Plan	54
Table VIII-3	Project Consistency with the 2016-2040 RTP/SCS	55
Table XIII-1	Noise Measurements.....	71
Table XIII-2	Maximum Noise Levels Generated by Construction Equipment.....	71
Table XIII-3	Maximum Noise Levels Generated by Parking Lots.....	74
Table XIII-4	Typical Vibration Levels for Construction Equipment	76
Table XVII-1	Estimated Number of Project Trips	83
Table XIX-1	Water Consumption and Wastewater Generation Estimatesa.....	91
Table XIX-2	Solid Waste Generation Estimates.....	93

List of Figures

Figure A-1	Regional Location Map	6
Figure A-2	Project Location Map.....	7
Figure A-3	Project Site Overlay Zones	8
Figure A-4	North Building Elevations.....	9
Figure A-5	South Building Elevations	10
Figure A-6	Eastern And Southern Parking And Landscaping Areas	11
Figure A-7	Western Parking And Landscaping Areas	12
Figure A-8	Existing Project Site Entry And Exit Points.....	13
Figure A-9	Proposed Site Plan	14
Figure A-10	Proposed Elevations North And South	15
Figure A-11	Proposed Elevations East And West.....	16
Figure A-12	Conceptual Project Rendering	17
Figure A-13	Proposed Landscape Plan.....	18
Figure A-14	Aerial View Of The Project Site And Surroundings.....	19



Appendices

- Appendix A Protected Tree Report
- Appendix B Air Quality/Greenhouse Gas/Energy Worksheets
- Appendix C Cultural Resources Identification Memorandum
- Appendix D Noise Spreadsheets and Modeling Outputs
- Appendix E Project Trip Generation Analysis



This page intentionally left blank



SECTION A. ENVIRONMENTAL CHECKLIST FORM

1. Project Title: Artis Senior Living Project
2. Lead Agency Name and Address: City of Arcadia
240 W. Huntington Drive
Arcadia, CA 91007
3. Contact Person and Phone Number: Vanessa Quiroz, Associate Planner/(626) 574-5422
4. Project Location: As shown in **Figure A-1, Regional Location Map**, the City of Arcadia is located in the central San Gabriel Valley area in the eastern portion of Los Angeles County. As shown in **Figure A-2, Project Location Map**, the Project Site is located at the southeastern corner of the intersection of Colorado Boulevard and Michillinda Avenue at 1150 West Colorado Boulevard, Arcadia, CA 91007.

The Project Site comprises Los Angeles County Assessor's Parcel Number 5776-001-012.
5. Project Sponsor's Name and Address: Artis Senior Living of Arcadia, LLC
1651 Old Meadow Road, Suite 100
McLean, VA 22102
6. General Plan Designation: Commercial
7. Zoning: General Commercial (C-G) with an Architectural Design Overlay and an Automobile Parking Overlay
8. Description of Project:

Existing Conditions

The proposed Project Site is designated in the City's General Plan as Commercial with a corresponding zoning of C-G, General Commercial. The C-G Zone is intended to provide areas for the development of retail, offices, restaurants, and service uses. The Project Site is included within two municipal overlay zones, the Architectural Design Overlay Zone and the Automobile Parking Overlay Zone. As shown in **Figure A-3, Project Site Overlay Zones**, these overlay zones are limited to the Project Site, with the Architectural Design Overlay Zone covering the central and northwestern portion of the Project Site and the Automobile Parking Overlay Zone covering the southern and eastern portions of the Project Site. The Architectural Design Overlay Zone states that various building design characteristics (such as building exterior materials, roof pitch, window size, landscaping, and automobile parking area) shall be subject to Planning Commission review and approval. Further, the Architectural Design Overlay Zone states that only one free-standing sign shall be permitted and located within 100 feet of the northern and western property lines, the maximum building height shall



not reach 30 feet above ground level, and no structure erected or permitted shall exceed 19,500 square feet of ground floor area.^{1,2} The Automobile Parking Overlay Zone restricts the overlay area to ground level parking uses

The Project Site consists of 2.79 acres of developed land in the northwestern portion of the City of Arcadia. The Project Site is located on the southeastern corner of the Colorado Boulevard and Michillinda Avenue intersection, immediately south of Interstate 210 (I-210/Foothill Freeway).

The Project Site contains an existing Coco's Bakery and Restaurant, which was constructed in 1976. The existing Coco's, which comprises 13,088 square feet in total floor area, is a rectangular, one-story building located in the center of the Project Site. The building is surrounded on all sides by a surface parking lot, with two driveway locations, one at the northeastern corner of the Project Site along Colorado Boulevard and another at the southwestern corner of the Project Site along Michillinda Avenue. Mature eucalyptus trees flank the western and eastern sides of the Coco's building. Additionally, there are decorative shrubs and turf along the northern, eastern, and western façades of the building, with one mature fern pine near the northeastern corner of the building. Currently, there is a mix of trees along the perimeter of the Project Site, serving as a landscape buffer between the Project Site and neighboring streets to the north and west and the residential neighborhoods to the east and south. The parking lot contains pole-mounted security lights, concrete bollards with chains that divide the parking lot on the south side of the lot, and landscape islands with decorative shrubs. Architectural lighting is also mounted along the edge of the roof of the northern façade and on the four corners of the roof of the Coco's building and is directed inwardly. This roof-mounted lighting illuminates the Coco's sign mounted above the building entrance on the north elevation and creates visual interest by illuminating the gently pitched roof line. Photos of the Project Site's existing conditions are shown in **Figures A-4 through A-8**.

The Colorado Boulevard and Michillinda Avenue frontages are both improved with a sidewalk, curb, gutter, and three streetlights each, with a sidewalk parkway comprising a strip of turf grass. Each frontage is characterized by decorative ground cover; mature trees; a short, white-painted cinderblock wall; and decorative shrubs located between the sidewalk and the property line. A block and wood sign for Coco's (and The Oak Tree Room inside Coco's) is located at the northwestern corner of the Project Site.

Project Characteristics

To accommodate the Proposed Project, the Coco's building would be demolished, and associated landscaping and surface parking lot would be removed. However, the majority of the trees along the perimeter of the Project Site would be retained and incorporated into the Proposed Project's landscaping plan. As shown in **Figure A-9, Proposed Site Plan**, the Proposed Project would develop a W-shaped senior living facility, which would support memory care and assisted living services that would entirely be dedicated to people afflicted with Alzheimer's disease and related memory disorders. The facility would comprise a new two-story 44,192-square-foot building with 80 senior housing units; each unit, which would

¹ City of Arcadia Resolution No. 4440, signed and approved July 2, 1974.

² City of Arcadia Ordinance No. 1510, signed and approved July 16, 1974.



range in size generally between 216 square feet and 302 square feet, would primarily consist of a bed and a private bathroom with a shower.

The first floor of the proposed building would contain 40 senior housing units, a lobby, offices, resident dining rooms, storage, and several large and small activities rooms and common spaces within 23,767 square feet of floor area, while the second floor of the proposed building would contain 40 units of senior housing, as well as dining rooms and activities room and common space, within 20,425 square feet of floor area. The Proposed Project would also include decorative landscaping, private walking paths, and an outdoor plaza on the west and south sides of the Project Site. The proposed building would extend to 37.5 feet in height.

As shown in **Figures A-10** and **A-11**, the proposed structure would feature a traditional/Craftsman-style design with varied massing and materials with articulation on each of the building façades to increase visual interest and avoid flat, street-facing surfaces. The moderately pitched roof would be made of black walnut-colored asphalt shingles and would contain recessed, flat centers, which would screen mechanical equipment, such as heating and air conditioning equipment and exhaust fans, from view from the street. The elevations would feature windows with exterior shutters alongside brick and alternating vertical and horizontal cement fiber board siding. The design would include decorative features, such as trellises on the north, east, and west elevations, as well as columns and decorative railing at the front and rear entrances. An 8-foot-high wooden fence, with a decorative wooden topper, would enclose the southern portion of the Project Site, which would include a gazebo, lawn, outdoor plaza, and walking paths described above. This fence would connect to the northwestern and northeastern corners of the building and extend to the southern property line. There is one gate with a Knox Box that connects the walkways within the fenced enclosure to the parking area on the east side of the Project Site. Two gated pathways with Knox Boxes would connect the enclosed walking paths to Michillinda Avenue on the west side of the Project Site. The majority of the building would extend to approximately 30 feet in height, with the front entrance, located in the center of the building, extending to 37.5 feet in height. The building would be topped with a small, decorative cupola, which would extend to approximately 40 feet, 10 inches in height. A conceptual rendering of the Proposed Project is displayed in **Figure A-12**.

The Proposed Project would include multiple new sources of light, including pole-mounted LED security lighting in parking areas and the passenger drop-off area; path lighting on internal walkways; accent lighting over building doorways; and a lighted sign located on the northwest corner of the Project Site.

Vehicle parking would include 55 regular parking stalls and 4 parking stalls that comply with the requirements of the Americans with Disabilities Act (ADA). Vehicular access to the proposed building would be from a single ingress/egress point on Colorado Boulevard, located at an existing ingress/egress point for the Project Site. A circular drive in front of the proposed building's entrance would accommodate passenger loading and unloading. A separate loading dock for materials and food deliveries would be located near the Project Site's driveway at the northeastern corner of the proposed building. Directly north of the loading space would be the trash enclosure and an emergency generator for the senior care facility. The exterior finishes and materials of the enclosures would match the senior care facility. The



enclosure to the trash area and emergency generator would stand between 8 and 12 feet in height.

The majority of trees along the perimeter of the Project Site would be preserved in place to continue to form a vegetative screen between the Project Site and the residential uses to the east and south. The proposed building would be surrounded by landscaping, including drought-tolerant shrubs and ground cover, flower gardens, decorative trees, a lawn area/outdoor plaza with a gazebo, and a meandering concrete walkway with connections through locked gates to the existing sidewalks on Michillinda Avenue and Colorado Boulevard. The existing curb, gutter, and sidewalks along the Project Site's Colorado Boulevard and Michillinda Avenue frontages would be replaced as part of the Proposed Project. The public right-of-way along the Project Site's Colorado Boulevard frontage would be widened to 12 feet in width, which would require a four-foot dedication from the Project Site, as shown in **Figure A-9**. Additional decorative trees would be planted in the parking area to provide shade and additional screening from adjacent uses. A detailed landscape plan is available as **Figure A-13, Proposed Landscape Plan**.

The Proposed Project would require the following City approvals:

- Adoption of the IS/MND
- Zone Change: To revoke the existing Architectural Design (D) Overlay Zone and Automobile Parking (P) Overlay Zone from the Project Site;
- Architectural Design Review Approval;
- Conditional Use Permit to allow for the development of the Proposed Project in a C-G Zone;
- Tree Encroachment Permit; and
- Minor Administrative Modification for the request to exceed the maximum permitted fence height of 6 feet.

9. Surrounding Land Uses and Setting:

The Project Site is located in a fully urbanized part of the City of Arcadia, where the built environment consists of a mixture of single-family residential and commercial uses to the east in the City of Pasadena, and I-210 to the north, across the street from the Project Site. Colorado Avenue is a four-lane, east-west running roadway with a center turn lane, classified as a Secondary Travel Corridor by the Arcadia General Plan Circulation and Infrastructure Element. Michillinda Avenue is a four-lane, north-south running roadway that forms the western boundary of the City of Arcadia. Land uses west of Michillinda Avenue are located in East Pasadena, a neighborhood in unincorporated Los Angeles County.

Figure A-14, Aerial View of the Project Site and Surroundings, provides a view of the local land use pattern in the vicinity of the Project Site. These surrounding land uses include one-level, detached, single-family homes to the east and south, which were generally constructed between the 1930s and 1970s; a gasoline station with a convenience store and a single-family home across Michillinda Avenue to the west; an approximately 40-foot-high



commercial building to the northwest; and mature trees and I-210 across Colorado Boulevard to the north.

10. Other Public Agencies Whose Approval is Required:

- California Department of Social Services (DSS)
- Division of the State Architect

11. Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?³


Yes. The City sent notification letters to the Gabrielino-Tongva Tribe and the Gabrieleño Band of Mission Indians—Kizh Nation on January 10, 2020. On January 23, 2020, Andrew Salas, of the Gabrieleño Band of Mission Indians – Kizh Nation submitted a formal request to consult with the City. The tribal consultation process commenced on April 1, 2020 via a conference call attended by Andrew Salas and Matt Teutimez of the Gabrieleño Band of Mission Indians, Lisa Flores and Vanessa Quiroz of the City of Arcadia, and Madonna Marcelo and John Bellas of Michael Baker International (the City's environmental consultant). Please refer to Section XVIII, Tribal Cultural Resources, of this Initial Study for a discussion of the results of the consultation.

³ NOTE: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code section 21080.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3(c) contains provisions specific to confidentiality.



Source: ESRI streetmap


FIGURE A-1
Regional Location Map



Source: ESRI World Imagery Service



FIGURE A-2
Project Location Map



Source: Esri World Imagery, Los Angeles County

FIGURE A-3
Project Site Overlay Zones



North and West Elevations of Existing Restaurant Building



North and East Elevations of Existing Restaurant Building

Note: Photos taken November 2019

FIGURE A-4 North Building Elevations

Michael Baker
INTERNATIONAL



South and East Elevations of Existing Restaurant Building



South and West Elevations of Existing Restaurant Building

Note: Photos taken November 2019

FIGURE A-5
South Building Elevations

Michael Baker
 INTERNATIONAL



Block Wall and Landscaping Along Eastern Project Site Boundary



Surface Parking and Landscaping in Parking Area and Along Eastern and Southern Project Site Boundaries

Note: Photos taken November 2019

FIGURE A-6 Eastern and Southern Parking and Landscaping Areas

Michael Baker
INTERNATIONAL



Block Wall and Landscaping Along Western Project Site Boundary



Surface Parking and Landscaping Along Western side of Project Site

Note: Photos taken November 2019

FIGURE A-7 Western Parking and Landscaping Areas

Michael Baker
INTERNATIONAL



Existing Project Site Entry and Exit Point onto Colorado Boulevard




Existing Project Site Entry and Exit Point onto Michillinda Avenue

Note: Photos taken November 2019

FIGURE A-8 Existing Project Site Entry and Exit Points

Michael Baker
INTERNATIONAL




Source: Gateway Engineering, Inc., March 2020



Not to Scale


FIGURE A-9
Proposed Site Plan

Michael Baker
INTERNATIONAL



Source: Architecture Incorporated, August 2019

FIGURE A-10
Proposed Elevations North and South



West Elevation



East Elevation

Source: Architecture Incorporated, August 2019

FIGURE A-11
Proposed East and West Elevations

Michael Baker
INTERNATIONAL



View of the west elevation looking northwest



View of the north and west elevations looking southwest




View of the north elevation looking southeast



View of the north and east elevations, looking south

Source: Architecture Incorporated, August 2019

FIGURE A-12 Conceptual Project Rendering



Source: Source: Armstrong and Walker Landscape Architecture, December 2019

FIGURE A-13
Proposed Landscape Plan



Source: Google Imagery, Esri, Los Angeles County, December 2019

FIGURE A-14
Aerial View of the Project Site and Surroundings



SECTION B. ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|--|---|---|
| ☐ Aesthetics | ☐ Agriculture and Forestry Resources | ☐ Air Quality |
| ☐ Biological Resources | ☐ Cultural Resources | ☐ Energy |
| ☐ Geology/Soils | ☐ Greenhouse Gas Emissions | ☐ Hazards & Hazardous Materials |
| ☐ Hydrology/Water Quality | ☐ Land Use/Planning | ☐ Mineral Resources |
| ☐ Noise | ☐ Population/Housing | ☐ Public Services |
| ☐ Recreation | ☐ Transportation/Traffic | ☐ Tribal Cultural Resources |
| ☐ Utilities/Service Systems | ☐ Wildfire | ☐ Mandatory Findings of Significance |

For the evaluation of potential impacts, the questions in the Initial Study Checklist are stated and an answer is provided according to the analysis undertaken as part of the Initial Study. The analysis considers the long-term, direct, indirect, and cumulative impacts of the project. To each question, there are four possible responses:

- **No Impact.** The project would not have any measurable environmental impact on the environment.
- **Less Than Significant Impact.** The project would have the potential for impacting the environment, although this impact would be below established thresholds that are considered to be significant.
- **Less Than Significant Impact With Measures Incorporated.** The project would have the potential to generate impacts which may be considered a significant effect on the environment, although measures or changes to the development's physical or operational characteristics can reduce these impacts to levels that are less than significant.
- **Potentially Significant Impact.** The project would have impacts which are considered significant, and additional analysis is required to identify measures that could reduce these impacts to less than significant levels.




SECTION C. DETERMINATION

(To be completed by the Lead Agency)

On the basis of this initial evaluation:

- ☐ I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- ☒ I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- ☐ I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- ☐ I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.


Signature

4/9/2020
Date



SECTION D. EVALUATION OF ENVIRONMENTAL IMPACTS

I. Aesthetics

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
AESTHETICS: <i>Except as provided in Public Resources Code Section 21099, would the project:</i>				
a) Have a substantial adverse effect on a scenic vista?	☐	☐	☒	☐
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	☐	☐	☒	☐
c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	☐	☐	☒	☐
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	☐	☐	☒	☐

Discussion

The Proposed Project is not classified as a “transit-oriented infill project” as set forth in Section 21099 of the Public Resources Code (PRC), and, thus, the provisions of that section do not apply to this Project.

a) ***Would the project have a substantial adverse effect on a scenic vista?***

Less Than Significant Impact. A scenic vista is defined as a publicly accessible, prominent vantage point that provides expansive views of highly valued landscapes or prominent visual elements composed of man-made or natural features. Michillinda Avenue and North Altura Road, which both provide views of the San Gabriel Mountains for northbound travelers, could be considered public vantage points that provide a view of a highly valued landscape (i.e., the San Gabriel Mountains); however, the mountain views are distant, not expansive, and are extensively obstructed by existing development, utilities, and landscaping. Further, because the majority of the City is relatively flat, including the area surrounding the Project Site, the City of Arcadia General Plan does not identify any prominent vantage points from which the public can view an expansive scenic vista within or beyond the City.^{4,5}

As discussed in the Project Description of this Initial Study, the Project Site is located in a highly urbanized area, dominated by features of a built environment. The surrounding development includes a mixture of building sizes, styles, and forms, and includes single-family residential, low- and mid-rise commercial, and freeway infrastructure. Many of the main arterial roadways in the City of Arcadia that

⁴ City of Arcadia, Arcadia General Plan Land Use and Community Design Element, November 2010.

⁵ City of Arcadia, Arcadia General Plan Parks, Recreation, and Community Resources Element, November 2010.



are oriented north and south provide views of the San Gabriel Mountains in the distance. As such, motorists traveling northbound on Michillinda Avenue (along the western boundary of the Project Site) and North Altura Road (one block east of the Project Site) have distant views of the San Gabriel Mountains, which begin approximately 1.9 miles north of the Project Site. Views of the mountains are partially obstructed by mature trees and existing development along both of these streets, I-210, and the overpass over Michillinda Avenue, as well as utility poles, traffic signals, and business signs on either side of Michillinda Avenue. As a result of these existing impediments, views of the San Gabriel Mountains are only available straight north and are obstructed to the northeast and northwest. In addition, because the proposed senior housing building would be set back approximately 106 feet from the Project Site's eastern boundary and set back approximately 52 feet from Michillinda Avenue, the proposed building would not substantially impact the existing, limited mountain views available to motorists. Further, the existing restaurant building is approximately 20 feet in height and is surrounded by mature eucalyptus trees that extend to approximately 60 feet high. The majority of the Proposed Project would extend to approximately 30 feet in height, with the front entrance, located in the center of the building, extending to 37.5 feet in height (see **Figures A-10** and **A-11**, which illustrate the Proposed Project's building elevations and indicate building heights). The building would be topped with a small, decorative cupola, which would extend to approximately 40 feet, 10 inches in height. The existing eucalyptus trees on the Project Site are visible from North Altura Road, looking west over the existing single-family homes. The Proposed Project may also be visible from North Altura Road looking west over the existing single-family homes; however, the Proposed Project would not obstruct any existing views of the San Gabriel Mountains to the north from North Altura Road. Therefore, effects of the Proposed Project on scenic vistas would be less than significant.

b) *Would the project substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?*

Less Than Significant Impact. The closest officially designated State scenic highway to the Project Site is part of the Angeles Crest State Scenic Highway, State Route 2 (SR-2), from near La Cañada-Flintridge north to the San Bernardino County line. This State scenic highway is approximately 8.5 miles northwest of the Project Site. The Arroyo Seco Historic Parkway (SR-110), between mileposts 25.7 and 31.9 in Los Angeles, is approximately 5 miles west of the Project Site. The distance between the Project Site and these officially designated scenic highways indicates that the Proposed Project would not be visible from a State scenic highway. Finally, I-210 north of SR-134 is designated as an eligible scenic highway; however, since the Project Site is approximately 5 miles west of this eligible scenic highway, the Proposed Project would not be visible from this viewshed. As such, the Proposed Project would not adversely affect the viewshed from a State scenic highway.

There are a number of scenic resources on the Project Site. Although there are no rock outcroppings or historic buildings on the Project Site, the Project Site's mature trees could be considered scenic resources because the City's General Plan states that "Arcadia's trees are a significant aesthetic and ecological resource" and are "one of the City's real treasures," distinguishing Arcadia from other cities in the vicinity.⁶ Specifically, mature trees of various species are located around the perimeter of the Project Site, nearly all of which are protected by the City of Arcadia, as is described in further detail in Section IV, Biological Resources, of this Initial Study. As stated in the Project Description of this Initial Study, these protected trees provide a visual barrier between the Proposed Project and

⁶ City of Arcadia, Arcadia General Plan Land Use and Community Design Element, November 2010, page 2-21.



surrounding uses and maintaining the existing visual character of the Project area.⁷ Therefore, because of the Project Site's distance from the nearest officially designated scenic highway and the lack of impacts to scenic resources on the Project Site, the Proposed Project would have a less-than-significant impact on scenic resources, such as trees, rock outcroppings, or historic buildings within a State scenic highway.

c) Would the project, in non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

Less Than Significant Impact. The Proposed Project would be located in a fully urbanized area, where there is a variety of nonresidential and residential land uses and extensive urban infrastructure improvements (see **Figure A-14, Aerial View of Project Site and Surroundings**). For purposes of determining impact significance for projects within urbanized areas, a project is evaluated for whether it would conflict with applicable zoning or other regulations governing “scenic quality.” The term “scenic quality” is not specifically defined in the threshold language of Appendix G of the CEQA Guidelines. No applicable federal or State regulations pertain to aesthetic impact; however, the Proposed Project would need to comply with Arcadia Municipal Code regulations governing scenic quality for areas zoned General Commercial.

The Project is consistent with the underlying General Commercial (C-G) zone because the development of a residential care facility is allowed with an approved Conditional Use Permit (CUP) from the City.⁸ However, the Project would require a zone change to remove an existing Architectural Design (D) Overlay Zone and an Automobile Parking (P) Overlay Zone from the Project Site.

While the Proposed Project would conflict with the existing overlay zones covering the Project Site, the Proposed Project would be consistent with underlying City zoning upon approval of a CUP. Further, the Arcadia Development Code does not contain any specific zoning regulations that govern scenic quality other than the protected tree ordinances described in Section IV, Biological Resources, of this Initial Study. As stated above, all protected trees on the Project Site would be preserved in place, providing visual barriers between the Proposed Project and surrounding uses and maintaining the existing visual character of the Project vicinity, as presented in **Figure A-13, Proposed Landscape Plan**. Per the Protected Tree Report, available as **Appendix A** and further discussed in Section IV, Biological Resources, of this Initial Study, no mitigation measures to offset tree removals would be required as part of the Proposed Project.⁹ Therefore, the Proposed Project would be consistent with applicable zoning and other regulations governing scenic quality, and impacts would be less than significant.

⁷ Arbor Care, Inc., Protected Tree Report: Tree Survey, Encroachment, Protection and Mitigation 1150 West Colorado Boulevard, Arcadia, CA 91106, revised December 2019.

⁸ City of Arcadia, Arcadia Municipal Code Section 9102.03.020.

⁹ Arbor Care, Inc., Protected Tree Report: Tree Survey, Encroachment, Protection and Mitigation 1150 West Colorado Boulevard, Arcadia, CA 91106, revised December 2019.



d) Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

Less Than Significant Impact. The Project Site is currently developed with an existing Coco's building, which is surrounded by a surface parking lot and scattered landscaped areas. Existing sources of light on the Project Site include building security lights on the restaurant building and pole-mounted parking lot lights. The area surrounding the Project Site is highly urbanized and, therefore, is already impacted by nighttime lighting from streetlights along Colorado Boulevard and Michillinda Avenue, as well as traffic signals at the intersection of Colorado Boulevard and Michillinda Avenue, vehicle headlights, and existing parking lot and building security lights at the commercial and gasoline station uses across Michillinda Avenue from the Project Site. The residential neighborhoods south and east of the Project Site do not contribute substantial nighttime lighting to the Project vicinity, apart from residential security and landscape lighting, and overhead streetlights located along North Altura Road and Altura Terrace.

The Proposed Project would contain multiple new sources of nighttime lighting, such as security lighting on internal walkways, overhead LED lights in the parking areas, and lights at building entrances, as well as accent lights along walking paths adjacent to landscaped areas and vehicle headlights from those entering and exiting the Project Site. The Proposed Project would be required to demonstrate compliance with Section 9103.01.120(D) of the Arcadia Development Code as part of the City's design review process, which limits potential light and glare impacts by requiring that lights be directed downward and shielded/recessed to avoid spillage to adjacent properties and prohibits flashing or roof-mounted lights that are directed outward. This Arcadia Development Code section also prohibits light fixtures that are inappropriate for the scale, intensity, and height of the use they are serving. Further, the Project would be allowed one sign, the lighting of which would have to comply with City of Arcadia sign regulations.¹⁰ Additionally, the Project would not utilize glossy or reflective construction materials that would generate significant amounts of glare off-site. Therefore, the Project would not generate excessive light or glare, and by complying with lighting regulations in the Arcadia Development Code, would result in a less-than-significant impact on day or nighttime views in the Project area.

II. Agriculture and Forestry Resources

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
AGRICULTURE AND FORESTRY RESOURCES: <i>In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:</i>				

¹⁰ City of Arcadia, Arcadia Municipal Code Article IX, Division 3, Section 9103.11, Signs.



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	☐	☐	☐	☒
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	☐	☐	☐	☒
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	☐	☐	☐	☒
d) Result in the loss of forest land or conversion of forest land to non-forest use?	☐	☐	☐	☒
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	☐	☐	☐	☒

Discussion

a) *Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?*

No Impact. As stated in the Project Description of this Initial Study, the Project Site is located in a fully urbanized part of the City of Arcadia, where the built environment consists of a mixture of single-family residences, commercial buildings, and major highway infrastructure. The Project Site is currently developed with a Coco's restaurant, which is surrounded by a surface parking lot and ornamental landscaping. No agricultural uses or operations occur on-site or in the vicinity of the Project Site. Additionally, neither the Project Site nor the area surrounding it are mapped as Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance pursuant to the Farmland Mapping and Monitoring Program of the California Department of Conservation.¹¹ Therefore, the Project would not convert farmland to a non-agricultural use, and no impact would occur.

b) *Would the project conflict with existing zoning for agricultural use, or a Williamson Act contract?*

No Impact. The Project Site is zoned as C-G (General Commercial) by the City and designated for Commercial in the City's General Plan. Agricultural uses are not permitted on properties zoned C-G.

¹¹ California Department of Conservation, *California Important Farmland Finder*, accessed November 8, 2019, <https://maps.conservation.ca.gov/DLRP/CIFF/>.



Further, neither the Project Site nor the surrounding area is subject to a Williamson Act contract.¹² Therefore, the Project would not conflict with existing zoning for agricultural uses or a Williamson Act contract, and no impact would occur.

c) *Would the project conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?*

No Impact. The Project Site is zoned as C-G (General Commercial) by the City and designated for Commercial in the City's General Plan. Accordingly, the Project Site does not include any forestland or timberland and is almost entirely covered by man-made, impervious surfaces (i.e., building and surface parking lot). Therefore, the Project would not conflict with existing zoning for, or cause rezoning of, forestland, timberland, or timberland zoned Timberland Production, and no impact would occur.

d) *Would the project result in the loss of forest land or conversion of forest land to non-forest use?*

No Impact. The Project Site is located in a fully urbanized area and does not include any forestland or timberland. Therefore, the Project would not result in the loss or conversion of forestland to non-forest use, and no impact would occur.

e) *Would the project involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?*

No Impact. As stated in the response to Checklist Question II.c, above, the Project Site is fully urbanized and almost entirely covered by impervious surfaces. While the Proposed Project would alter the Project Site, resulting in a greater amount of pervious areas due to the increase in landscaped areas, the Project would not result in conversion of farmland to non-agricultural use or forestland to non-forest use, and no impact would occur.

¹² California Department of Conservation, *The California Land Conservation Act of 1965 2016 Status Report*, December 2016.



III. Air Quality

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
AIR QUALITY: <i>Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:</i>				
a) Conflict with or obstruct implementation of the applicable air quality plan?	☐	☐	☒	☐
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	☐	☐	☒	☐
c) Expose sensitive receptors to substantial pollutant concentrations?	☐	☐	☒	☐
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	☐	☐	☒	☐

Discussion

a) ***Would the project conflict with or obstruct implementation of the applicable air quality plan?***

Less Than Significant Impact. The City of Arcadia is located within the South Coast Air Basin (Basin), which is bounded by the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east and by the Pacific Ocean to the south and west. The South Coast Air Quality Management District (SCAQMD) has jurisdiction in the Basin, which has a history of recorded air quality violations and is an area where both State and federal ambient air quality standards are exceeded.¹³ Areas that meet ambient air quality standards are classified as attainment areas, while areas that do not meet these standards are classified as nonattainment areas. The air quality in the Los Angeles County portion of the Basin does not meet the ambient air quality standards for ozone (O₃), coarse particulate matter (PM₁₀), fine particulate matter (PM_{2.5}), and lead and is therefore classified as a nonattainment area for these pollutants.¹⁴ The SCAQMD is required to reduce emissions of air pollutants for which the Basin is in federal nonattainment (i.e., O₃ and PM_{2.5}).

In order to reduce emissions, the SCAQMD adopted the 2016 Air Quality Management Plan (AQMP), which establishes a program of rules and regulations directed at reducing air pollutant emissions and achieving State and federal air quality standards.¹⁵ The 2016 AQMP is a regional and multiagency effort including the SCAQMD, the California Air Resources Board (CARB), the Southern California Association of Governments (SCAG), and the U.S. Environmental Protection Agency (USEPA). In addition to the AQMP, the SCAQMD regulates construction activities through Rule 403, which requires that excessive fugitive dust emissions be controlled by regular watering or other dust prevention measures, thus greatly reducing PM₁₀ and PM_{2.5} concentrations.

¹³ South Coast Air Quality Management District, *Final 2016 Air Quality Management Plan*, March 2017.

¹⁴ South Coast Air Quality Management District, *Final 2016 Air Quality Management Plan*, March 2017.

¹⁵ South Coast Air Quality Management District, *Final 2016 Air Quality Management Plan*, March 2017.



The 2016 AQMP pollutant control strategies are based on the latest scientific and technical information and planning assumptions, including the 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS), updated emission inventory methodologies for various source categories, and SCAG's latest growth forecasts.¹⁶ SCAG's latest growth forecasts were defined in consultation with local governments and with reference to local general plans. Therefore, the SCAQMD considers projects that are consistent with the 2016 AQMP to also have less-than-significant cumulative impacts.¹⁷

Criteria for determining consistency with the 2016 AQMP are defined by the following indicators:

Criterion 1:

- *The Proposed Project will not result in an increase in the frequency or severity of existing air quality violations, or cause or contribute to new violations, or delay the attainment of air quality standards or the interim emissions reductions specified in the AQMP.*

Since this criterion pertains to pollutant concentrations, rather than to total regional emissions, an analysis of the Project's pollutant emissions relative to localized pollutant concentrations is used as the basis for evaluating project consistency. As discussed in the response to Checklist Question III.c, below, localized emissions of CO, NO_x, PM₁₀, and PM_{2.5} generated by the Project would be less than significant. Therefore, the Proposed Project would not result in an increase in the frequency or severity of existing air quality violations. Because reactive organic gases (ROGs) are not a criteria pollutant, there is no ambient standard or localized threshold for ROGs. Due to the role ROGs play in O₃ formation, it is classified as a precursor pollutant and only a regional emissions threshold has been established. Further, as discussed in the response to Checklist Question III.b, below, the Proposed Project would result in emissions below the SCAQMD thresholds. Therefore, the Proposed Project would not have the potential to cause or affect a violation of the ambient air quality standards. Finally, the Proposed Project would result in less-than-significant impacts with regard to localized emissions during Project construction and operation. As such, the Proposed Project would not delay the timely attainment of air quality standards or 2016 AQMP emissions reductions and, therefore, meets the first criterion for consistency with the 2016 AQMP.

Criterion 2:

- *The Proposed Project will be consistent with the population, housing, and employment growth projections utilized in the preparation of the AQMP and will implement all feasible air quality mitigation measures.*

A project is consistent with the 2016 AQMP in part if it is consistent with the population, housing, and employment assumptions that were used in the development of the 2016 AQMP. In the case of the 2016 AQMP, the basis for the projections of air pollutant emissions include the Arcadia General Plan and SCAG's RTP/SCS. The RTP/SCS also provides socioeconomic forecast projections of regional population growth.

The Project proposes to construct a senior living facility and associated surface parking lot. The existing General Plan land use designation for the Project Site is Commercial, with a corresponding zoning of C-G, General Commercial. Further, the Project Site is within two municipal overlay zones, the Architectural

¹⁶ Southern California Association of Governments, 2016–2040 Regional Transportation Plan/Sustainable Communities Strategy, April 2016.

¹⁷ South Coast Air Quality Management District, *SCAQMD Air Quality Significance Thresholds*, March 2015.



Design overlay zone and the Automobile Parking overlay zone. While the Proposed Project would conflict with the existing overlay zones covering the Project Site, the Proposed Project would be consistent with the underlying City zoning upon approval of a CUP, as further discussed in response to Checklist Question XI.b, below. Therefore, the Proposed Project is consistent with the General Plan. The population, housing, and employment forecasts, which are adopted by SCAG's Regional Council, are based on the local plans and policies applicable to the City. As the SCAQMD has incorporated these same projections into the 2016 AQMP, it can be concluded that the Proposed Project would be consistent with the projections.

The Proposed Project would not require mitigation and would result in less-than-significant air quality impacts, as described in responses to Checklist Questions III.b through III.d, below. Further, compliance with all emissions reduction regulations established by the SCAQMD, such as Rule 403 controlling fugitive dust, would be required. As such, the Proposed Project meets the second AQMP consistency criterion.

In conclusion, the Proposed Project would not result in a long-term impact on the region's ability to meet State and federal air quality standards. As discussed above, the Proposed Project's long-term influence would also be consistent with the SCAQMD's and SCAG's goals and policies and is, therefore, considered consistent with the 2016 AQMP. As such, impacts would be less than significant.

b) Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

Less Than Significant Impact. The Project Site is located in the Basin, which is considered a nonattainment area for certain criteria pollutants. The Project would involve demolition, grading, and other construction activities, and would result in long-term operations at the Project Site; therefore, it would contribute to regional and localized pollutant emissions during construction (short-term) and Project occupancy (long-term). Further discussion of construction-related and operation-related emissions are provided below.

Construction

The Project involves construction activities associated with demolition, grading, paving, building construction, and architectural coating phases. It is anticipated that the Project would be constructed over approximately 19 months. Variables factored into estimating the total construction emissions include the level of activity, length of construction period, number of pieces and types of equipment in use, site characteristics, weather conditions, number of construction personnel, and the amount of materials to be transported on- or offsite. The analysis of daily construction emissions has been prepared utilizing the California Emissions Estimator Model (CalEEMod) version 2016.3.2.¹⁸ Refer to **Appendix B**, Air Quality/Greenhouse Gas/Energy worksheets, for the CalEEMod outputs and results. **Table III-1** presents the anticipated daily short-term construction emissions associated with the Project.

¹⁸ South Coast Air Quality Management District, California Emissions Estimator Model (CalEEMod), version 2016.3.2.



Table III-1
Short-Term Construction Emissions

Emissions Source	Pollutant (pounds/day) ^{a,b}					
	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
Year 1	4.38	49.34	32.32	0.07	5.53	3.26
Year 2	3.50	17.82	20.01	0.04	1.72	1.02
Year 3	3.48	1.35	2.37	0.00	0.23	0.11
Maximum Daily Emissions	4.38	49.34	32.32	0.07	5.53	3.26
<i>SCAQMD Thresholds</i>	<i>75</i>	<i>100</i>	<i>550</i>	<i>150</i>	<i>150</i>	<i>55</i>
Is Threshold Exceeded?	No	No	No	No	No	No

Notes: ROG = reactive organic gases; NO_x = nitrogen oxide; CO = carbon monoxide; SO₂ = sulfur dioxide; PM₁₀ = coarse particulate matter; PM_{2.5} = fine particulate matter

^a Emissions were calculated using CalEEMod, version 2016.3.2.

^b Modeling assumptions include compliance with SCAQMD Rule 403 which requires properly maintaining mobile and other construction equipment; replacing ground cover in disturbed areas quickly; watering exposed surfaces three times daily; covering stockpiles with tarps; watering all haul roads twice daily; and limiting speeds on unpaved roads to 15 miles per hour.

Source: Refer to **Appendix B** for detailed model input/output data.

Construction activities, such as land clearing and ground disturbance, are a source of fugitive dust emissions that may have a substantial, temporary impact on local air quality. Fugitive dust emissions vary substantially from day to day, depending on the level of activity, specific operations, and weather conditions, and would be short term, ceasing upon Project completion. As stated above, SCAQMD Rule 403 requires that excessive fugitive dust emissions be controlled by regular watering or other dust prevention measures. Adherence to SCAQMD Rule 403 would greatly reduce PM₁₀ and PM_{2.5} concentrations. As shown in **Table III-1**, total PM₁₀ and PM_{2.5} emissions would not exceed the SCAQMD thresholds during construction. Other construction-related exhaust emissions would result from the transport of machinery and supplies to and from the Project Site and emissions produced by equipment used on-site. As presented in **Table III-1**, construction equipment and worker vehicle exhaust emissions (SO₂, CO, and NO_x) would be below the established SCAQMD significance thresholds.¹⁹

In addition to gaseous and particulate emissions, the application of asphalt and surface coatings creates ROG emissions, which are O₃ precursors. As required, all architectural coatings for the proposed structure would comply with SCAQMD Rule 1113, Architectural Coating, which provides specifications on painting practices and regulates the ROG content of paint.

As shown in **Table III-1**, Project-related total daily construction emissions of particulate matter, equipment and vehicle exhaust, and ROG emissions would not exceed the SCAQMD significance thresholds. As such, air quality impacts would be less than significant.

Operation

Emissions during Project operation would be predominantly associated with motor vehicle use (mobile source emissions). To a lesser extent, area sources, such as the use of landscape maintenance equipment, and architectural coatings, as well as energy sources, such as non-hearth natural gas and

¹⁹ South Coast Air Quality Management District, *SCAQMD Air Quality Significance Thresholds*, March 2015.



electricity, would also contribute to overall emissions. The total daily operational emissions in winter and summer are displayed in **Table III-2**.

Table III-2
Long-Term Operational Air Emissions

Emissions Source	Pollutant (pounds/day) ^{a,b}					
	ROG	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Existing Coco's Restaurant Emissions						
Area Source Emissions	0.33	0.00	0.01	0.00	0.00	0.00
Energy Emissions	0.09	0.81	0.68	0.00	0.06	0.06
Mobile Emissions	0.87	3.68	8.35	0.02	1.79	0.50
<i>Total Daily Emissions²</i>	<i>1.29</i>	<i>4.49</i>	<i>9.04</i>	<i>0.02</i>	<i>1.85</i>	<i>0.56</i>
Proposed Artis Senior Living Facility Emissions						
Area Source Emissions	1.30	1.27	7.13	0.01	0.13	0.13
Energy Emissions	0.03	0.22	0.10	0.00	0.02	0.02
Mobile Emissions ³	0.39	1.95	5.26	0.02	1.53	0.42
<i>Total Daily Emissions²</i>	<i>1.72</i>	<i>3.44</i>	<i>12.49</i>	<i>0.03</i>	<i>1.68</i>	<i>0.57</i>
<i>Total Net Daily Emissions (Proposed – Existing)</i>	<i>0.43</i>	<i>-1.05</i>	<i>3.45</i>	<i>0.01</i>	<i>-0.17</i>	<i>0.01</i>
SCAQMD Threshold	55	55	550	150	150	55
Is Threshold Exceeded?	No	No	No	No	No	No

Notes: ROG = reactive organic gases; NO_x = nitrogen oxide; CO = carbon monoxide; SO₂ = sulfur dioxide; PM₁₀ = coarse particulate matter; PM_{2.5} = fine particulate matter

^a Emissions were calculated using CalEEMod, version 2016.3.2.

^b The numbers may be slightly off due to rounding.

Source: Refer to **Appendix B** for detailed model input/output data.

As shown in **Table III-2**, the Project would generate a substantial reduction in mobile source emissions. This is because the Project would result in a net reduction of approximately 374 daily vehicle trips as compared with existing conditions (Coco's Restaurant).²⁰ This net reduction in vehicle trips is discussed further in Section XVII, Transportation/Traffic, of this Initial Study. Additionally, area source emissions, such as emissions generated from consumer products, architectural coatings, and internal combustion landscaping equipment, would result in a modest increase over existing conditions. As shown in **Table III-2**, the total daily emissions from mobile, area source, and energy emissions would not exceed SCAQMD thresholds for ROG, NO_x, CO, SO_x, PM₁₀, or PM_{2.5}. Thus, operational air quality impacts would be less than significant.

c) Would the project expose sensitive receptors to substantial pollutant concentrations?

Less Than Significant Impact. Sensitive receptors are defined as facilities or land uses that include members of the population that are particularly sensitive to the effects of air pollutants. Examples of these sensitive receptors are residences, schools, hospitals, and daycare centers. CARB has identified the following groups of individuals as the most likely to be affected by air pollution: the elderly over 65, children under 14, athletes, and persons with cardiovascular and chronic respiratory diseases, such as asthma, emphysema, and bronchitis.²¹ In order to identify impacts to sensitive receptors, the SCAQMD recommends addressing localized significance thresholds (LSTs) for construction and

²⁰ Michael Baker International, Artis Senior Assisted Living Facility Trip Generation Analysis, December 17, 2019.

²¹ South Coast Air Quality Management District, *CEQA Air Quality Handbook*, November 1993.



operations impacts (area sources only).²² The closest sensitive receptors are residences adjoining the Project Site to the east and south. These sensitive receptors may be potentially affected by air pollutant emissions generated during on-site construction activities

Table III-3 presents the localized construction-related emissions for NO_x, CO, PM₁₀, and PM_{2.5} in comparison to the appropriate LST designated by SCAQMD. The localized emissions presented in **Table III-3** are less than the emissions displayed in **Table III-2** because localized emissions include only on-site emissions (i.e., from construction equipment and fugitive dust) and do not include off-site emissions (i.e., from hauling activities). As shown in **Table III-3**, the Project's localized construction emissions would not exceed the LST with adherence to SCAQMD rules and requirements. Therefore, localized significance impacts from construction would be less than significant.

Table III-3
Localized Significance of Construction Emissions

Source ^a	Pollutant (pounds/day)			
	NO _x	CO	PM ₁₀	PM _{2.5}
Year 1 ^b	46.40	30.88	5.20	3.16
Year 2 ^c	15.62	16.36	0.81	0.76
Year 3 ^d	1.30	1.81	0.07	0.07
Maximum Daily Emissions	46.40	30.88	5.20	3.16
<i>SCAQMD Localized Significance Threshold^e</i>	<i>128</i>	<i>953</i>	<i>7</i>	<i>5</i>
Thresholds Exceeded?	No	No	No	No

Notes: NO_x = nitrogen oxide; CO = carbon monoxide; PM₁₀ = coarse particulate matter; PM_{2.5} = fine particulate matter

^a Modeling assumptions include compliance with SCAQMD Rule 403 which requires properly maintaining mobile and other construction equipment; replacing ground cover in disturbed areas quickly; watering exposed surfaces three times daily; covering stockpiles with tarps; watering all haul roads twice daily; and limiting speeds on unpaved roads to 15 miles per hour.

^b Year 1 grading phase emissions present the worst-case scenario for NO_x, CO, PM₁₀, and PM_{2.5}.

^c Year 2 building construction phase emissions present the worst-case scenario for NO_x, CO, PM₁₀, and PM_{2.5}.

^d Year 3 architectural coating phase emissions present the worst-case scenario for NO_x, CO, PM₁₀, and PM_{2.5}.

^e The LST was determined using Appendix C of the SCAQMD *Final Localized Significance Threshold Methodology* guidance document for pollutants NO_x, CO, PM₁₀, and PM_{2.5}. The LST was based on the anticipated daily acreage disturbance for construction (the thresholds for 2 acres were used), the distance to sensitive receptors (25 meters), and the source receptor area (SRA 9).

Source: Refer to **Appendix B** for detailed model input/output data.

Regarding operational emissions, SCAQMD states that LSTs would apply to the operational phase of a Proposed Project if the Project includes stationary sources or attracts mobile sources that may spend extended periods queuing and idling at the site (e.g., warehouse or transfer facilities).²³ Because the Proposed Project does not include such uses, no long-term LST analysis is needed and operational LST impacts would be less than significant.

²² South Coast Air Quality Management District, *Final Localized Significance Threshold Methodology*, July 2008.

²³ South Coast Air Quality Management District, *Final Localized Significance Threshold Methodology*, July 2008.



Therefore, because the Project would not exceed short-term or long-term LSTs, the Project would not expose sensitive receptors to substantial pollutant concentrations, and air quality impacts would be less than significant.

d) Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Less Than Significant Impact. According to the SCAQMD *CEQA Air Quality Handbook*, land uses associated with odor complaints typically include agricultural uses, wastewater treatment plants, food processing plants, chemical plants, composting, refineries, landfills, dairies, and fiberglass molding.²⁴ The Proposed Project does not include any uses identified by the SCAQMD as being associated with odors.

Construction activities associated with the Project may generate other emissions and detectable odors from heavy-duty equipment exhaust and architectural coatings. However, construction-related emissions and odors would be short term in nature and cease upon Project completion. In addition, the Project would be required to comply with the California Code of Regulations, Title 13, Sections 2449(d)(3) and 2485, which minimizes the idling time of construction equipment either by shutting it off when not in use or by reducing idling time to no more than five minutes. This would further reduce the detectable odors from heavy-duty equipment exhaust. The Project would also be required to comply with the SCAQMD Regulation XI, Rule 1113 – Architectural Coatings, which would minimize odor impacts from ROG emissions during architectural coating. Any odor impacts to existing adjacent land uses would be short term and minimal. As such, the Project would not result in other emissions (such as those leading to odors) adversely affecting a substantial number of people, and impacts would be less than significant.

IV. Biological Resources

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
BIOLOGICAL RESOURCES:				
<i>Would the project:</i>				
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	☐	☐	☒	☐
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	☐	☐	☐	☒

²⁴ South Coast Air Quality Management District, *CEQA Air Quality Handbook*, November 1993.



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	☐	☐	☐	☒
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	☐	☒	☐	☐
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	☐	☒	☐	☐
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	☐	☐	☐	☒

Discussion

a) *Would the project have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?*

Less than Significant Impact. The Project Site is located in a fully urbanized area where the built environment consists of a mixture of single-family residential and commercial buildings and major highway infrastructure. The Project Site is currently developed with a restaurant building, which is surrounded by surface parking and landscaping. As stated in the Project Description of this Initial Study, mature eucalyptus trees flank the western and eastern sides of the restaurant building. Additionally, there are decorative shrubs and turf along the northern, eastern, and western façades of the building, with one mature fern pine near the northeastern corner of the building. There is a mix of existing trees along the perimeter of the Project Site, serving as landscape buffers between the Project Site and neighboring streets to the north and west and the residential neighborhoods to the east and south. In total, there are 72 trees located on the Project Site. According to the U.S. Fish and Wildlife Service (USFWS), the only threatened or endangered species that have potential of occurring in this part of Arcadia are the California condor, the coastal California gnatcatcher, and the Braunton's milk-vetch flowering plant.²⁵ While there are 72 trees on the Project Site, the Site does not contain any native habitat that would support the California condor or the coastal California gnatcatcher. The Project Site's manicured landscaping does not support native plant species, such as the Braunton's milk-vetch. Due to the disturbed nature of the Project Site, the Project Site would not support special-status species listed by the USFWS, or species listed on the California Department of Fish and

²⁵ U.S. Fish and Wildlife Service (USFWS), Environmental Conservation Online System: Information for Planning and Consultation, resource list generated November 22, 2019.



Wildlife's (CDFW) Special Plant and Animal Lists.²⁶ Further, the Arcadia General Plan does not identify any sensitive or special-status species, apart from protected trees, which are discussed in the response to Checklist Question IV.e of this Initial Study. Therefore, the Project would not have a substantial adverse effect, either directly or through habitat modification, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the CDFW or USFWS. As such, impacts would be less than significant.

b) *Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?*

No Impact. As previously stated, the Project Site is located in an urbanized area and is currently developed as a restaurant with associated parking and landscaping. No riparian or other sensitive natural community exists on the Project Site or in the immediate surrounding area.^{27,28} Further, the Project Site is not located in or adjacent to a Biological Resource Area or Significant Ecological Area as defined by the County of Los Angeles.²⁹ Additionally, there are no other sensitive natural communities or critical habitat identified by the CDFW or USFWS located on or adjacent to the Project Site.^{30,31,32} Therefore, the Proposed Project would not have a substantial adverse effect on any riparian habitat or other sensitive natural community, and no impact would occur.

c) *Would the project have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

No Impact. Section 404 of the Clean Water Act defines wetlands as “those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.”

The Project Site is located in an urbanized area and is mostly covered by impervious surfaces except for some ornamental landscaping in front of the existing restaurant building and along the site frontages. There are no water bodies or federally protected wetlands on the Project Site or in the immediate vicinity.^{33,34} Therefore, the Project would not have an adverse effect on State or federally protected wetlands, and no impact would occur.

²⁶ California Department of Fish and Wildlife (CDFW), Special Plant and Animal Lists, <https://www.dfg.ca.gov/wildlife/nongame/list.html>, accessed November 8, 2019.

²⁷ City of Arcadia, Arcadia General Plan, Land Use and Community Design Element, November 2010.

²⁸ U.S. Environmental Protection Agency (USEPA), NEPAAssist, National Land Cover Database 2016 Project Site and Area land cover, map generated December 10, 2019.

²⁹ Los Angeles County Department of Regional Planning, GIS-NET Public, Planning & Zoning Information, http://rpgis.isd.lacounty.gov/Html5Viewer/index.html?viewer=GISNET_Public.GIS-NET_Public, accessed November 8, 2019.

³⁰ CDFW, Biogeographic Information and Observation System (BIOS), <https://apps.wildlife.ca.gov/bios/>, accessed November 8, 2019.

³¹ CDFW, CDFW Lands, <https://apps.wildlife.ca.gov/lands/>, accessed November 8, 2019.

³² USFWS, Environmental Conservation Online System: Information for Planning and Consultation, map generated November 22, 2019.

³³ USEPA, NEPAAssist, , accessed November 8, 2019.

³⁴ USFWS, National Wetlands Inventory, , accessed November 22, 2019.



d) *Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?*

Less Than Significant with Mitigation Incorporated. There are no waters or streams present on the Project Site. Therefore, the Proposed Project would not impact or interfere with the movement of any native resident or migratory fish. Wildlife corridors are typically made up of undeveloped wildlife habitat and open space linkages between larger patches of wildlife habitat. Habitat linkages may also include more tenuous linkages like narrow vegetated pathways or islands of habitat that act as stepping stones between larger habitat areas for some species. The Project Site has been highly disturbed and is surrounded by developed, urban land uses; however, there are 72 existing trees on the Project Site, which could provide habitat to animals capable of flight (i.e., birds).³⁵

The Coco's building, trees, and ornamental landscaping may provide suitable roosting and nesting habitat for bird species. Migratory nongame native bird species are protected under the federal Migratory Bird Treaty Act (MBTA) of 1918 (50 CFR Section 10.13). Sections 3503, 3503.5, and 3513 of the California Fish and Game Code prohibit take of all birds and their active nests including raptors and other migratory nongame birds (as listed under the federal MBTA). The Proposed Project would result in the removal of unprotected trees, the existing Coco's building, and other landscaping, which could be used as habitat for nesting birds. While migratory bird species are considered highly mobile and would naturally avoid areas with loud construction noise, removal of potential nesting habitat would result in the potential for minor impacts. As such, **Mitigation Measure BIO-1** would be implemented, which would reduce impacts on migratory wildlife species to a less-than-significant level with mitigation incorporated.

BIO-1 Tree removal shall not occur during the local nesting season (February 1 to September 15 for nesting birds and February 1 to June 30 for nesting raptors), to the extent practicable. If any construction or tree removal occurs during the nesting season, a nesting bird survey shall be conducted by a qualified biologist prior to commencement of grading or removal of any trees on the property. If the biologist determines that nesting birds are present, restrictions may be placed on construction activities in the vicinity of the nest observed until the nest is no longer active, as determined by the biologist based on the location of the nest, type of the construction activities, the existing human activity in the vicinity of the nest, and the sensitivity of the nesting species. Grading and/or construction may resume in this area when a qualified biologist has determined that the nest is no longer occupied, and all juveniles have fledged. This measure shall be implemented to the satisfaction of the City of the Planning & Community Development Administrator or Designee.

e) *Would the project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?*

Less Than Significant with Mitigation Incorporated. The City of Arcadia has a Tree Preservation Ordinance (TPO) that protects trees with a diameter of 12 inches or greater (or greater than 10 inches in diameter if there are multiple trunks), as well as street trees.³⁶ Several trees are considered

³⁵ Arbor Care, Inc., Protected Tree Report: Tree Survey, Encroachment, Protection and Mitigation 1150 West Colorado Boulevard, Arcadia, CA 91106, revised December 2019.

³⁶ City of Arcadia, *Code of Ordinances*, Article IX, Chapter 7, Tree Preservation, and Chapter 8, Comprehensive Tree Management Program.



“unprotected” regardless of their size, including fruit trees, Brazilian pepper trees, palm trees, eucalyptus trees, and Italian cypress trees. Of the 72 trees located on the Project Site, 12 are considered protected under the TPO with all but two of these protected trees considered to be in good health. There are four additional protected trees that are off-site but have canopies that encroach onto the Project Site. In total, there are 16 protected trees located on the Project Site or that have canopies that extend onto the Project Site. As discussed in the Protected Tree Report, included as Appendix A of this Initial Study, these protected trees include species, such as fern pines, carrotwoods, Japanese pear, southern magnolias, deodar cedar, coast redwood, and Canary Island pines, and are primarily located along the perimeter of the Project Site. In particular, Tree No. 49 (see Appendix A), a protected deodar cedar located on the Project Site’s Colorado Boulevard frontage, is in fair condition but is showing branch die-back.

The Proposed Project would remove a total of 18 unprotected trees, which include a mix of Victorian box trees, lemon-scented gum trees, a fern pine, and an evergreen pear tree. Of the 18 unprotected trees to be removed, 13 trees are located in the center of the Project Site, around the existing restaurant building; two trees are flanking the existing driveway onto Colorado Boulevard; two trees are located in a planter in the southeastern corner of the parking lot; and one dead tree stump is located on the Project Site’s Colorado Boulevard frontage. No healthy, protected trees would be removed as part of Project Site modifications. Of the 16 protected trees that are on or adjacent to the Project Site, all 12 of the on-site protected trees would experience some light grading within their immediate area, less than 6 inches deep within the dripline of the tree. The Protected Tree Report estimates that the Proposed Project would remove or sever less than 20 percent of the total root mass of each of these protected trees. Project-related construction activities would not encroach upon the four off-site protected trees. Accordingly, the Protected Tree Report determined that the Project would not adversely affect the long-term viability of the protected trees on or adjacent to the Project Site. As such, no protected trees would be removed or irrevocably damaged as part of Project-related grading and construction.

While some minor damage to the protected tree root systems are anticipated as part of the Proposed Project, implementation of **Mitigation Measure BIO-2** is required to prevent substantial damage to on- and off-site protected trees, via soil compaction or grading encroachment into protected tree root systems. The goal of **Mitigation Measure BIO-2** would be to enclose the largest possible amount of space underneath the tree so that the heavy equipment required for demolition and construction can be routed away from root zones. Further, the TPO requires an applicant to demonstrate that a proposed project’s landscape plan is consistent with the TPO. Therefore, with implementation of **Mitigation Measure BIO-2** to meet the requirements of the TPO, the Proposed Project would not conflict with the City’s TPO, and impacts would be less than significant with mitigation incorporated.

- BIO-2** Prior to issuance of a building permit, the applicant shall demonstrate that the Project landscaping plan and planned construction are consistent with the City’s Tree Protection Ordinance and the Protected Tree Study. The tree protection activities shall include the following:
1. Prior to demolition, the contractor and consulting arborist shall meet on-site to make sure tree protection zones are established around all protected trees to be preserved and to review the goals for the tree protection plan.
 2. Tree protection zone fences shall be placed around each protected tree. Fences shall be at least 4 feet tall and constructed of chain-link fencing secured on metal



posts. Where fences are not feasible (e.g., in haul routes or areas where workers will need frequent access), soil and root protection material can be installed.

3. The contractor shall maintain the fences and/or soil protection material throughout the completion of the Project. No staging of materials or equipment or washing out shall occur within the fenced protected zones.
4. Trees should be irrigated throughout the year. A deep watering that provides good soil moisture to a depth of 16 inches is optimal. The trees shall be deeply water once every 21 to 28 days during the summer and fall seasons when rain is unlikely.
5. For Tree No. 49, a protected deodar cedar located on the Project Site's Colorado Boulevard frontage, the deadwood shall be removed to prevent the dead branches from falling. However, no reduction pruning in the live crown of the tree is required. The tree shall be monitored for its health during the life of the Project, and irrigation shall occur at the same frequency of the other trees.
6. The arborist shall monitor a few critical phases of the Project, including pre-demolition, to direct the installation of protective fences and soil protection measures; grading and excavation; any utility or drainage trenching that is required within a tree protection zone; and a final evaluation during the landscape installation phase.
7. Additional construction best practices described in the Protected Tree Report shall be implemented.

f) Would the project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

No Impact. There are no adopted, approved, or proposed habitat conservation plans, natural community conservation plans, or other approved local, regional, or State conservation plans that cover habitats located in the City of Arcadia.³⁷ Therefore, the Proposed Project would not conflict with such plans, and no impact would occur.

³⁷ City of Arcadia, *General Plan Update Draft Program EIR*, Section 4.4 Biological Resources, June 2010.



V. Cultural Resources

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
CULTURAL RESOURCES: <i>Would the project:</i>				
a) Cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?	☐	☐	☐	☒
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?	☐	☒	☐	☐
c) Disturb any human remains, including those interred outside of dedicated cemeteries?	☐	☐	☒	☐

Discussion

The analysis in this section is based on the “Cultural Resources Identification Memorandum for the Artis Senior Living Project” prepared by Michael Baker International in January 2020, included as Appendix C of this Initial Study. The memo report summarized the methods and results of a South Central Coastal Information Center (SCCIC) records search, literature review, and historical map review to determine whether the Project would result in significant impacts to cultural resources, including historical and archaeological resources.

a) *Would the project cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?*

No Impact. No historical resources (built environment) were identified on the Project Site. The current restaurant building, built in 1976, does not meet the age requirement for evaluation for eligibility for listing in the California Register of Historical Resources (California Register) and, therefore, is not a historical resource as defined by CEQA Guidelines Section 15064.5(a). Further, there are no cultural resources listed or eligible for listing in the California Register within the immediate vicinity of the Project Site (i.e., within 1.5 blocks of the Project Site). Because physical alterations associated with the Proposed Project would not extend beyond the Project Site, there would be no impact to on-site or off-site historical resources as a result of the Project's implementation. Therefore, the Project would not cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines Section 15064.5, and no impact to historical resources would occur.

b) *Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?*

Less than Significant Impact with Mitigation Incorporated. The Project Site is fully paved and landscaped with no exposed soils. No archaeological resources were identified on the Project Site or within a quarter-mile of the Project Site. The Project Site was first developed with a hotel and restaurant known as Eaton's Santa Anita Hotel and Restaurant between 1940 and 1975 when it was demolished for the current 1976-built restaurant. No other historic literature or maps indicate occupation or development of the Project Site prior to circa 1940. Furthermore, neither the current building nor the previous Eaton's restaurant building was identified as significant in the records search



or literature review (see Appendix C of this Initial Study). Accordingly, the site sensitivity for subsurface archaeological resource is considered low because the Project Site has been developed and redeveloped. However, the potential exists for unanticipated discovery of archaeological resources during Project-related ground disturbance activities. Therefore, **Mitigation Measure CUL-1** is required to ensure that impacts to archaeological resources pursuant to CEQA Guidelines Section 15064.5 would be less than significant with mitigation incorporated.

Mitigation Measure

CUL-1 **Treatment of previously unidentified archaeological deposits.** If suspected prehistoric or historical archaeological deposits are discovered during construction, all work within 25 feet of the discovery shall be redirected and a Secretary of the Interior Professional Qualified archaeologist and/or Registered Professional Archaeologist shall assess the situation and make recommendations regarding the treatment of the discovery. Impacts to significant archaeological deposits shall be avoided if feasible, but if such impacts cannot be avoided, the deposits shall be evaluated for their eligibility for the California Register of Historical Resources. If the deposits are not eligible, no further protection of the find is necessary. If the deposits are eligible, impacts shall be avoided or mitigated. Acceptable mitigation may consist of, but is not necessarily limited to, systematic recovery and analysis of archaeological deposits, recording the resource, preparation of a report of findings, and accessioning recovered archaeological materials at an appropriate curation facility.

c) Would the project disturb any human remains, including those interred outside of dedicated cemeteries?

Less Than Significant Impact. The Project would not likely disturb any human remains, including those interred outside of dedicated cemeteries. Research conducted as part of the preparation of the “Cultural Resources Identification Memo Report for the Artis Senior Living Project” found no indications of any past human burial activities on or near the Project Site. However, there is the potential to discover buried human remains during Project-related earth-moving activities. According to the California Health and Safety Code Section 7050.5, there must be no further excavation or disturbance of a site or any nearby area reasonably suspected to overlie adjacent remains until the Los Angeles County coroner has determined the manner and cause of any death, and the recommendations concerning the treatment and disposition of the human remains have been made to the person responsible for the excavation or to his or her authorized representative. Project personnel/construction workers are prohibited to collect or move any human remains and associated materials. If the human remains are of Native American origin, the coroner must notify the Native American Heritage Commission (NAHC) within 24 hours of this identification. The NAHC will immediately identify a Native American most likely descendant to inspect the site and provide recommendations within 48 hours for the proper treatment of the remains and associated grave goods. Accordingly, impacts related to the disturbance of human remains, including those interred outside of dedicated cemeteries, would be less than significant with the Project’s compliance with California Health and Safety Code Section 7050.5.



VI. Energy

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
ENERGY: <i>Would the project:</i>				
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	☐	☐	☒	☐
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	☐	☐	☐	☒

Discussion

- a) *Would the project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?***

Less Than Significant Impact.

This analysis focuses on three sources of energy that are relevant to the Proposed Project: electricity, natural gas, and transportation fuel for vehicle trips associated with Project construction and new development. The estimated construction fuel consumption is based on the Project's construction equipment list, timing/phasing, and hours of duration for construction equipment, as well as vendor, hauling, and construction worker trips. The analysis of operational electricity/natural gas usage is based on the CalEEMod version 2016.3.2 modeling results for the Project, which quantifies energy use for the proposed occupancy. The Project's estimated electricity/natural gas consumption is based primarily on CalEEMod's default settings for Los Angeles County and consumption factors provided by Southern California Edison (SCE) and the Southern California Gas Company (SoCalGas) (the electricity and natural gas providers, respectively, for the City of Arcadia and the Project Site). The results of the CalEEMod modeling are included in **Appendix B, Air Quality/Greenhouse Gas/Energy Worksheets**. The amount of operational fuel consumption was estimated using the CARB Emissions Factor 2017 (EMFAC2017) computer program, which provides projections for typical daily fuel (i.e., diesel and gasoline) usage in Los Angeles County, and the Project's annual vehicle miles traveled (VMT) outputs from CalEEMod.

Construction

Project construction would consume energy in two general forms: (1) the fuel energy consumed by construction vehicles and equipment; and (2) bound energy in construction materials, such as asphalt, steel, concrete, pipes, and manufactured or processed materials, such as lumber and glass.

Fossil fuels for construction vehicles and other energy-consuming equipment would be used during site clearing, grading, and construction. Fuel energy consumed during construction would be temporary and would not represent a significant demand on energy resources. In addition, some incidental energy conservation would occur during construction through compliance with State requirements that heavy-duty diesel equipment not in use for more than five minutes be turned off. Project construction equipment would also be required to comply with the latest USEPA and CARB



engine emissions standards. These emissions standards require highly efficient combustion systems that maximize fuel efficiency and reduce unnecessary fuel consumption. Due to increasing transportation costs and fuel prices, contractors and owners have a strong financial incentive to avoid wasteful, inefficient, and unnecessary consumption of energy during construction.

Substantial reductions in energy inputs for construction materials can be achieved by selecting building materials composed of recycled materials that require substantially less energy to produce than non-recycled materials. The Project-related incremental increase in the use of energy bound in construction materials, such as asphalt, steel, concrete, pipes and manufactured or processed materials (e.g., lumber and gas), would not substantially increase demand for energy compared to overall local and regional demand for construction materials. It is reasonable to assume that production of building materials, such as concrete, steel, etc., would employ all reasonable energy conservation practices in the interest in minimizing the cost of doing business. As indicated in **Table VI-1**, the Project's fuel consumption from construction would be approximately 36,934 gallons, which would increase fuel use in the County by 0.0069 percent. As such, construction would have a nominal effect on local and regional energy supplies. It is noted that construction fuel use is temporary and would cease upon completion of construction activities. There are no unusual Project characteristics that would necessitate the use of construction equipment that would be less energy efficient than at comparable construction sites in the region or State. Therefore, construction fuel consumption would not be any more inefficient, wasteful, or unnecessary than other similar development projects of this nature. As such, impacts related to energy conservation would be less than significant.

Table VI-1
Project and Countywide Energy Consumption

Energy Type	Project Annual Energy Consumption ^a	Los Angeles County Annual Energy Consumption ^b	Percentage Increase Countywide ^b
Net Electricity Consumption ^c	-257 MWh	68,486,000 MWh	-0.0004%
Net Natural Gas Consumption ^d	-21,351 therms	2,921,000,000 therms	-0.0007%
Fuel Consumption			
• Construction Fuel Consumption ^e	36,934 gallons	533,800,838 gallons	0.0069%
• Net Operational Automotive Fuel Consumption ^{e,f}	-8,182 gallons	3,975,480,911 gallons	-0.0002%

Notes:

^a As modeled in CalEEMod version 2016.3.2.

^b The project net reduction in electricity and natural gas consumption are compared to the total consumption in Los Angeles County in 2018. The project's automotive fuel consumption is compared with the projected countywide fuel consumption in 2020.

Los Angeles County electricity consumption data source: California Energy Commission, Electricity Consumption by County, <http://www.ecdms.energy.ca.gov/elecbycounty.aspx>, accessed December 30, 2019.

Los Angeles County natural gas consumption data source: California Energy Commission, Gas Consumption by County, <http://www.ecdms.energy.ca.gov/gasbycounty.aspx>, accessed December 30, 2019.

^c Net electricity consumption is calculated by subtracting the existing (i.e., Coco's Restaurant) electricity consumption quantity from the Project's total electricity consumption quantity. Refer to energy calculation sheets in **Appendix B**.

^d Net natural gas consumption is calculated by subtracting the existing (i.e., Coco's Restaurant) natural gas consumption quantity from the Project's total natural gas consumption quantity. Refer to energy calculation sheets in **Appendix B**.

^e Project fuel consumption calculated based on CalEEMod results. Countywide fuel consumption is from the CARB EMFAC2017 model.

^f Net operational automotive fuel consumption is calculated by subtracting the existing (i.e., Coco's Restaurant) operational automotive fuel consumption quantity from the Project's total operational automotive fuel consumption quantity. Refer to energy calculation sheets in **Appendix B**.

Source: Refer to **Appendix B** for assumptions used in this analysis.



Operation

The Project's estimated energy consumption is summarized in **Table VI-1**, which shows that the Project's electricity usage would constitute an approximate 0.0004-percent reduction from Los Angeles County's typical annual electricity consumption and an approximate 0.0007-percent reduction from Los Angeles County's typical annual natural gas consumption. The Project's construction fuel consumption would increase Los Angeles County's consumption by 0.0069 percent. However, the Project would generate a net decrease of approximately 374 daily trips when compared to the existing use (i.e., Coco's Restaurant). As a result, the Project's operational vehicle consumption would decrease Los Angeles County's fuel consumption by 0.0002 percent.

Building Energy Demand

The Project would consume energy for interior and exterior lighting; heating, ventilation, and air conditioning (HVAC) systems; refrigeration; electronics systems; appliances; and security systems. The Project would be required to comply with Title 24 standards,³⁸ which provide minimum efficiency standards related to various building features, including appliances, water and space heating and cooling equipment, building insulation and roofing, and lighting. Implementation of Title 24 standards significantly reduces energy usage. Furthermore, the electricity provider, SCE, is subject to California's Renewables Portfolio Standard (RPS), which requires investor-owned utilities, electric service providers, and community choice aggregators to increase procurement from eligible renewable energy resources to 33 percent of total procurement by 2020 and to 50 percent of total procurement by 2030.

As indicated in **Table VI-1**, operational energy consumption would represent an approximate 0.0004-percent reduction in electricity consumption and a 0.0007-percent reduction in natural gas consumption from current countywide usage. Therefore, the Project would not result in the inefficient, wasteful, or unnecessary consumption of building energy, and impacts related to energy conservation would be less than significant.

Transportation Energy Demand

Pursuant to the Federal Energy Policy and Conservation Act of 1975, the National Highway Traffic and Safety Administration (NHTSA) is responsible for establishing additional vehicle standards and for revising existing standards. Compliance with federal fuel economy standards is not determined for each individual vehicle model. Rather, compliance is determined based on each manufacturer's average fuel economy for the portion of their vehicles produced for sale in the U.S. **Table VI-1** provides an estimate of the daily fuel consumed by vehicles traveling to and from the Project Site. As indicated in **Table VI-1**, Project operations are estimated to reduce existing vehicle consumption by approximately 8,182 gallons of fuel per year, which would decrease the Los Angeles County's automotive fuel consumption by 0.0002 percent. The Project would not result in any unusual characteristics that would result in excessive operational fuel consumption associated with vehicular travel. Fuel consumption associated with Project-related vehicle trips would not be considered inefficient, wasteful, or unnecessary in comparison to other similar developments in the region. As such, impacts related to energy conservation would be less than significant.

³⁸ California Code of Regulations, Title 24, Part 6, California's Energy Efficiency Standards for Residential and Nonresidential Buildings, 2019.



b) Would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

No Impact. The City adopted the *2019 Energy Action Plan Update* (EAP), which updates the City's 2012 *Energy Action Plan*. The City is part of the San Gabriel Valley Energy Wise Partnership (SGVEWP), which is a collaboration between SCE, SoCalGas, the San Gabriel Valley Council of Governments, and 29 cities in the San Gabriel Valley. Through the SGVEWP, member cities are able to participate in the SCE Energy Leader Model, which recognizes cities for increasing their energy efficiency in municipal facilities and communities, and participating in demand-response programs and long-term strategic planning. Implementation of the EAP has allowed Arcadia to reach the second highest level of energy efficiency, Gold, under the Energy Leader Model.

The 2019 EAP builds on the community goals and policies in the 2012 EAP and adds additional goals and policies for City-owned properties. The 2019 EAP outlines three City energy conservation targets: reduce municipal electricity usage by 780,662 kilowatt hours by 2023; achieve Platinum level status in SCE's Energy Leader Program; and complete three or more municipal energy-efficiency projects by 2023. As these goals are municipal targets, aimed at reducing electricity usage at City-owned and City-controlled facilities, the Proposed Project's energy reduction features would not contribute to or obstruct the attainment of these goals. However, the Project's overall energy-efficiency measures—e.g., installing energy-efficient appliances, heaters, and HVAC systems; using water-efficient landscaping (which would reduce the electricity used for water transport and treatment); and incorporation of building code-mandated energy-efficient designs—would generally support the City's energy reduction goals. The Project's energy consumption would be typical of senior living development projects in Southern California and would not result in an increased energy demand beyond the capacity of SCE or SoCalGas. As such, the Project would not conflict with or obstruct any plans for renewable energy or energy efficiency, and, as such, no impact would occur.

VII. Geology and Soils

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
GEOLOGY AND SOILS:				
<i>Would the project:</i>				
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	☐	☐	☒	☐
ii) Strong seismic ground shaking?	☐	☐	☒	☐
iii) Seismic-related ground failure, including liquefaction?	☐	☐	☒	☐



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
iv) Landslides?	☐	☐	☐	☒
b) Result in substantial soil erosion or the loss of topsoil?	☐	☐	☒	☐
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	☐	☐	☒	☐
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	☐	☐	☒	☐
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	☐	☐	☐	☒
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	☐	☒	☐	☐

Discussion

a.i) Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.

Less Than Significant Impact. According to the City of Arcadia General Plan Safety Element, the Raymond Hill Fault Zone and the Sierra Madre Fault Zone are the only active or potentially active earthquake faults that pass through the City of Arcadia.^{39,40} In addition, two deep blind thrust faults are located beneath Arcadia, i.e., the relatively shallow Elysian Park Fault and the relatively deep Puente Hills Fault. These are considered blind thrust faults due to their depth and because the fault movement consists of upward or thrusting action. The Safety Element states that there is also the Eaton Wash groundwater barrier; however, this fault shows no surface geological evidence of existence and the nature of this buried fault is unknown.⁴¹ The Raymond Fault traverses a large portion of the City and has a potential to cause a 5-6-foot offset if severe ground shaking occurs. The Sierra Madre Fault crosses the northern portion of the City and could result in large ground rupture movements (possibly 10 feet or more in the event of a 7.2 magnitude earthquake).⁴²

³⁹ City of Arcadia, *General Plan Safety Element*, Figure S-1, Regional Faults, November 2010.

⁴⁰ California Department of Conservation, *Fault Activity Map of California*, 2010.

⁴¹ City of Arcadia, *General Plan Safety Element*, November 2010.

⁴² City of Arcadia, *General Plan Safety Element*, November 2010.



The Project Site is located north of the Raymond Fault and south of the Sierra Madre Fault. An “inferred or possible groundwater barrier” fault runs directly west and south of the Project Site. As displayed in Figure S-2 of the Safety Element, the Project Site is not located within the Alquist-Priolo Earthquake Fault Zone for either the Sierra Madre Fault or the Raymond Fault; however, the Alquist-Priolo Earthquake Fault Zone for the Raymond Fault is located just one-half mile southeast of the Project Site.⁴³ Further, the Project Site is not located within a Fault Hazard Management Zone, which would require geologic investigations to be performed if conventional structures that are designed for human occupancy are proposed within the zone.

While the Proposed Project is near these fault zones, the Proposed Project is subject to review by the City of Arcadia Building Services Division to ensure compliance with aspects of the California Building Standards Code pertaining to seismic safety (California Code of Regulations, Title 24), which the City adopted into the City’s Code of Ordinances in 2010.⁴⁴ Because the Project Site is located outside of Alquist-Priolo Earthquake Fault and Hazard Management Zones identified above and because the Project is required to adhere to building regulations dictating seismic safety, the Project would not directly or indirectly cause potential adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault. Therefore, potential impacts related to rupture of a known earthquake fault would be less than significant.

a.ii) Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving strong seismic ground shaking?

Less Than Significant Impact. As with most of Southern California, the Project Site is in an area that is subject to strong ground shaking due to earthquakes on local and regional faults. As stated above, the Raymond Fault and the Sierra Madre Fault are the only faults to traverse the City and are located south and north of the Project Site, respectively. The 2019 California Building Code provides procedures for earthquake-resistant structural design that include considerations for on-site soil conditions, occupancy, and the configuration of the structure including the structural system and height. With adherence to the seismic design parameters as outlined in the California Building Code, the Project would not directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving strong seismic ground shaking. Therefore, potential impacts related to seismic ground shaking would be less than significant.

a.iii) Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving seismic-related ground failure, including liquefaction?

Less Than Significant Impact. Liquefaction is the loss of strength in generally cohesionless (granular), saturated soils when the pressure of groundwater held within a soil or rock, in gaps between particles (referred to as “pore-water pressure”) induced in the soil by a seismic event, becomes equal to or exceeds the overburden pressure. Lateral spread or flow refers to landslides that commonly form on gentle slopes and that have rapid fluid-like flow movement, like water. In general, lateral spreading is a result of liquefaction.

The primary factors that influence the potential for liquefaction include groundwater table elevation; the relative density of the soil; and the intensity and duration of ground shaking. The depth within which the

⁴³ City of Arcadia, *General Plan Safety Element*, Figure S-2, Alquist-Priolo and Fault Rupture Hazard Zones, November 2010.

⁴⁴ City of Arcadia, *Code of Ordinances*, Article VIII, Chapter 1, Building Code.



occurrence of liquefaction may impact surface improvements is generally identified as the upper 50 feet below the existing ground surface.

According to the Safety Element, the Project Site is located within a liquefaction zone due to the relatively shallow groundwater depth of approximately 40 feet.⁴⁵ However, the 2019 California Building Code provides requirements for earthquake-resistant structural design that include considerations for on-site soil conditions, occupancy, and the configuration of the structure including the structural system and height. Other mitigation guidance provided by the California Geological Survey (CGS) includes removal and/or densification of liquefiable soils to eliminate liquefaction hazards.⁴⁶ With adherence to the seismic design parameters as outlined in the California Building Code, incorporated into the Arcadia Municipal Code by reference, and CGS guidance, the Project would not directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving seismic-related ground failure, such as liquefaction. Therefore, potential impacts related to seismic-related ground failure would be less than significant.

a.iv) Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving landslides?

No Impact. The Project Site is located in a fully urbanized area and is surrounded by single-family residential buildings, a gas station, highway infrastructure (I-210), and a medium-rise commercial building. The Project Site's topography is relatively flat, with a slight slope to the southeast (a difference in elevation of approximately 10 feet between the northwestern corner and the southeastern corner of the Project Site). Further, the Project Site is not located within an earthquake-induced landslide hazard area, as identified by the Safety Element. Accordingly, the Project would not directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving landslides. Therefore, no impact related to landslides would occur.

b) Would the project result in substantial soil erosion or the loss of topsoil?

Less Than Significant Impact. Because of the extensive ground alterations that have occurred on-site since the Project Site was originally developed, it is unlikely that any native topsoil is remaining in the near surface. There would, thus, be no impact involving loss of topsoil.

During construction of the Proposed Project, the uncovered soils on-site may become exposed to wind or rainstorms and, thus, subject to erosion. The Proposed Project must comply with SCAQMD Rule 403, Fugitive Dust, to reduce the amount of particulate matter in the ambient air due to man-made fugitive dust sources by requiring actions to prevent, reduce, or mitigate fugitive dust emissions. This rule requires that construction activities include a variety of best available control measures, including measures that would prevent wind-induced erosion of uncovered soils, such as to apply chemical stabilizers to areas that would remain inactive for 10 days or longer, replant disturbed areas as soon as practical, and suspend grading when wind speeds exceed 25 miles per hour. Storm-related erosion of uncovered soils during construction activities would be prevented by complying with the County of Los Angeles' National Pollutant Discharge Elimination System (NPDES) Construction General Permit requirements. These requirements are further discussed in Section X.a, Hydrology and Water Quality, below. In general, the NPDES permit requires construction activities to incorporate best management practices (BMPs) to prevent erosion and prevent loose soils from washing off-site. In general, BMPs for the Proposed Project would include the use of

⁴⁵ City of Arcadia, *General Plan Safety Element*, Figure S-3, Liquefaction and Landslide Hazards, November 2010.

⁴⁶ California Geological Survey, Special Publication 117A: Guidelines for Evaluating and Mitigating Seismic Hazards in California, 2008.



berms or drainage ditches to divert water around the site and preventing sediment from migrating off the site by using temporary swales, silt fences, or gravel rolls. Additionally, because the Proposed Site is greater than 1 acre, the City requires the preparation of a Stormwater Pollution Prevention Plan, which would establish erosion and sedimentation controls, such as methods to minimize the footprint of the disturbed area, controls to prevent tracking off-site, spill prevention, non-stormwater controls (i.e., vehicle washing), and methods to protect native vegetation and trees. Therefore, the potential for soil erosion during any construction activity would be reduced to less than significant through Project compliance with these existing regulations.

Finally, the Proposed Project would result in almost the entire site covered in either impervious surfaces, such as the building, surrounding parking areas, outdoor structures (i.e., outdoor gathering spaces, refuse and generator enclosures, and storage shed), and concrete walkways, or managed landscaped areas. Because almost the entire site would be covered by either impervious surfaces or managed gardens/turf areas, there would be very little potential for wind- or storm-induced erosion during the long-term operation of the Project. Accordingly, the Project would not result in soil erosion or the loss of topsoil. Therefore, potential impacts related to soil erosion or the loss of topsoil would be less than significant.

c) Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?

Less Than Significant Impact. As stated above, the Project Site's topography is relatively flat, with a slight slope to the southeast. Further, the Project Site is not located within an earthquake-induced landslide hazard area, as identified by the Safety Element. Therefore, there would be no risk resulting from on- or off-site landslide. Further, while the project is located in a liquefaction area, the Project would be required to comply with seismic design parameters as outlined in the California Building Code, incorporated into the Arcadia Municipal Code by reference. Further, compliance with CGS guidance described above for addressing liquefaction hazards would reduce potential liquefaction impacts to site improvements to a less-than-significant level.

Other hazards include subsidence, which is the compaction of the ground when large amounts of groundwater or oil have been withdrawn from fine-grained sediments or when underlying limestone deposits dissolve, as well as collapsible soils, which undergo a volume reduction when the pore spaces become saturated with water, with the weight of overlying structures causing settlement. Both of these hazards can result in building settlement and damage to foundations and walls. Subsidence may cause differential settlement of the overlying structure and substantially more damage than if the structure were to settle evenly throughout. Large-scale subsidence due to fluid withdrawal (water or oil) has not been reported in or near the City.⁴⁷ Therefore, it is unlikely that the Project Site is located on soils that are vulnerable to subsidence or collapse. Nevertheless, the Project would be required to comply with seismic safety design regulations required by the California Building Code or those described by the CGS guidance, such as extending piles or caissons to non-collapsible soils, or utilizing various methods of soil compaction prior to construction. These building regulations would provide appropriate building design criteria needed to protect structural integrity of structures against such geologic hazards. Accordingly, with compliance with required design criteria, the Project would not result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse. Therefore, potential impacts related to unstable soils would be less than significant.

⁴⁷ City of Arcadia, General Plan Update Draft Program EIR, 2010.



d) *Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?*

Less Than Significant Impact. Expansive soils are generally associated with soils, alluvium, and bedrock formations that contain clay minerals susceptible to expansion under wetting conditions and contraction under drying conditions. Depending upon the type and amount of clay present in a geologic deposit, volume changes (shrink and swell) can cause severe damage to slabs, foundations, and concrete flatwork.⁴⁸

Hanford, Vista Amargosa, and Tujunga-Soboba soils that underlie the City do not have high shrink-swell potential and thus are not considered expansive. However, due to the granular (sandy) nature of the alluvium in the flatter areas of the City, expansive clays would most likely be present in older alluvial, bedrock formation soils in the hillside areas, and in sag-pond areas (e.g., the Los Angeles Arboretum and Santa Anita Racetrack areas) caused by past impoundments along the northern side of the Raymond Fault.

While the Project Site is located in an area with potential to contain expansive soils, the Project would be required to adhere to seismic safety design regulations required by the California Building Code, such as those described above. Further, the City's Building regulations provide appropriate building design criteria needed to protect structural integrity of structures against soil expansion. Accordingly, with compliance with required design criteria, the Project would not result in direct or indirect risks to life or property due to expansive soils. Therefore, potential impacts related to expansive soils would be less than significant.

e) *Would the project have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?*

No Impact. All wastewater generated by the Proposed Project would be discharged via a lateral connection to an existing sanitary sewer infrastructure in Michillinda Avenue and Colorado Boulevard. There would be no on-site wastewater disposal system. Therefore, no impact related to unstable soils due to the use of septic tanks would occur.

f) *Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?*

Less Than Significant Impact with Mitigation Incorporated. Paleontological resources, as defined by the Bureau of Land Management, U.S. Department of the Interior, are the physical remains or other physical evidence of plants and animals preserved in soils and sedimentary rock formations.

The Project Site has been extensively disturbed in the past and is currently covered with a restaurant structure and other improvements (such as outdoor parking areas). However, there would be some potential for encountering vertebrate paleontological resources during grading activities for the Proposed Project. To avoid the potential destruction of undiscovered paleontological resources, **Mitigation Measure GEO-1** would be imposed to ensure proper identification and treatment of paleontological resources that may be discovered during grading. Therefore, with mitigation incorporated, potentially significant impacts would be reduced to less than significant.

GEO-1 Paleontological Resource Monitor. If paleontological resources (fossils) are discovered during Project grading, work shall be halted in that area until a qualified paleontologist can be retained to assess the significance of the find. The Project

⁴⁸ City of Arcadia, General Plan Update Draft Program EIR, 2010.



paleontologist shall monitor remaining earth-moving activities at the Project Site and shall be equipped to record and salvage fossil resources that may be unearthed during grading activities. The paleontologist shall be empowered to temporarily halt or divert grading equipment to allow recording and removal of the unearthed resources. Any fossils found shall be evaluated in accordance with the CEQA Guidelines and offered for curation at an accredited facility approved by the City of Arcadia. Once grading activities have ceased or the paleontologist determines that monitoring is no longer necessary, monitoring activities shall be discontinued.

VIII. Greenhouse Gas Emissions

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
GREENHOUSE GAS EMISSIONS:				
<i>Would the project:</i>				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	☐	☐	☒	☐
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	☐	☐	☒	☐

Discussion

a) Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

Less Than Significant Impact. California is a substantial contributor of greenhouse gases (GHGs), emitting over 440 million tons of carbon dioxide (CO₂) per year.⁴⁹ Methane (CH₄) is also an important GHG that potentially contributes to global climate change. GHGs are global in their effect, which is to increase Earth's ability to absorb heat in the atmosphere. As primary GHGs have a long lifetime in the atmosphere, accumulate over time, and are generally well-mixed, their impact on the atmosphere is mostly independent of the point of emission.

The City of Arcadia has not adopted a numerical significance threshold for assessing impacts related to GHG emissions. Similarly, SCAQMD, CARB, or any other State or regional agency has not yet adopted a numerical significance threshold for assessing GHG emissions that is applicable to the Project. Notwithstanding, for informational purposes, the following analysis calculates the amount of GHG emissions that would be attributable to the Project using recommended air quality models, as described below. The primary purpose of quantifying the Project's GHG emissions is to satisfy CEQA Guidelines Section 15064.4(a), which calls for a good-faith effort to describe and calculate emissions. The estimated emissions inventory is also used to determine if there would be a reduction in the Project's incremental contribution of GHG emissions as a result of compliance with regulations and requirements adopted to implement plans for the reduction or mitigation of GHG emissions.

⁴⁹ California Energy Commission, *California Greenhouse Gas Emissions for 2000 to 2017*, https://www.arb.ca.gov/cc/inventory/pubs/reports/2000_2016/ghg_inventory_trends_00-16.pdf, accessed December 27, 2019.



However, the significance of the Project's GHG emissions impacts is not based on the amount of GHG emissions resulting from the Project.

Direct, Project-related GHG emissions include emissions from construction activities, area sources, and mobile sources, while indirect, Project-related GHG emissions include emissions from electricity consumption, water demand, and solid waste generation. Operational GHG estimations are based on energy emissions from natural gas usage and automobile emissions. **Table VIII-1** presents the estimated CO₂, N₂O, and CH₄ emissions of the Proposed Project. In accordance with SCAQMD guidance, projected GHGs from construction have been quantified and amortized over 30 years (representing the life of the Project), which are added to the annual average operation emissions.⁵⁰ As shown in **Table VIII-1**, the Project would result in a GHG emissions reduction of approximately 209.75 metric tons of carbon dioxide equivalent (MT CO₂e) per year when compared to the existing Coco's Restaurant. This overall reduction in GHG emissions can be attributed to the decrease in total daily vehicle trips associated with the development as compared with existing conditions.⁵¹ This reduction in total daily vehicle trips is further discussed in Section XVII, Transportation/Traffic, of this Initial Study.

Table VIII-1
Estimated Greenhouse Gas Emissions

Source	CO ₂	CH ₄		N ₂ O		Total
	Metric Tons/year ^a	Metric Tons/year ^a	Metric Tons of CO ₂ e ^b	Metric Tons/year ¹	Metric Tons of CO ₂ e ^b	Metric Tons of CO ₂ e ^c
Construction Emissions						
• Total Construction Emissions ^c (amortized over 30 years)	21.48	0.00	0.10	0.00	0.00	21.58
Operational Emissions						
Existing Coco's Restaurant Emissions						
• Area	0.00	0.00	0.00	0.00	0.00	0.00
• Mobile Source	395.80	0.02	0.62	0.00	0.00	396.43
• Energy	302.82	0.01	0.28	0.00	1.37	304.48
• Solid Waste	2.43	0.14	3.59	0.00	0.00	6.02
• Water Demand	12.77	0.10	2.61	0.00	0.77	16.15
<i>Total Existing Operational Emissions^c</i>	<i>713.83</i>	<i>0.28</i>	<i>7.10</i>	<i>0.01</i>	<i>2.14</i>	<i>723.08</i>
Proposed Artis Senior Living Facility Emissions						
• Area	18.64	0.00	0.04	0.00	0.10	18.77
• Mobile Source	309.49	0.02	0.41	0.00	0.00	309.91
• Energy	129.10	0.01	0.14	0.00	0.54	129.78
• Solid Waste	3.75	0.22	5.54	0.00	0.00	9.28
• Water Demand	26.33	0.14	3.43	0.00	1.04	30.81
<i>Total Project Operational Emissions^c</i>	<i>487.31</i>	<i>0.38</i>	<i>9.56</i>	<i>0.01</i>	<i>1.68</i>	<i>498.55</i>
Total Project Net Operational Emissions³	-226.52	0.10	2.46	0.00	-0.46	-224.53
Total Project Emissions						
Total Project Emissions (Construction + Net Operational)	-205.04	0.10	2.56	0.00	-0.46	-202.95
Total Project-Related Emissions^c	-202.95 MTCO₂e					

Notes: CO₂ = carbon dioxide; CH₄ = methane; N₂O = nitrous oxide

⁵⁰ South Coast Air Quality Management District, California Emissions Estimator Model (CalEEMod), version 2016.3.2.

⁵¹ Michael Baker International, Artis Senior Assisted Living Facility Trip Generation Analysis, dated December 17, 2019.



^a Emissions calculated using the CalEEMod version 2016.3.2.

^b Carbon dioxide equivalent values calculated using the EPA Website, *Greenhouse Gas Equivalencies Calculator*, <https://www.epa.gov/energy/greenhouse-gas-equivalencies-calculator>, accessed January 22, 2020.

^c Totals may be slightly off due to rounding.

Refer to Appendix B for detailed model input/output data.

Because the Proposed Project would result in a net reduction in overall Project-related emissions, the Project would not generate GHG emissions that would have a significant impact on the environment. Rather, the Project would represent a reduction in GHG emissions as compared to existing conditions. Therefore, impacts would be less than significant.

b) *Would the project conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?*

Less Than Significant Impact. As described above, there is no applicable adopted or accepted numerical threshold of significance for GHG emissions. Therefore, a methodology for evaluating the Project's impacts related to GHG emissions focuses on its consistency with Statewide, regional, and local plans adopted for the purpose of reducing and/or mitigating GHG emissions. This evaluation of consistency with such plans is the sole basis for determining the significance of the Project's GHG-related impacts on the environment.

2017 CARB Scoping Plan

The goal to reduce GHG emissions to 1990 levels by 2020 (Executive Order S-3-05) was codified by the California legislature as the 2006 Global Warming Solutions Act (Assembly Bill [AB] 32).⁵² In 2008, CARB approved a Scoping Plan as required by AB 32, which was updated in 2017.⁵³ This update focuses on implementation of a 40 percent reduction in GHGs by 2030 compared to 1990 levels. To achieve this, the 2017 Scoping Plan draws on a decade of successful programs that addresses the major sources of climate-changing gases in every sector of the economy, such as clean cars and trucks, renewable energy, reduction of pollutants such as hydrofluorocarbon refrigerants and methane, and cleaner fuels. Achieving the 2030 target under the updated Scoping Plan will also spur the transformation of the California economy and fix its course securely on achieving an 80 percent reduction in GHG emissions by 2050, consistent with the global consensus of the scale of reductions needed to stabilize atmospheric GHG concentrations at 450 ppm carbon dioxide equivalent, and reduce the likelihood of catastrophic climate change.

Table VII-2 evaluates applicable reduction actions/strategies by emissions source category to determine how the Project would be consistent with or exceed reduction actions/strategies outlined in the 2017 Scoping Plan.

⁵² California Air Resources board, *California's 2017 Climate Change Scoping Plan*, November 2017.

⁵³ The Climate Change Scoping Plan was approved by CARB on December 11, 2008.



Table VIII-2
Project Consistency with the 2017 CARB Scoping Plan

Actions and Strategies	Project Consistency Analysis
SB 350 Clean Energy and Pollution Reduction Achieve a 50 percent RPS by 2030, with a doubling of energy efficiency savings by 2030.	Consistent. The Project would not be an electrical provider or delay the goals of Senate Bill (SB) 350. Furthermore, the Project would utilize electricity from Southern California Edison (SCE), which would be required to comply with SB 350. As the Project would use the electricity from SCE, the Project would be in compliance with SB 350.
Low Carbon Fuel Standard (LCFS) Increase stringency of carbon fuel standards; reduce the carbon intensity of fuels by 18 percent by 2030, which is up from 10 percent in 2020.	Consistent. Motor vehicles driven by the Proposed Project's employees, residents, and visitors would be required to use LCFS-compliant fuels; thus, the Project would be in compliance with this goal.
Mobile Source Strategy (Cleaner Technology and Fuels Scenario) Maintain existing GHG standards of light- and heavy-duty vehicles while adding an addition 4.2 million zero-emission vehicles (ZEVs) on the road. Increase the number of ZEV buses, delivery trucks, or other trucks.	Consistent. The Project would be required to comply with the CALGreen Residential Mandatory Measure 4.106.4 <i>Electric vehicle (EV) charging for new construction</i> . As such, the Project would support the use of ZEV vehicles and would not conflict with the goals of the Mobile Source Strategy.
Short-Lived Climate Pollutant (SLCP) Reduction Strategy Reduce the GHG emissions of methane and hydrofluorocarbons by 40 percent below the 2013 levels by 2030. Furthermore, reduce the emissions of black carbon by 50 percent below the 2013 levels by the year 2030.	Consistent. The Project does not involve sources that would emit large amounts of methane (refer to Table VIII-1). Furthermore, the Project would comply with all CARB and SCAQMD hydrofluorocarbon regulations. As such, the Project would not conflict with the SLCP reduction strategy.
SB 375 Sustainable Communities Strategies Increase the stringency of the 2035 GHG emissions per capita reduction target for MPOs.	Consistent. As shown in Table VIII-3 , the Project would be consistent with the SCAG 2016 RTP/SCS and would not conflict with the goals of SB 375.

Source: California Air Resources Board, *California's 2017 Climate Change Scoping Plan*, November 2017.

SCAG 2016-2040 RTP/SCS

The 2016-2040 RTP/SCS is expected to help California reach its GHG reduction goals, with reductions in per capita transportation emissions of 9 percent by 2020 and 13 percent by 2035.⁵⁴ Furthermore, although there are no per capita GHG emission reduction targets for passenger vehicles set by CARB for 2040, the 2016-2040 RTP/SCS GHG emission reduction trajectory shows that more aggressive GHG emission reductions are projected for 2040.⁵⁵ At the regional level, the 2016-2040 RTP/SCS is an applicable plan adopted for the purpose of reducing GHGs. In order to assess the Project's consistency with the 2016-2040 RTP/SCS, **Table VIII-3** evaluates the Project's land use assumptions for consistency with those included in the 2016-2040 RTP/SCS. Generally, Projects are considered consistent with the provisions and general policies of applicable City and regional land use plans and regulations, such as SCAG's 2016-2040 RTP/SCS, if they are compatible with the general intent of the plans and would not

⁵⁴ California Air Resources Board, Regional Greenhouse Gas Emission Reduction Targets Pursuant to SB 375, Resolution 10-31.

⁵⁵ Southern California Association of Governments, *2016–2040 Regional Transportation Plan/ Sustainable Communities Strategy*, p. 153, April 2016.



preclude the attainment of their primary goals. **Table VIII-3** demonstrates the Project's consistency with applicable actions and strategies set forth in the 2016-2040 RTP/SCS.

Table VIII-3
Project Consistency with the 2016-2040 RTP/SCS

Actions and Strategies	Responsible Party(ies)	Project Consistency Analysis
Land Use Actions and Strategies		
Encourage the use of range-limited battery electric and other alternative fueled vehicles through policies and programs, such as neighborhood-oriented development, complete streets, and electric (and other alternative fuel) vehicle supply equipment in public parking lots.	Local Jurisdictions, Councils of Government, SCAG, County Transportation Commission (CTCs)	Consistent. The Project would not impair the City or SCAG's ability to encourage the use of alternatively-fueled vehicles through various policies and programs. Specifically, the Project would be required to comply with the CALGreen Residential Mandatory Measure 4.106.4 <i>Electric vehicle (EV) charging for new construction</i> .
Collaborate with the region's public health professionals to enhance how SCAG addresses public health issues in its regional planning, programming, and project development activities.	SCAG, State, Local Jurisdictions	Consistent. The Project would not impair the ability of the City, SCAG, or State to collaborate with the region's public health professionals regarding the integration of public health issues in regional planning.
Support projects, programs, and policies that support active and healthy community environments that encourage safe walking, bicycling, and physical activity by children, including but not limited to development of complete streets, school siting policies, joint use agreements, and bicycle and pedestrian safety education.	Local Jurisdictions, SCAG	Consistent. The Project would include opportunities for healthy, physical activities for its patrons, including walking paths, landscaped open space areas, and an outdoor plaza.
Support projects, programs, policies, and regulations that encourage the development of complete communities, which includes a diversity of housing choices and educational opportunities, jobs for a variety of skills and education, recreation and culture, and a full range of shopping, entertainment, and services all within a relatively short distance.	Local Jurisdictions, SCAG	Consistent. As the Project proposes the development of a senior living facility, the Project would provide increased housing choices and job opportunities.
Transportation Network Actions and Strategies		
Explore and implement innovative strategies and projects that enhance mobility and air quality, including those that increase the walkability of communities and accessibility to transit via non-auto modes, including walking, bicycling, and neighborhood electric vehicles or other alternative fueled vehicles.	SCAG, CTCs, Local Jurisdictions	Consistent. Per CALGreen, the Project would be required to provide electric vehicle (EV) charging spaces. Therefore, the Project would serve to reduce vehicle trips that generate GHG emissions, thereby contributing to a reduction in GHG emissions.
Collaborate with local jurisdictions to provide a network of local community circulators that serve new transit-oriented development (TOD), high-quality transit areas (HQTAs), and neighborhood commercial centers. Thus, providing an incentive for residents and employees to make trips on transit.	SCAG, CTCs, Local Jurisdictions	Consistent. The Project would not impair the ability of SCAG, CTCs, or the City to provide such a network of local community circulators that serve new TOD, HQTAs, and neighborhood commercial centers.



Table VIII-3 (Continued)
Project Consistency with the 2016-2040 RTP/SCS

Actions and Strategies	Responsible Party(ies)	Project Consistency Analysis
Develop first-mile/last-mile strategies on a local level to provide an incentive for making trips by transit, bicycling, walking, or neighborhood EV or other ZEV options.	CTCs, Local Jurisdictions	Consistent. The Project would not impair the CTCs or the City's ability to develop first-mile/last-mile strategies. In support of this action/strategy, the Project would provide EV parking on-site.
Transportation Demand Management (TDM) Actions and Strategies		
Encourage the development of telecommuting programs by employers through review and revision of policies that may discourage alternative work options.	Local Jurisdictions, CTCs	Consistent. The project would not impair the CTCs or City's ability to encourage the development of telecommuting programs by employers.
Emphasize active transportation and alternative fueled vehicle projects as part of complying with the Complete Streets Act (AB 1358).	State, SCAG, Local Jurisdictions	Consistent. The Project would not impair the CTCs or City's ability to develop infrastructure plans and education programs to promote active transportation options and other alternative fueled vehicles.
Transportation System Management (TSM) Actions and Strategies		
Work with relevant state and local transportation authorities to increase the efficiency of the existing transportation system.	SCAG, Local Jurisdictions, State	Consistent. The Project would not impair the ability of the State, SCAG, or City to work with relevant transportation authorities to increase the efficiency of the existing transportation system.

Source: Southern California Association of Governments, 2016–2040 *Regional Transportation Plan/Sustainable Communities Strategy*, April 2016.

In summary, the plan consistency analyses provided above demonstrates that the Project complies with the plans, policies, regulations, and GHG reduction actions/strategies outlined in the 2017 CARB Scoping Plan and SCAG 2016-2040 RTP/SCS. Therefore, the Project would not conflict with any applicable plan, policy, or regulation of an agency adopted for the purpose of reducing emissions of GHGs. Furthermore, because the Project would result in a net reduction of GHG emissions and the Project is consistent with the aforementioned plans, policies, and regulations, the Project's incremental increase in GHG emissions as described above would not result in a significant impact on the environment. Therefore, Project-specific impacts with regard to consistency with climate change programs and policies would be less than significant.

IX. Hazards and Hazardous Materials

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
HAZARDS AND HAZARDOUS MATERIALS:				
<i>Would the project:</i>				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	☐	☐	☒	☐
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	☐	☐	☒	☐



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	☐	☐	☐	☒
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	☐	☐	☐	☒
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	☐	☐	☐	☒
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	☐	☐	☒	☐
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	☐	☐	☐	☒

Discussion

a) Would the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Less Than Significant Impact. Materials are generally considered hazardous if they are poisonous (toxicity), can be ignited by open flame (ignitability), corrode other materials (corrosivity), or react violently, explode, or generate vapors when mixed with water (reactivity). The term “hazardous material” is defined in California Health and Safety Code as any material that, because of its quantity, concentration, or physical or chemical characteristics, poses a significant present or potential hazard to human health and safety or to the environment if released into the workplace or the environment (Section 25501(n)(1)). The code additionally states that a hazardous material becomes a hazardous waste once it is abandoned, discarded, or recycled.

The transportation, use, and disposal of hazardous materials, as well as the potential release of hazardous materials to the environment, are closely regulated through State and federal laws. Such laws include those incorporated into the California Health and Safety Code, such as the California Hazardous Materials Release Response Plans and Inventory law and the California Hazardous Waste Control law, as well as other regulations governing hazardous waste promulgated by State and federal agencies, such as the Los Angeles County Department of Public Works, California Department of Toxic Substances Control (DTSC), California Division of Occupational Safety and Health, the Regional Water Quality Control Board, and the USEPA.



The Proposed Project would include a memory care facility, along with associated surface parking and landscaping areas. Maintenance of the facility and grounds by employees and contractors would likely involve the routine transport, use, and disposal of minor quantities of typical household hazardous materials, such as cleaning products, solvents, adhesives, refrigerants, paints, other chemical materials used in building maintenance, small amounts of oil and fuels from internal combustion engines, pesticides and herbicides, sharp or used needles, and electronic waste. This level of hazardous materials use would be typical for institutional uses and has not been identified as a significant threat to the environment. Regulations, such as those mentioned above, strictly regulate the use, transportation, and disposal of hazardous waste; they include training for employees in how to properly handle and dispose of hazardous materials, as well as filing floor plans with the Los Angeles County Fire Department showing locations of hazardous material storage.

Given the age of the existing restaurant building on-site (constructed in the 1970s), there is potential for the building to contain asbestos-containing materials (ACM) and/or lead-based paint (LBP). If ACM or LBP is found during the demolition phase of construction, the applicant would be required to comply with 40 CFR Part 61, Cal OSHA rule 1529, and South Coast Air Quality Management District Rule 1403 when it comes to identification, removal, handling, and disposal of ACM. The applicant must also comply with requirements detailed in 24 CFR Part 35, Cal OSHA rule 1532.1, and 40 CFR Part 745 regarding evaluation, testing, and reducing lead-based paint hazards. Compliance with these regulations would ensure that Project-related contamination would be effectively disposed of during the demolition phase and would, therefore, have no effect on the health and safety of area residents.

Based on the type of land use proposed, the relatively minor anticipated level of use, storage, and disposal of hazardous materials, and the requirement to comply with various State and federal laws regulating hazardous materials, the Project would not result in a significant impact involving the routine transport, use, or disposal of hazardous materials. Therefore, potential impacts related to hazardous materials would be less than significant.

b) Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Less Than Significant Impact. Locations known to contain toxic substances and contamination are identified using data from DTSC. The Project Site is not identified as a clean-up site or located within one-half mile of a clean-up site listed in the DTSC EnviroStor database.⁵⁶ However, the GeoTracker database, maintained by the California State Water Resources Control Board (SWRCB), identified five clean-up sites within one-half mile of the Project Site. These clean-up sites are located at 3706 Foothill Boulevard (two clean-up sites at this address), 3698 Colorado Boulevard, 4000 Foothill Boulevard, and 3880 Colorado Boulevard and are all leaking underground storage tank (LUST) clean-up sites. According to the SWRCB, each of these clean-up sites was addressing soil contamination associated with leaking gasoline tanks. Each site has been cleaned up (as of 2008), and each of the individual cases closed. Because Project-related ground disturbance would be limited to the Project Site, which is not listed on hazardous waste disposal or clean-up databases maintained by the State, the Project

⁵⁶ California Department of Toxic Substances Control (DTSC), EnviroStor Database search, accessed October 21, 2019.



would not result in reasonably foreseeable upset of existing contamination located at the clean-up sites in the Project vicinity.

Construction activities may also include refueling and minor maintenance of construction equipment on-site, which could lead to minor fuel and oil spills; however, as described in the response to Checklist Question X.a, below, a variety of routine construction control measures would be incorporated, including spill prevention/containment, sedimentation and erosion controls, and irrigation controls, to prevent conditions that would release hazardous materials into the environment during Project construction.

Additionally, as stated above, operation of the proposed institutional facility would not result in substantial use, transport, or disposal of hazardous materials. Further, any such use, transport, and disposal of hazardous materials would be strictly regulated by State and federal laws. As such, there would not be a significant hazard to the public involving the accidental release of hazardous materials into the environment during Project operation.

Therefore, the Proposed Project would not result in any reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment, and impacts would be less than significant.

c) *Would the project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?*

No Impact. The nearest school to the Project Site is Hugo Reid Primary School, which is located approximately one-half mile south of the Project Site (located at 1153 de Anza Place).⁵⁷ Therefore, there are no existing or proposed schools within one-quarter mile of the Project Site, and no impact would occur.

d) *Would the project be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?*

No Impact. The Project Site is not included on the Cortese list, which is the list of sites compiled by DTSC under Government Code Section 65962.5. As such, the Project Site is not included on DTSC's list of hazardous waste facilities subject to corrective action pursuant to Section 25187.5 of the Health and Safety Code; land designated as hazardous waste property or border zone property pursuant to Article 11; information received regarding waste disposals on public land; all sites listed pursuant to Section 25356 of the Health and Safety Code; or all sites included in the Abandoned Site Assessment program.^{58,59} As such, the Proposed Project would not create a significant hazard to the public or the environment, and no impact would occur.

⁵⁷ City of Arcadia, *General Plan Parks, Recreation, and Community Resources Element*, Figure PR-4: AUSD School Locations, November 2010.

⁵⁸ California Department of Toxic Substances Control (DTSC), Cortese List: Section 65962.5(a), <https://calepa.ca.gov/sitecleanup/corteselist/section-65962-5a/>, accessed October 21, 2019.

⁵⁹ California DTSC, EnviroStor Hazardous Waste and Substance Site List, 2019.



- e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?**

No Impact. The nearest airport to the Project Site is the San Gabriel Airport (also known as El Monte Airport), which is approximately 4.5 miles southeast. Therefore, the Project Site is not within 2 miles of a public airport and would not result in a safety hazard or excessive noise for people residing or working in the Project area, and no impact would occur.

- f) Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?**

Less Than Significant Impact. The Project Site is currently occupied by a restaurant building, which is currently receiving police, fire, and paramedic services provided by the City of Arcadia. Access to the Project Site is currently available on Michillinda Avenue and Colorado Boulevard. The Proposed Project would have one ingress and egress point onto Colorado Boulevard, with available right-turn and left-turn egress options. Project inhabitants would have access to major thoroughfares such as Michillinda Avenue, I-210, and Foothill Boulevard (identified as a Principal Travel Corridor by the City's General Plan) during an emergency evacuation. Further, the Proposed Project would be consistent with the General Plan land use and zoning designations. Therefore, development of the Project Site as proposed would not impair implementation of an adopted emergency response plan or evacuation plan. As such, potential impacts related to emergency response or evacuation would be less than significant.

- g) Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?**

No Impact. The Project Site is not located within a Very High Fire Hazard Severity Zone, as identified by the California Department of Forestry and Fire Protection.^{60,61} Very High Fire Hazard Severity Zones in the City of Arcadia are concentrated on the northeast side of the City, in the foothills near the Cities of Monrovia and Sierra Madre, approximately 2.1 miles northeast of the Project Site. The Project Site is in a fully urbanized area with an urban street network, a fully pressurized water system, and managed landscaping limited to decorative trees and shrubs. The Project Site does not include and is not surrounded by wildland areas, such as low-density hillside areas with large quantities of uncultivated, combustible plants. Therefore, the Project would not expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires. As such, no impact related to wildland fire would occur.

⁶⁰ California Department of Forestry and Fire Protection, Very High Fire Hazard Severity Zones in LRA Arcadia, September 2011.

⁶¹ City of Arcadia, *General Plan Safety Element*, Figure S-6: Fire Hazard Zones, November 2010.



X. Hydrology and Water Quality

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
HYDROLOGY AND WATER QUALITY:				
<i>Would the project:</i>				
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	☐	☐	☒	☐
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	☐	☐	☒	☐
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:	☐	☐	☒	☐
i) result in substantial erosion or siltation on- or off-site?	☐	☐	☒	☐
ii) substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?	☐	☐	☒	☐
iii) create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	☐	☐	☒	☐
iv) impede or redirect flood flows?	☐	☐	☒	☐
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	☐	☐	☐	☒
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	☐	☐	☒	☐

Discussion

a) Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

Less Than Significant Impact. The Los Angeles Regional Water Quality Control Board (LARWQCB) prepares and maintains a basin plan which identifies narrative and numerical water quality objectives to protect all beneficial uses of the waters of that region. The basin plan strives to achieve the identified water quality objectives through implementation of Waste Discharge Requirements (WDRs) and by employing three strategies for addressing water quality issues: control of point source pollutants, control of nonpoint source pollutants, and remediation of existing



contamination. The project site is located in the Los Angeles region and is, therefore, covered under the Basin Plan for the Coastal Watersheds of Los Angeles and Ventura Counties (Basin Plan).

Point sources of pollutants are well-defined locations at which pollutants flow into water bodies (discharges from wastewater treatment plants and industrial sources, for example). These sources are controlled through regulatory systems including permitting under California's WDRs and the NPDES program; permits are issued by the appropriate RWQCB and may set discharge limitations or other discharge provisions. According to the Basin Plan, nonpoint sources of pollutants are typically derived from project site runoff caused by rain or irrigation and have been classified by the USEPA into one of the following categories: agriculture, urban runoff, construction, hydromodification, resource extraction, silviculture, and land disposal.

The Project could have both short- and long-term impacts on water quality. Short-term impacts would occur during the construction phase of the Project, when the pollutants of greatest concern are sediment, which may run off the Project site due to site grading or other site preparation activities, and hydrocarbon or fossil fuel remnants from the construction equipment. In addition, on-site watering activities to reduce airborne dust could contribute to pollutant loading in surface runoff. However, construction runoff is regulated by the NPDES Construction General Permit, which requires identification of a variety of water quality control BMPs to be specified on construction plans and implemented throughout construction. Measures are required to keep stormwater out of construction zones; conduct regular site maintenance and "good housekeeping practices" to prevent, minimize, and dispose of solid and liquid wastes; capture and control any site runoff so that water pollutants don't enter storm drains; and have response procedures in place in the event of accidental spills of water contaminants. This permit applies to all construction which disturbs an area of at least 1 acre and is administered by the relevant RWQCB. As stated in response to Checklist Question VII.b of this Initial Study, the City would require the preparation of a Stormwater Pollution Prevention Plan for the Proposed Project, which would establish erosion and sedimentation controls, such as methods to minimize the footprint of the disturbed area, controls to prevent tracking off-site, spill prevention, non-stormwater controls (i.e., vehicle washing), and methods to protect native vegetation and trees. Further, the City would require a NPDES Construction General Permit for discharge of stormwater associated with Project construction activities. Through these existing, mandatory regulatory compliance measures, potential water quality impacts during construction would be avoided or reduced to less than significant levels and would avoid conflicts with water quality standards established by the LARWQCB.

Long-term impacts would result from operation of the completed Project. Such impacts could result from stormwater runoff of impervious surfaces on the Project site. The Project is considered a Planning Priority Project as it is a development equal to or greater than 1 acre in size that adds more than 10,000 square feet of impervious surface area. As such, the Project would require a Low Impact Development Plan (LID Plan), which would be reviewed and approved through the City's plan check process, to comply with the following requirements:⁶²

- Retain stormwater runoff on-site for the Stormwater Quality Design Volume (SWQDv) defined as the runoff from:

⁶² City of Arcadia, *Code of Ordinances*, Article VII, Chapter 8, Part 2, Section 7828, Low Impact Development – Control of Runoff Required for Planning Priority Projects.



- The 85th percentile 24-hour runoff event as determined from the Los Angeles County 85th percentile precipitation isohyetal map; or
 - The volume of runoff produced from a 0.75 inch, 24-hour rain event, whichever is greater.
- Minimize hydromodification impacts to natural drainage systems.
 - When, as determined by the City, 100 percent on-site retention of the SWQDv is technically infeasible, the infeasibility shall be demonstrated in the submitted LID plan.

If partial or complete on-site retention is technically infeasible, the Project Site may biofiltrate 1.5 times the portion of the remaining SWQDv that is not reliably retained on-site.

BMPs required by the City's LID ordinance include ensuring sidewalks fronting the Project Site are clear of dirt or litter; cleaning parking lots with 25 or more spaces as frequently and thoroughly as practicable; diverting surface and roof flows to landscaped areas before discharge; and treating any portion of the SWQDv that cannot be retained or biofiltered on-site in order to reduce pollutant loading. Therefore, with conformance to the City's LID requirements and incorporation of required construction and post-construction BMPs, the Project would not result in the violation of any water quality standards or WDRs, and impacts would be less than significant.

b) *Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?*

Less Than Significant Impact. The City is a retail water supplier that serves the majority of its residents. In 2016, the City prepared the most recent Urban Water Management Plan (UWMP) in cooperation with other water-serving agencies in the surrounding region. The City is a subagency of the Upper San Gabriel Valley Municipal Water District (Upper District), a wholesale water agency. The UWMP states that the City currently derives its water supply from groundwater wells that produce water from two groundwater basins: the Main San Gabriel Basin (the City's main groundwater source) and the Raymond Basin. In the 2014-2015 fiscal year, the City pumped a total of 12,010 acre-feet from the Main Basin and 3,316 acre-feet from the Raymond Basin.⁶³ Further, the City can purchase imported water from the Metropolitan Water District of Southern California (MWD); however, the City does not typically use this alternative (the last time water was imported was in the 2009-2010 fiscal year) because the City's groundwater supplies are sufficient to meet water demands.⁶⁴ The City owns and operates seven active groundwater wells in the Main Basin, with a collective capacity of 15,200 gallons per minute (gpm). Additionally, there are seven groundwater wells in the Raymond Basin, with a collective capacity of 4,300 gpm.⁶⁵ The UWMP concluded that based on current management practices, including reduced pumping in the Raymond Basin, the City would be able to rely on the Main Basin, the Raymond Basin, and imported water for adequate supply for 20 years (as of publication of the UWMP in 2016), under single-year and multiple-year drought scenarios.

There are no groundwater wells on the Project Site and none are proposed. Further, the Proposed Project would not involve a General Plan amendment or zone change. The City's UWMP has

⁶³ City of Arcadia, 2015 *Urban Water Management Plan*, prepared by Stetson Engineers, Inc., Page 6-1, June 2016.

⁶⁴ City of Arcadia, 2015 *Urban Water Management Plan*, prepared by Stetson Engineers, Inc., June 2016.

⁶⁵ City of Arcadia, 2015 *Urban Water Management Plan*, prepared by Stetson Engineers, Inc., June 2016.



accounted for future water consumption of existing and planned land uses, such as the Proposed Project.

Operation of the Proposed Project would not interfere with groundwater recharge. The Project Site is located in an urbanized area and is currently developed with a restaurant building and a surface parking lot. The Proposed Project would replace these existing improvements with an approximately 44,000-square-foot assisted living and memory care facility surrounded by surface parking, drive aisles, outdoor walking paths and community areas, and managed landscaping. As such, the Proposed Project would reduce, but not substantially change, the amount of impervious surface area on-site to affect groundwater levels beneath the Project Site. If groundwater levels were to be affected, the effect would be minimal and likely beneficial given the Project's reduction in overall impervious surfaces as compared with existing conditions. Therefore, the Project would not substantially deplete groundwater supplies or interfere with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level. Impacts to groundwater would be less than significant.

c.i) Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would result in substantial erosion or siltation on- or off-site?

Less Than Significant Impact. The Project Site is fully developed and landscaped and does not contain any natural drainage courses. There is also no historical evidence of localized ponding or flooding on the Project Site. Because the Project Site is currently fully developed, the Proposed Project would not result in a substantial alteration of the existing drainage pattern, as the Proposed Project would continue to discharge excess stormwater into the City's storm sewer system.

Construction and operation of the Proposed Project could result in some erosion or siltation on- or off-site. As stated in the response to Checklist Question VII.b of this Initial Study, erosion of uncovered soils during construction activities would be prevented by complying with the NPDES Construction General Permit requirements, which require construction activities to incorporate BMPs to prevent erosion off-site. Additionally, because the Proposed Site is greater than 1 acre, the City requires the preparation of a Stormwater Pollution Prevention Plan, which would establish erosion and sedimentation controls. Otherwise, the operation of the Proposed Project would result in almost the entire site covered in either impervious surfaces, such as the building, surrounding parking areas, outdoor structures (i.e., outdoor gathering spaces, refuse and generator enclosures, and storage shed), and concrete walkways, as well as managed landscaped areas. Because almost the entire site would be covered by either impervious surfaces or managed gardens/turf areas, there would be very little potential for erosion during long-term operation of the Project.

Therefore, the Project would not substantially alter the existing drainage pattern of the Project Site or area in a manner that would result in erosion or siltation, on- or off-site, and impacts related to erosion and siltation would be less than significant.



c.ii) Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?

Less Than Significant Impact. As stated in response to Checklist Question X.c.i, the existing, relatively flat Project Site is fully developed with a restaurant building and an impervious, surface parking lot. Therefore, the Proposed Project, which would include a slight reduction in impervious surfaces due to the increase in landscaped areas, would not result in a substantial alteration of the existing drainage pattern of the Project Site. Because the Project Site is not located within a Federal Emergency Management Agency (FEMA) Flood Hazard Zone (the Project Site is located in a Zone X, Area of Minimal Flood Hazard), there is no evidence that the site or the immediately surrounding area is subject to flooding.⁶⁶ Therefore, potential impacts of the Proposed Project on local drainage and flooding would be less than significant.

c.iii) Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?

Less Than Significant Impact. See the responses to Thresholds X.c.i and X.c.ii, above. The existing, relatively flat Project Site is fully developed with a restaurant building and an impervious, surface parking lot. Therefore, the Proposed Project, which would include a slight reduction in impervious surfaces, would not result in a substantial alteration of the existing drainage pattern of the Project Site. As the Proposed Project would increase the total amount of pervious landscape areas on the Project Site, it would not contribute additional runoff as compared with existing conditions. Further, the Project would be required to develop a LID Plan, which would retain stormwater runoff on-site for the SWQDv defined as the runoff from the 85th percentile 24-hour runoff event. Further, the SWPPP discussed above would prevent discharge of sediment or other water pollution commonly generated by Project construction. Therefore, the Proposed Project would not alter the existing drainage pattern of the site or area in a manner which would create or contribute runoff water that would exceed the capacity of existing or planned stormwater drainage systems. As such, potential impacts of the Proposed Project on stormwater drainage systems would be less than significant.

c.iv) Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would impede or redirect flood flows?

Less Than Significant Impact. As stated above, the Project Site is located within a Zone X, Area of Minimal Flood Hazard, according to the FEMA Flood Insurance Rate Map for the area. Further, because the project would not substantially alter the existing drainage pattern of the Project Site, the Project would not alter the site or area in a manner which would impede or redirect flood flows, and impacts would be less than significant.

⁶⁶ Federal Emergency Management Agency (FEMA), Flood Insurance Rate Map 06037C1400F, September 26, 2008.



d) Would the project in flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

No Impact. A seiche is the sudden oscillation of water that occurs in an enclosed, landlocked body of water due to wind, earthquake, or other factors. There are no reservoirs or other bodies of water near the Project Site that could result in seiche impacts to the Project; therefore, the Project would not place structures in areas subject to inundation by seiche.

A tsunami is an unusually large wave or set of waves that is triggered in most cases by a seaquake or an underwater volcanic eruption. The Project Site is located more than 25 miles away from the Pacific Ocean. Given this distance, the Project would not place structures in areas subject to inundation by tsunami.

Finally, as stated above, the Project Site is located within a Zone X, Area of Minimal Flood Hazard, according to the FEMA Flood Insurance Rate Map for the area. However, the Project Site is located within a designated inundation area for the Morris S. Jones Reservoir. As stated in the General Plan Safety Element, the dams above Arcadia are regulated and monitored for structural safety by the California Department of Water Resources, in accordance with Division 3 of the California State Water Code. Such regulation reduces the chance of catastrophic failure and inundation of downstream areas, such as the Project Site.⁶⁷ Water quality controls on-site, such as maintenance of landscape areas, and proper storage of any hazardous materials would prevent the release of pollutants in the unlikely event that the Project Site would be inundated by catastrophic dam failure. Therefore, the Project Site is not located within a flood hazard, tsunami, or seiche zone and would have no impact as it relates to the release of pollutants due to flood-, tsunami-, or seiche-related inundation.

e) Would the project conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Less Than Significant Impact. As stated above, the City of Arcadia's 2015 UWMP states that the Main Basin groundwater supply is the City's main source of water, accounting for approximately 78 percent of the City's water supply. The Main Basin Watermaster, an organization created in the 1970s to resolve water demand issues that arose in the San Gabriel Basin, is tasked with general management of the groundwater basin, including addressing volatile organic compound (VOC) contamination that was discovered in the 1970s and 1980s. The Watermaster's Five Year Water Quality and Supply Plan is an annually updated document that projects both water supply and water quality. In the 2019 plan update (2019 Supply Plan), the Watermaster reports that total groundwater production for the Main Basin in fiscal year 2018-2019 was 189,100 acre-feet, which is lower than the 10-year average of 203,000 acre-feet.⁶⁸ While groundwater production has experienced a general long-term increase, corresponding to a population increase in the Main Basin's service area, a gradual decrease in production since the late 2000s is likely resulting from increased water conservation practices by consumers. The 2019 Supply Plan shows that 2018-2019 fiscal year groundwater production in the City of Arcadia was approximately 10,774 acre-feet and projects groundwater demands to fluctuate between 9,565 and 10,953 acre-feet between the 2019-2020 and the 2023-2024 fiscal years.⁶⁹ Further, the groundwater elevations at all seven of the Main Basin groundwater wells in the City of Arcadia are projected to increase between 2018 and 2024, indicating a projected increase in water supplies.⁷⁰ Lastly,

⁶⁷ City of Arcadia, *General Plan Safety Element*, November 2010.

⁶⁸ Main San Gabriel Basin Watermaster, *Five-Year Water Quality and Supply Plan*, Figure 10, November 2019.

⁶⁹ Main San Gabriel Basin Watermaster, *Five-Year Water Quality and Supply Plan*, Appendix A, November 2019.

⁷⁰ Main San Gabriel Basin Watermaster, *Five-Year Water Quality and Supply Plan*, Appendix B, November 2019.



the 2019 Supply Plan details how the Watermaster coordinates with local and regional agencies to monitor groundwater quality and potential groundwater well contamination points.

Because the Proposed Project would not result in a substantial increase in potable water demand, and because it would not involve the use, disposal, or storage of hazardous chemicals that could impact water quality, the Proposed Project would not interfere with the Main Basin Watermaster's 2019 Supply Plan, and impacts would be less than significant.

XI. Land Use and Planning

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
LAND USE AND PLANNING:				
<i>Would the project:</i>				
a) Physically divide an established community?	☐	☐	☐	☒
b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	☐	☐	☒	☐

Discussion

a) ***Would the project physically divide an established community?***

No Impact. As shown in **Figure A-13, Aerial View of the Project Site and Surroundings**, of this Initial Study, the Project Site is located within a fully urbanized area where the built environment consists of single-family residential uses to the east and south, commercial uses to the west, and I-210 to the north. The physical arrangement of the surrounding private lots, streets, and utility infrastructure has been established for many years. The Proposed Project would use an existing public street (Colorado Boulevard) for access to the senior living facility and would connect to existing utilities in adjacent streets. The Proposed Project would not result in the construction of a linear feature, such as railroad tracks, a flood control channel, or a major roadway, or the removal of a means of access that would result in a physical division of an established community. No physical alterations to any land use or the physical structure of this part of the City of Arcadia are proposed outside of the Project Site. Therefore, the Proposed Project would not physically divide an established community and there would be no impact.

b) ***Would the project cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?***

Less Than Significant Impact. As stated in the Project Description of this Initial Study, the existing General Plan land use designation for the Project Site is Commercial, with a corresponding zoning of C-G, General Commercial. A residential care facility is allowed within the C-G, General Commercial with an approved CUP.⁷¹ The Project Site is also included within two existing overlay zones, the Architectural Design Overlay Zone and the Automobile Parking Overlay Zone. The Architectural Design Overlay Zone states that various building design characteristics (such as building exterior materials, roof pitch, window size, landscaping, and automobile parking area) shall be subject to

⁷¹ City of Arcadia, Development Code Section 9102.03.020.



Planning Commission review and approval. Further, the Architectural Design Overlay Zone states that only one free-standing sign shall be permitted and located within 100 feet of the northern and western property lines, the maximum building height shall not reach 30 feet above ground level, and no structure erected or permitted shall exceed 19,500 square feet of ground floor area.^{72,73} The Automobile Parking overlay zone states that the overlay area shall be limited to ground level parking only.

As part of the Project, the Applicant has requested a zone change to remove these two overlay zones. Regardless, the Project would not represent a substantial change in urban form over existing conditions. More specifically, the eastern portion of the Project Site, which is currently included within the Automobile Parking Overlay Zone, would remain as surface parking under the Proposed Project conditions. The southern portion of the Project Site, which is also included within the Automobile Parking Overlay Zone, would include developed open space with no above-ground structures except a small storage shed in the southeastern corner of the Project Site and an eight-foot-high decorative fence around the perimeter of the open space area. Further, the majority of the proposed memory care facility located on the northeastern portion of the Project Site would be limited to 30 feet in height, consistent with the existing Architectural Design Overlay Zone, with only the north-central portion of the facility extending to 37.5 feet in height (with an additional 2.5-foot-high decorative cupola). With the removal of these two overlay zones, development on the Project Site would be regulated by the development standards of the underlying General Commercial (C-G) zone, such as regulations regarding building height and setback distance from residential land uses. These development standards include, but are not limited to, a 40-foot building height maximum and a 20-foot building setback when abutting residential uses. Based on the Project details included in the Project Description, the Project would be consistent with the development standards and regulation of the underlying General Commercial (C-G) zone upon approval of a CUP. Further, the Arcadia General Plan Parks, Recreation, and Community Resources Element does not identify any land use restrictions for the Project Site that would require conservation of the Project Site for purposes of protecting wildlife habitat or other natural resources. There are no policies in the Safety Element that establish land use restrictions for the Project Site pertaining to avoidance of environmental hazards on or near the Project Site. The Project Site is not within an area where special land use policies or zoning standards have been created for the purpose of avoiding or mitigating environmental effects, nor is it within a local coastal program. As such, the Project would not conflict with an applicable land use plan, policy, or regulation established for the purpose of avoiding or mitigating an environmental effect, and impacts related to land use and planning would be less than significant.

⁷² City of Arcadia Resolution No. 4440, signed and approved July 2, 1974.

⁷³ City of Arcadia Ordinance No. 1510, signed and approved July 16, 1974.



XII. Mineral Resources

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
MINERAL RESOURCES:				
<i>Would the project:</i>				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	☐	☐	☐	☒
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	☐	☐	☐	☒

Discussion

a) Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

No Impact. The Project Site is located within a fully urbanized area and is currently developed with a restaurant building and a surface parking lot. The City's General Plan EIR Mineral Resources Section states that there are no oil, gas, or geothermal resources within the City of Arcadia.⁷⁴ The only oil well in the City of Arcadia is owned by the Vosburgh Oil Corporation and is plugged and abandoned.⁷⁵ Because this well is abandoned and located approximately 2.5 miles southeast of the Project Site, the Project Site is not located within any known oil, gas, or geothermal resource areas, and the Project Site is already developed with a non-extraction use, the Project would not result in the loss of availability of a known mineral resource that would be of regional or Statewide value. Therefore, no impact to mineral resources would occur.

b) Would the project result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

No Impact. As stated above, the Project Site is located in a fully urbanized area and is currently developed with a restaurant building and a surface parking lot. The City's General Plan EIR Mineral Resources section states that the Project Site is located within a Mineral Resource Zone-3 (MRZ-3) area, which is composed of the northwestern and southern portions of the City where the available data which would be used to determine the significance of mineral deposits are unavailable.⁷⁶ Other areas of the City, including areas along the Sierra Madre Wash, Santa Anita Wash, and the San Gabriel River, are designated as MRZ-2 because significant mineral deposits may be present and development in such areas should be controlled. The City's General Plan EIR identifies four sites within the City that are located within MRZ-2 zones and remain undeveloped at the time of the General Plan update in 2010. These are the Los Angeles County flood control wash and infiltration basin, the former Rodeffer sand and gravel excavation site, the Peck Road Spreading Basins/Water Conservation Park, and the Livingston-Graham sand and gravel excavation site. The Project Site is not located within or adjacent to these MRZ-2 locations. Therefore, the Proposed Project would not result in the loss of

⁷⁴ City of Arcadia, *General Plan Update Draft Program EIR*, Section 4.10 Mineral Resources, July 2010.

⁷⁵ California Department of Conservation, Department of Oil, Gas, and Geothermal Resources, Well Finder online mapping application, map generated December 3, 2019.

⁷⁶ City of Arcadia, *General Plan Update Draft Program EIR*, Exhibit 4.10-1, July 2010.



availability of a locally important mineral resource recovery site delineated on a local general plan. As such, no impact to mineral resources would occur.

XIII. Noise

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
NOISE: <i>Would the project result in:</i>				
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	☐	☒	☐	☐
b) Generation of excessive groundborne vibration or groundborne noise levels?	☐	☐	☒	☐
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	☐	☐	☐	☒

Discussion

a) *Would the project result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?*

Less Than Significant Impact with Mitigation Incorporated. The Project vicinity consists of residential and commercial uses. The primary sources of stationary noise in the Project vicinity are urban activities (e.g., mechanical equipment, HVAC units, and parking areas). The noise associated with these sources may represent a single-event noise occurrence, or short-term or long-term/continuous noise. The majority of existing noise in the Project vicinity is generated by vehicular sources along I-210 and Colorado Boulevard. According to the Arcadia General Plan, traffic noise levels along I-210 and Colorado Boulevard range from 60 to 85 dBA CNEL. Additionally, aircraft overflights and trains are a source of noise in the City of Arcadia.

To quantify existing ambient noise levels in the Project vicinity, three noise measurements were taken on December 11, 2019 (see **Table XIII-1**). The noise measurement sites were representative of typical existing noise exposure within and immediately adjacent to the Project Site. Ten-minute measurements were taken between 10:00 a.m. and 11:30 a.m. Short-term (L_{eq}) measurements are considered representative of the noise levels throughout the day.



Table XIII-1
Noise Measurements

Site No.	Location	L _{eq} (dBA)	L _{min} (dBA)	L _{max} (dBA)	Peak (dBA)	Time
1	In front of 1159 Altura Terrace, Arcadia, CA 91007	73.5	93.3	47.8	100.3	10:09 a.m.
2	Northeast corner of Catalpa Road and North Altura Road	55.5	67.7	51.3	87.2	10:26 a.m.
3	Corner of 21 South Michillinda Avenue, adjacent to Michillinda Avenue	66.8	79.9	58.8	99.4	10:57 a.m.

Notes: dBA = A-weighted decibels; L_{eq} = Equivalent Sound Level; L_{min} = Minimum Sound Level; L_{max} = Maximum Sound Level
Source: Michael Baker International, December 11, 2019, available as Appendix D of this Initial Study.

Construction

Construction of the Proposed Project would occur over approximately 19 months and would include demolition, grading, paving, building construction, and architectural coating. Ground-borne noise and other types of construction-related noise impacts would typically occur during the grading phase. This phase of construction has the potential to create the highest levels of noise. Typical noise levels generated by construction equipment are shown in **Table XIII-2**. It should be noted that the noise levels identified in **Table XIII-2** are maximum sound levels (L_{max}), which are the highest individual sounds occurring at an individual time period. Operating cycles for these types of construction equipment may involve one or two minutes of full power operation followed by three to four minutes at lower power settings. Other primary sources of acoustical disturbance would be due to random incidents, which would last less than one minute (such as dropping large pieces of equipment or the hydraulic movement of machinery lifts).

Table XIII-2
Maximum Noise Levels Generated by Construction Equipment

Type of Equipment	Acoustical Use Factor ¹	L _{max} at 10 Feet (dBA)	L _{max} at 50 Feet (dBA)
Concrete Saw	20	104	90
Crane	16	93	81
Concrete Mixer Truck	40	93	79
Backhoe	40	92	78
Dozer	40	96	82
Excavator	40	95	81
Forklift	40	92	78
Paver	50	91	77
Roller	20	94	80
Tractor	40	98	84
Water Truck	40	94	80
Grader	40	99	85
General Industrial Equipment	50	99	85

Notes: dBA = A-weighted decibels; L_{max} = Maximum Sound Level

1. Acoustical Use Factor (percent): Estimates the fraction of time each piece of construction equipment is operating at full power (i.e., its loudest condition) during a construction operation.

Source: Federal Highway Administration, *Roadway Construction Noise Model (FHWA/HEP-05-054)*, January 2006.



Pursuant to Arcadia Municipal Code Article IV, Chapter 2, *Disorderly Conduct, Nuisances, Etc.*, construction activities may only occur between the hours of 7:00 a.m. and 6:00 p.m. Monday through Friday, and between 8:00 a.m. and 5:00 p.m. on Saturday. Construction activities are prohibited on Sundays and holidays. These permitted hours of construction are included in the Arcadia Municipal Code in recognition that construction activities undertaken during daytime hours are a typical part of living in an urban environment and do not cause a significant disruption. The potential for construction-related noise to affect nearby residential receptors would depend on the location and proximity of construction activities to these receptors. Construction would occur throughout the Project Site and would not be concentrated or confined in the area directly adjacent to sensitive receptors. Therefore, construction noise would be acoustically dispersed throughout the Project Site and not concentrated in one area near adjacent sensitive uses. It should be noted that the noise levels depicted in **Table XIII-2** are maximum noise levels, which would occur sporadically when construction equipment is operated in proximity to sensitive receptors.

The closest existing sensitive receptors are residents adjoining (i.e., approximately 10 feet) the Project Site to the east and south. As indicated in **Table XIII-2**, typical construction noise levels would range from approximately 91 to 104 dBA at this distance. Although construction noise is allowed during the City's allowable construction hours and is not considered to be a significant impact during those hours, the Project could expose adjoining residential uses to temporary high noise levels (91 to 104 dBA) during construction activities. Consequently, **Mitigation Measure NOI-1** is recommended to reduce short-term construction noise impacts through noise reduction methods. **Mitigation Measure NOI-1** requires all construction equipment to be equipped with properly operating and maintained mufflers, stationary construction equipment to be located such that emitted noise is directed away from the nearest noise sensitive receptors, and equipment staging is in areas farthest away from sensitive receptors. Implementation of **Mitigation Measure NOI-1** would ensure that construction noise impacts at nearby sensitive receptors do not interfere with normal residential activities. Therefore, with implementation of **Mitigation Measure NOI-1**, noise impact from construction activities would be considered less than significant.

Operation

Mobile Noise

The existing Coco's Restaurant generates approximately 582 trips per day, and the Proposed Project would generate approximately 208 trips per day.⁷⁷ Therefore, the Proposed Project would generate a net decrease of approximately 374 daily trips when compared to the existing use. As such, the Project's trip generation would reduce existing traffic volumes and, in turn, reduce traffic noise levels along local roadways. Therefore, Project-related traffic noise would be less than significant.

In addition to the mobile sources of noise identified above, the Project vicinity may also be impacted by noise generated by emergency ambulance visits to the Project Site. While there may be a perception that the proposed use would result in a greater number of ambulance visits to the area than the existing commercial use, it is not possible and highly speculative to predict medical emergencies that require visits from emergency vehicles. Ambulances traveling to and from the Project Site would likely use high-volume transit corridors, such as Colorado Boulevard and Michillinda Avenue, to access the Project Site, rather than passing through the residential neighborhoods to the east and south. Further, the decision to use a siren and lights is made by the vehicle driver and is dependent upon traffic

⁷⁷ Michael Baker International, Artis Senior Assisted Living Facility Trip Generation Analysis, December 17, 2019.



conditions and the welfare of the patient. As such, emergency response vehicles may not engage the siren in every instance and would likely turn off the siren upon arriving at the facility. Thus, because an ambulance siren may not be engaged in every emergency response situation, and because a siren would likely be turned off upon arrival, noise impacts resulting from ambulance visits to the Project Site are anticipated to be infrequent and short-lived in nature. Additionally, the proposed memory care facility would employ medical staff who would be able to address non-life-threatening medical emergencies, such as minor injuries and falls, thus reducing the number of visits from rapid-response emergency vehicles. Regular trips by Project residents to health care facilities would be accommodated through family members or other non-emergency medical transport services, none of which would be equipped with sirens. Finally, Arcadia Municipal Code Section 4610.1(I) exempts emergency vehicles from the restrictions placed on sound amplifying equipment. Therefore, Project-related ambulance noise associated with the Project would be less than significant.

Stationary Noise

Stationary noise sources associated with the Proposed Project would include mechanical equipment, slow-moving trucks, and parking activities. These noise sources are typically intermittent and short in duration and would be comparable to existing sources of noise experienced in the Project vicinity.

Mechanical Equipment

Typically, mechanical equipment can result in noise levels of approximately 55 dBA at 50 feet from the source. Mechanical equipment (e.g., HVAC units and emergency generators) for the Project would be located in fully enclosed spaces throughout the proposed senior living facility. Therefore, the Project would not place mechanical equipment near sensitive receptors (i.e., existing residences adjoining the Project Site to the east and south). As such, noise from mechanical equipment would not be perceptible at the closest sensitive receptors. Impacts from mechanical equipment would be less than significant.

Slow-Moving Trucks

The Proposed Project may involve occasional deliveries and trash/recycling pickups from slow-moving trucks. Typically, a medium two-axle delivery truck can generate a maximum noise level of 75 dBA at a distance of 50 feet.⁷⁸ This maximum noise level is assumed to be generated by a truck that is operated by an experienced “reasonable” driver with typically applied accelerations. Noise associated with deliveries and trash/recycling pickups would be consistent with the existing noise environment, as these activities already occur at the commercial uses in the surrounding area. Additionally, slow-moving truck noise would be intermittent, short in duration, and would not generate excessive noise levels over an extended period of time. Therefore, impacts resulting from truck delivery activities would be less than significant.

Parking Areas

Traffic associated with senior living facility parking areas is typically not of sufficient volume to exceed community noise standards, which are based on a time-averaged scale such as the Day-Night Sound Level (L_{dn}) scale. However, the instantaneous maximum sound levels generated by a car door slamming, engine starting up, and car pass-bys may be an annoyance to adjacent noise-sensitive receptors. Estimates of the maximum noise levels associated with some parking activities are presented

⁷⁸ Measurements taken by Michael Baker International in 2006.



in **Table XIII-3**. The Project proposes a surface parking lot with approximately 55 regular parking stalls and 4 parking stalls that comply with Americans with Disabilities Act (ADA) requirements.

Table XIII-3
Maximum Noise Levels Generated by Parking Lots

Noise Source	Maximum Noise Levels at 10 Feet from Source	Maximum Noise Levels at 50 Feet from Source
Car door slamming	75.0 dBA L_{eq}	61 dBA L_{eq}
Car starting	74.0 dBA L_{eq}	60 dBA L_{eq}
Car idling	67.0 dBA L_{eq}	53 dBA L_{eq}

Notes: dBA = A-weighted Decibels; L_{eq} = Equivalent Sound Level

Source: Kariel, H. G., "Noise in Rural Recreational Environments," *Canadian Acoustics* 19(5), 3-10, 1991.

It should be noted that parking lot noise generates instantaneous noise levels compared to noise standards in the L_{dn} scale, which are averaged over time. As a result, actual noise levels over time resulting from parking lot activities would be far lower. The adjoining residences to the east and south would be located approximately 10 feet from the proposed surface parking lot. As such, parking lot noise levels would be approximately 67 to 75 dBA at these sensitive receptors. However, parking lot activities and associated noise levels are intermittent and sporadic, and an existing parking lot is located within the same distance to the nearest adjoining residences as the proposed surface parking lot. Therefore, as the Project would not introduce a new source of noise in the Project vicinity, and parking lot noise would be infrequent, noise impacts would be less than significant.

Mitigation Measure

NOI-1 Prior to issuance of a Grading Permit, the Project applicant shall demonstrate, to the satisfaction of the City of Arcadia Planning Division, that the Project complies with the following:

- Construction contracts specify that all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers and other State-required noise attenuation devices.
- The contractor shall provide evidence that a construction staff member will be designated as a noise disturbance coordinator and will be present on-site during construction activities. The noise disturbance coordinator shall be responsible for responding to any local complaints about construction noise. When a complaint is received, the noise disturbance coordinator shall notify the City within 24 hours of the complaint and determine the cause of the noise complaint (e.g., starting too early or bad muffler) and shall implement reasonable measures to resolve the complaint, as deemed acceptable by the Planning & Community Development Administrator (or designee). All notices that are sent to residential units immediately surrounding the construction site and all signs posted at the construction site shall include the contact name and the telephone number for the noise disturbance coordinator. All necessary signage and notices shall be posted on or sent to residential units immediately surrounding the construction site no less than two weeks prior to the start of noise-generating construction activities on the Project Site.



- During construction, stationary construction equipment shall be placed such that emitted noise is directed away from sensitive noise receivers.
- Prior to issuance of any Grading or Building Permit, the Project applicant shall demonstrate to the satisfaction of the Community Development Director (or designee) that construction noise reduction methods shall be used where feasible. These reduction methods may include shutting off idling equipment, installing temporary acoustic barriers around stationary construction noise sources, maximizing the distance between construction equipment staging areas and occupied residential areas, and utilizing electric air compressors and similar power tools.
- Construction haul routes shall be designed to avoid noise-sensitive uses (e.g., residences and convalescent homes) to the extent feasible.

b) Would the project result in generation of excessive groundborne vibration or groundborne noise levels?

Less Than Significant Impact. Project construction can generate varying degrees of ground-borne vibration, depending on the construction procedure and construction equipment used. Operation of construction equipment generates vibrations that spread through the ground and diminish in amplitude with distance from the source. The effect on buildings located in the vicinity of the construction site often varies depending on soil type, ground strata, and construction characteristics of the receiver building(s). The results from vibration can range from no perceptible effects at the lowest vibration levels, to low rumbling sounds and perceptible vibration at moderate levels, to slight damage at the highest levels. Groundborne vibrations from construction activities rarely reach levels that damage structures.

Construction vibration impacts include human annoyance and building damage. Human annoyance occurs when construction vibration rises significantly above the threshold of human perception for extended periods of time. Building damage can be cosmetic or structural. Ordinary buildings that are not particularly fragile would not experience any cosmetic damage (e.g., plaster cracks) at distances beyond 30 feet. This distance can vary substantially depending on the soil composition and underground geological layer between vibration source and receiver. In addition, not all buildings respond similarly to vibration generated by construction equipment. For example, buildings that are constructed with typical timber frames and masonry show that a vibration level of up to 0.2 inch-per-second peak particle velocity (PPV) is considered safe and would not result in any construction vibration damage.⁷⁹ The City currently does not have a significance threshold to assess construction vibration impacts.⁸⁰ Therefore, this analysis uses the Federal Transit Administration (FTA) architectural damage criterion for continuous vibrations at non-engineered timber and masonry buildings of 0.2 inch-per-second PPV and human annoyance criterion of 0.2 inch-per-second PPV in accordance with California Department of Transportation (Caltrans) guidance.⁸¹ The FTA has

⁷⁹ Federal Transit Administration, *Transit Noise and Vibration Impact Assessment Manual*, September 2018.

⁸⁰ City of Arcadia Municipal Code Article IX, Division 3, Section 9103.13, Performance Standards, exempts vibration generated from construction activities.

⁸¹ California Department of Transportation, *Transportation and Construction Vibration Guidance Manual*, Table 20, September 2013.



published standard vibration velocities for construction equipment operations. The vibration levels produced by construction equipment is illustrated in **Table XIII-4**.

Table XIII-4
Typical Vibration Levels for Construction Equipment

Equipment	Approximate peak particle velocity at 28 feet (inches/second) ^a	Approximate peak particle velocity at 40 feet (inches/second) ^a
Vibratory roller	0.177	0.104
Large bulldozer	0.075	0.044
Loaded trucks	0.064	0.038
Jackhammer	0.030	0.017
Small bulldozer	0.003	0.001

Notes:

^a Calculated using the following formula:

$$PPV_{equip} = PPV_{ref} \times (25/D)^{1.5}$$

where: PPV (equip) = the peak particle velocity in in/sec of the equipment adjusted for the distance

PPV (ref) = the reference vibration level in in/sec from Table 7-4 of the FTA *Transit Noise and Vibration Impact Assessment Manual*

D = the distance from the equipment to the receiver

Source: Federal Transit Administration, *Transit Noise and Vibration Impact Assessment Manual*, September 2018.

Ground-borne vibration decreases rapidly with distance. The nearest structures are located approximately 28 feet to the south and 40 feet to the east of the proposed construction activities. As indicated in **Table XIII-4**, vibration velocities from typical heavy construction equipment used during Project construction would range from 0.003 (a small bulldozer) to 0.177 (vibratory roller) inch-per-second PPV at the nearest structure (i.e., 28 feet) from the source of activity, which would not exceed FTA's 0.2 inch-per-second PPV threshold. Further, construction vibration would not cause excessive human annoyance as the highest ground-borne vibration nearest sensitive receptors (i.e., 0.177 inch-per-second PPV) would not exceed the 0.2 inch-per-second PPV human annoyance criteria. Therefore, the proposed construction activities associated with the Project would not expose sensitive receptors to excessive ground-borne vibration levels. As such, vibration impacts associated with construction would be less than significant.

- c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?**

No Impact. The nearest airport to the Project Site is the San Gabriel Airport (also known as El Monte Airport), which is approximately 4.5 miles to the southeast. According to the County of Los Angeles' *Airports and Airport Influence Areas Map*, the Project Site is not located within the El Monte Airport Influence Area.⁸² Additionally, the Project Site is not located within the vicinity of a private airstrip or related facilities. Therefore, Project implementation would not expose people residing or working in the Project area to excessive noise levels associated with aircraft, and no impacts would occur.

⁸² County of Los Angeles, Airports and Airport Influence Areas Map, http://planning.lacounty.gov/assets/upl/project/ALUC_Airports_Aug2018_rev3.pdf, accessed December 26, 2019.



XIV. Population and Housing

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
POPULATION AND HOUSING:				
<i>Would the project:</i>				
a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	☐	☐	☒	☐
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	☐	☐	☐	☒

Discussion

a) *Would the project induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?*

Less Than Significant. The Proposed Project would construct an 80-bed senior-living, memory care facility; however, it would not include construction of growth-inducing infrastructure, such as roadway or utility extensions to areas not already provided with such services. The Project is anticipated to generate approximately 80 residents and approximately 40 employees.^{83,84} Because the Project is consistent with the underlying zoning and General Plan designation for the parcel, the population growth associated with the Project would have been anticipated and planned for in the City of Arcadia General Plan. Further, the SCAG 2016-2040 RTP/SCS provides population and employment growth estimates for municipalities within its jurisdiction, including the City of Arcadia. The 2016-2040 RTP/SCS estimates that population in Arcadia will increase from 56,700 in 2012 to 65,900 by 2040, and employment would increase from 28,900 in 2012 to 34,400 in 2040.⁸⁵ Using these growth forecasts, the Proposed Project would account for approximately 0.9 percent of forecasted population growth between 2012 and 2040 and 0.7 percent of forecasted employment growth between 2012 and 2040 in the City of Arcadia. As such, the Proposed Project would not result in substantial unplanned population growth in the area, either directly or indirectly and impacts would be less than significant.

b) *Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?*

No Impact. The Project Site currently contains a restaurant building and surface parking lots and does not currently contain any housing units. Thus, there are no current on-site residents or housing

⁸³ Employees were calculated using the Southern California Association of Government's Employment Density Report, which provided an average employee density of 14.24 employees per acre for Special Care Facilities in Los Angeles County. As the Project Site is 2.79 acres in size, the estimated number of employees serving the project would be 40.

⁸⁴ Southern California Association of Governments (SCAG), *Employment Density Study Summary Report*, Table B-1, Employment Densities (employees per acre) by Anderson Code, All Counties, 2001.

⁸⁵ Southern California Association of Governments, Appendix, *Demographics and Growth Forecast*, Table 11, April 2016.



units on the Project Site that would be displaced as part of the Proposed Project. Therefore, there would be no impact.

XV. Public Services

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
PUBLIC SERVICES:				
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:	☐	☐	☐	☐
i) Fire protection?	☐	☐	☒	☐
ii) Police protection?	☐	☐	☒	☐
iii) Schools?	☐	☐	☐	☒
iv) Parks?	☐	☐	☐	☒
v) Other public facilities?	☐	☐	☐	☒

Discussion

a.i) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for fire protection?

Less Than Significant Impact. The development of 80 assisted living and memory care residential units, along with landscaping, outdoor living areas, drive aisles, and a surface parking lot, would incrementally increase the demand for fire protection and emergency medical services.

In compliance with Standard Condition 4.13-1 in the City's General Plan EIR, new development in the City must comply with the California Fire Code and Arcadia Fire Department regulations pertaining to building construction, fire flows and pressures, hydrant placement, and other requirements that would reduce the creation of fire hazards and would facilitate emergency response. Further, building plans and structures are reviewed by the Arcadia Fire Department for compliance with applicable safety and emergency access standards. This review would determine if fire flow (1,000 gallons per minute for two hours for residential construction), access, and fire hydrant placement would be sufficient or if expanded facilities are required. Upon review of the Project's Site plan, the Arcadia Fire Department determined that site circulation and emergency access would be sufficient to accommodate a fire engine.



Therefore, with compliance with California Fire Code and Arcadia Fire Department regulations governing hydrant placement, fire flows, and building construction, and with the Arcadia Fire Department's review and approval of the Project Site's access and circulation plans, the Project would have a less-than-significant impact on service ratios, response times, or other performance objectives for fire protection and emergency medical services.

a.ii) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for police protection?

Less Than Significant Impact. The development of 80 assisted living and memory care residential units, along with landscaping, outdoor living areas, drive aisles, and a surface parking lot, would incrementally increase the demand for police protection (such as Project Site security and responding to minor crimes). Law enforcement is provided by the Arcadia Police Department, with the nearest police station located approximately 1.7 miles southeast of the Project Site, at 250 West Huntington Drive. The Arcadia Police Department is equipped with an 18-bed, pre-arraignment jail, an evidence lab, a computer forensics lab, and other investigative equipment.⁸⁶ The Police Department is staffed by 68 sworn officers and 33 non-sworn support staff for an officer to population ratio of 1.36 sworn officers per 1,000 persons.⁸⁷

As discussed in Section XIV, Population and Housing, above, the Proposed Project is anticipated to generate approximately 80 residents and approximately 40 employees. The Proposed Project would also include on-site security resources, such as security guards and orderlies, to patrol the grounds, monitor locked entry and exit points to the property, and protect residents. Therefore, the Proposed Project is anticipated to have limited need for police services, other than to address infrequent minor crimes or vandalism issues on the property. Further, the Proposed Project would be required to comply with Policy S-5.11 of the Arcadia General Plan, which states that new development projects would be required "to pay their fair share of costs associated with any necessary increases in public safety equipment, facilities, and staffing to provide life safety protection."⁸⁸

Therefore, because the Proposed Project would include security personnel to address Project-specific security concerns, and because any other Project-related police service demands would be mitigated by the required fair share fees paid by the Project applicant, impacts would be less than significant.

a.iii) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for schools?

No Impact. The Project Site is located within the Arcadia Unified School District; however, the Project would include demolition of an existing restaurant building and construction of 80 memory care residential units. Because the 80 units would be inhabited by seniors affected by memory loss,

⁸⁶ City of Arcadia, *General Plan Update Draft Program EIR*, Section 4.13, Public Services, 2010.

⁸⁷ City of Arcadia, *General Plan Update Draft Program EIR*, Section 4.13, Public Services, 2010.

⁸⁸ City of Arcadia, *General Plan Safety Element*, Policy S-5.11, page 8-37, November 2010.



there would be no school-age children living on the Project Site. The Project may indirectly result in the increase of school-age children living in Arcadia through the addition of approximately 40 employees. A portion of these employees may choose to live in Arcadia; however, the City is surrounded by urban areas that offer many housing options in other school districts. As such, the number of school-age children associated with the Proposed Project that would live within the Arcadia Unified School District would be negligible. Therefore, impact on schools would not occur.

a.iv) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for parks?

No Impact. As previously discussed, the Proposed Project would involve demolition of an existing restaurant use and construction of an 80-unit memory care facility. The Project would include an enclosed landscaped outdoor area with gardens, walking paths, and a gazebo on the south side of the Project Site for use by the Project's residents. As such, the Proposed Project would provide outdoor recreation space for Project residents and would, therefore, not create a substantial adverse physical impact on City park facilities. No impact to parks would occur.

a.v) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for other public facilities?

No Impact. The Project would involve the development of an 80-unit memory care facility, which would provide on-site services, such as activities rooms and outdoor recreation space, for Project residents. As such, Project residents are anticipated to have limited mobility and are not expected to substantially increase the demand on public facilities, such as libraries and other government buildings. Therefore, no impact other public facilities would occur.

XVI. Recreation

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
RECREATION:				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	☐	☐	☐	☒
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	☐	☐	☐	☒



Discussion

- a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?**

No Impact. As discussed in response to Checklist Question XV.a.iv, above, the Proposed Project would involve demolition of an existing restaurant building and construction of an 80-unit memory care facility. As such, Project residents are expected to have limited mobility and are not expected to increase the demand on municipal park facilities. Further, the Proposed Project would provide an enclosed, outdoor recreation area for residents, which would include walking paths, gardens, and a plaza. Therefore, the Proposed Project is anticipated to have no impact on park or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated.

- b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?**

No Impact. As stated above in response to Checklist Question XVI.a, the Project is not anticipated to increase the demand on municipal parks and recreational facilities in Arcadia. The Proposed Project would include construction of an outdoor, enclosed recreation space for Project residents that would include walking paths, gardens, and a plaza. The environmental impacts associated with construction of these outdoor amenities are included in the Project analysis discussed in this Initial Study. Therefore, there would be no additional impacts associated with constructing these outdoor recreation amenities beyond those already discussed.

XVII. Transportation/Traffic

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
TRANSPORTATION:				
<i>Would the project:</i>				
a) Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	☐	☐	☒	☐
b) Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?	☐	☐	☒	☐
c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	☐	☐	☒	☐
d) Result in inadequate emergency access?	☐	☐	☒	☐



Discussion

- a) ***Would the project conflict with a program, plan, ordinance or policy addressing the circulation system, taking into account all modes of transportation including transit, roadways, bicycle and pedestrian facilities??***

Less Than Significant Impact.

Construction

Project construction is proposed to be completed in approximately 19 months. The phases of construction include demolition, grading, paving, building construction, and architectural coating. Demolition, grading, and paving are anticipated to take three months to complete; building construction would be completed in 12 months; and architectural coating would be completed in four months. The grading phase would occur over 10 days and would result in 1,485 cubic yards of cut and 3,350 cubic yards of fill. Therefore, 1,865 cubic yards of soil would be imported to the Project Site during the grading phase. The City of Arcadia limits construction activities to between the hours of 7:00 a.m. and 6:00 p.m. on weekdays and between the hours of 8:00 a.m. and 5:00 p.m. on Saturday; therefore, construction-related traffic would occur only during those time periods, on an intermittent basis, depending on the scope and intensity of the work taking place.⁸⁹ While construction traffic would temporarily affect traffic flow on the surrounding street network, particularly along the truck haul routes, the impacts would be temporary and would fluctuate in intensity throughout the construction day and vary throughout the overall construction program, with less traffic generated in phases following the demolition and grading phases. Because the construction traffic impacts associated with the Proposed Project would be temporary, they would not significantly affect the performance of the vehicular transportation network with respect to level of service standards or other metrics related to congestion and travel delay.

Operation

Project-related, long-term traffic impacts include those of employee, visitor, and delivery vehicles associated with the proposed memory care facility. A trip generation analysis, conducted for the Proposed Project, compared anticipated trip generation associated with the Proposed Project to traffic count data collected for the existing restaurant and bakery building.⁹⁰ The analysis used the Institute of Transportation Engineers (ITE) Trip Generation Manual, 10th Edition (2017) to determine the trip generation rates appropriate for an assisted living facility. The results of the Project trip generation analysis are provided in **Table XVII-1**.

⁸⁹ City of Arcadia, Municipal Code Article IV, Chapter 2, Part 6, Nighttime Construction.

⁹⁰ Michael Baker International, Inc., Technical Memorandum: *Artis Senior Assisted Living Facility Trip Generation Analysis*, December 17, 2019, available as Appendix E of this Initial Study.



Table XVII-1
Estimated Number of Project Trips

Land Use	Source	ITE Code	Intensity		Daily Trips			AM Peak Hour Trips			PM Peak Hour Trips		
					Total	In	Out	Total	In	Out	Total	In	Out
Assisted Living (Proposed Project)	ITE Trip Generation Manual, 10 th Edition	254	80	Beds	208	104	104	15	9	6	21	8	13
Coco's Bakery Restaurant (Existing)	Traffic Count Data	--	13,000	Square Feet	582	297	285	26	17	9	32	19	13
Estimated New Trips (Proposed Project minus Existing)					-374	-193	-181	-11	-8	-3	-11	-11	0

Sources: Michael Baker International, Technical Memorandum: *Artis Senior Assisted Living Facility Trip Generation Analysis*, December 17, 2019, available as Appendix E of this Initial Study; ITE, Trip Generation Manual, 10th Edition, 2017.

As shown in **Table XVII-1**, the Proposed Project is eligible for a trip credit since the existing restaurant building is currently in operation. Therefore, while the Proposed Project would result in an estimated 208 total daily vehicle trips, the number of new trips associated with the Project would be less than zero because the existing restaurant use currently generates 374 more daily trips than would be expected from the Proposed Project. Therefore, the Project would have a less-than-significant impact regarding trip generation.

Regarding trip distribution, the existing Project Site has two access points, as shown in **Figure A-7**. The West Colorado Boulevard driveway provides full access (right- and left-turn for both ingress and egress) and the Michillinda Avenue driveway provides partial access (right-turn ingress and right-turn egress only). The Proposed Project would have a single, full-access driveway along West Colorado Boulevard, which would be shifted slightly east of the existing driveway. While the Project would concentrate all Project-related ingress and egress to the West Colorado Boulevard driveway, the overall estimated reduction in Project-related trips as compared with the existing restaurant use would result in a negligible impact on intersection impacts at this driveway. Specifically, the anticipated change in site trips entering and exiting the site at the West Colorado Boulevard driveway would range from negative four to three during the a.m. and p.m. peak hours. As such, it is anticipated that these minimal changes in site trips would not impact intersection operations at the proposed West Colorado Boulevard driveway. Further, all traffic associated with the Project Site would be removed from the existing Michillinda Avenue driveway. Therefore, the Proposed Project would have a less-than-significant impact on trip distribution and intersection performance.

Finally, the Proposed senior living facility would include 80 units and would be dedicated to people afflicted with Alzheimer's disease or other memory disorders. The outdoor spaces on the south side of the Proposed Project, which would be accessible to residents, would be contained/secured and monitored by facility staff. As such, there would be little to no impact on surrounding bus, pedestrian, or bicycle transit systems as a result of resident demand. Project employees would have a small impact on bus, pedestrian, or bicycle systems; however, the difference between the number of employees and visitors that would utilize transit or bicycle infrastructure to access the Project as compared with the number of employees and patrons using transit or bicycle infrastructure to access the existing restaurant is anticipated to be negligible. Further, the Proposed Project would not alter the existing



bus stop in the West Colorado Boulevard right-of-way on the north side of the Project Site. As such, there would be no impact on transit, bicycle, or pedestrian facilities as a result of the Proposed Project.

In summary, the Project would not conflict with a program, plan, ordinance, or policy addressing the circulation system, taking into account all modes of transportation including transit, roadways, bicycle and pedestrian facilities, and, as such, impacts related to transportation would be less than significant.

b) *Would the project conflict with CEQA Guidelines Section 15064.3, subdivision (b)?*

Less Than Significant Impact. By July 1, 2020, transportation impact assessments prepared in accordance with CEQA will be required to determine if a Proposed Project would conflict with CEQA Guidelines Section 15064.3(b), which outlines a new set of criteria for analyzing transportation impacts using vehicle miles traveled (VMT) as the primary measure of transportation impact. VMT is generally defined as the amount and the distance of automobile travel associated with a Project. The City has not adopted guidelines to set new significance criteria for transportation impacts based on VMT for land use projects and plans in accordance with this checklist question. However, since the Project will be considered for approval prior to July 1, 2020, the Project is not required to demonstrate compliance with CEQA Guidelines Section 15064.3(b).

Nevertheless, as discussed in Checklist Question XVII.a, above, the Project would replace an existing Coco's restaurant with an 80-bed assisted living facility. As shown above, when compared to existing conditions, the Project would result in a substantial reduction in daily trips. Given the overall substantial reduction in trips based on the trip generation analysis, the Project's impact on Citywide and regional VMT would be considered less than significant.

c) *Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

Less Than Significant Impact. The Proposed Project is located on a 2.79-acre property at the corner of a major intersection. The Project proposes a surface parking lot with drive aisle and a drop-off circle in front of the main entrance (northern building elevation). The Project would not generate incompatible uses of area roadways, such as large farm equipment, that could impair circulation or safety on area roads. Further, there is no internal street network proposed as part of the Project and, therefore, no potential hazards associated with a geometric design feature, such as a sharp curve, would occur within the Project Site. The Project would result in a single entrance and exit driveway onto West Colorado Boulevard, as described above; however, this driveway would be designed to meet the mandatory design standards of the City of Arcadia as it relates to width, intersection control, and sight distance. Therefore, adherence to applicable City requirements would ensure the Proposed Project would not result in any hazardous geometric design feature, and impacts would be less than significant.

d) *Would the project result in inadequate emergency access?*

Less Than Significant Impact. Project-related building plans and structures would be reviewed by the Arcadia Fire Department for compliance with applicable safety and emergency access standards. This review would determine if fire flow, access, and fire hydrant placement are sufficient or if expanded facilities are required. Further, the Project Site is located in an urban setting, surrounded by multiple arterial roadways that could lead to the Proposed Project's driveway on West Colorado Boulevard. As such, because the Project Site would be designed to accommodate emergency response vehicles and because it is located in an urban environment where the surrounding street network



allows for access to the Project Site from multiple directions, impacts related to emergency access would be less than significant.

XVIII. Tribal Cultural Resources

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
TRIBAL CULTURAL RESOURCE:				
a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	☐	☐	☐	☒
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	☐	☐	☒	☐

Discussion

a.i) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?

No Impact. The Project Site is currently developed with a restaurant building constructed in 1976 along with a paved surface parking and vehicle driveways. As discussed in Section V, Cultural Resources, the current restaurant building does not meet the age requirement for evaluation for eligibility for listing in the California Register or in a local register. Further, a records search at the South Central Coastal Information Center (SCCIC) determined that there are no documented historic or prehistoric cultural resources on or within a quarter-mile radius of the Project Site. Therefore, the Project would not cause an adverse change in the significance of a tribal cultural resource, defined in PRC Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in



terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is listed or eligible for listing in the California Register or in a local register of historical resources.

a.ii) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.

Less Than Significant Impact. Approved by Governor Brown on September 25, 2014, AB 52 established a formal consultation process for California Native American tribes to identify potential significant impacts to tribal cultural resources as defined in PRC Section 21074, as part of CEQA. As specified in AB 52, lead agencies must provide notice to tribes that are traditionally and culturally affiliated with the geographic area of a project site if the tribe has submitted a written request to be notified. The tribe must respond to the lead agency within 30 days of receipt of the notification if it wishes to engage in consultation on the project, and the lead agency must begin consultation within 30 days of receiving the request for consultation.

In compliance with AB 52, on January 10, 2020, the City of Arcadia sent a notice to the Gabrieleño Band of Mission Indians—Kizh Nation (Gabrieleño) and the Gabrielino-Tongva Tribe. On January 23, 2020, Andrew Salas, of the Gabrieleño submitted a formal request to consult with the City. The City did not receive a consultation request from the Gabrielino-Tongva Tribe within the 30 day consultation request period.

The tribal consultation process commenced on April 1, 2020 via a conference call attended by Andrew Salas and Matt Teutimez of the Gabrieleño, Lisa Flores and Vanessa Quiroz of the City of Arcadia, and John Bellas and Madonna Marcelo of Michael Baker International (the City's environmental consultant). During the phone consultation, City staff discussed the receipt of the Gabrieleño's request for consultation, described the scope of the Project, and provided general information, including proposed excavation activities. In response, the Gabrieleño provided their knowledge of Arcadia and the Project area, including Rancho Santa Anita (within the boundaries of which the Project Site is located), the former Gabrieleño Native American village, the sacred village of Sheshiikwanonga/Sisitcanongna, and trade routes in the vicinity of the Project Area, indicating that these trade routes were considered cultural landscapes that are protected under AB 52 as a tribal cultural resources.

On April 2, 2020, City staff requested, via e-mail, the documents that were referenced by the Gabrieleño representatives during the phone consultation. On April 2, 2020, the Gabrieleño provided the articles, maps, and explanatory text that were verbally explained during the phone consultation. Review of the maps and articles provided by the Gabrieleño included information about trade routes and identified structures within the greater Arcadia area; however, these resources did not demonstrate that there is an existing tribal cultural resource within the Project Site. As such, no evidence has been submitted which identifies the specific location of the Project Site as sensitive or containing tribal cultural resources, and no criteria have been provided to indicate why the Project area should be



considered sensitive enough such that monitoring for tribal cultural resources would be required to avoid adverse impacts. CEQA only requires mitigation measures if substantial evidence exists of potentially significant impacts. CEQA Guidelines Section 15126.4(a)(4)(A) states “there must be an essential nexus (i.e., connection) between the mitigation measure and a legitimate government interest.” Therefore, based upon the record, the City has determined that no substantial evidence exists to support a conclusion that the Proposed Project may cause a significant impact on tribal cultural resources. As such, the City has no basis under CEQA to impose any related mitigation measures.

Nevertheless, while no tribal cultural resources are anticipated to be affected by the Project, the City will voluntarily impose mitigation measures as an additional protection to address the inadvertent discovery of tribal cultural resources. These voluntarily-imposed mitigation measures, **Mitigation Measure TCR-1** through **Mitigation Measure TCR-4**, are described in further detail below.

TCR-1 Retail a Native American Monitor/Consultant. The Project Applicant shall be required to retain and compensate for the services of a tribal monitor/consultant, who is both approved by the Gabrieleño Band of Mission Indians-Kizh Nation Tribal Government and listed under the Native American Heritage Commission’s (NAHC) Tribal Contact list for the area of the project location. This list is provided by the NAHC. The monitor/consultant shall only be present on-site during the construction phases that involve ground disturbing activities. Ground disturbing activities are defined by the Gabrieleño Band of Mission Indians-Kizh Nation as activities that may include, but are not limited to, pavement removal, pot-holing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the Project area. The tribal Monitor/consultant shall complete daily monitoring logs that will provide descriptions of the day’s activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when the Project Site grading and excavation activities are completed or when the tribal representatives and monitor/consultant have indicated that the site has a low potential for impacting tribal cultural resources.

TCR-2 Unanticipated Discovery of Tribal Cultural and Archaeological Resources. Upon discovery of any tribal cultural or archaeological resources, construction activities shall cease in the immediate vicinity of the find until the find can be assessed. All tribal cultural and archaeological resources unearthed by Project construction activities shall be evaluated by the qualified archaeologist and tribal monitor/consultant approved by the Gabrieleño Band of Mission Indians-Kizh Nation. If the resources are Native American in origin, the Gabrieleño Band of Mission Indians-Kizh Nation shall coordinate with the landowner regarding treatment and curation of these resources. Typically, the tribe will request preservation in place or recovery for educational purposes. Work may continue on other parts of the Project Site while evaluation and, if necessary, additional protective mitigation takes place (CEQA Guidelines Section 15064.5 [f]). If a resource is determined by the qualified archaeologist to constitute a “historical resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources. For unique archaeological resources, preservation in place is the preferred manner of treatment in accordance with PRC Section 21083.2(b). If



preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. All tribal cultural resources shall be returned to the tribe. Any historic archaeological material that is not Native American in origin shall be curated at a public, nonprofit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, they shall be offered to the tribe or a local school or historical society in the area for educational purposes.

TCR-3

Unanticipated Discovery of Human Remains and Associated Funerary Objects. Native American human remains are defined in PRC 5097.98 (d)(1) as an inhumation or cremation, and in any state of decomposition or skeletal completeness. Funerary objects, called associated grave goods in PRC 5097.98, are also to be treated according to this statute. Health and Safety Code 7050.5 dictates that any discoveries of human skeletal material shall be immediately reported to the County Coroner and excavation halted until the coroner has determined the nature of the remains. If the coroner recognizes the human remains to be those of a Native American or has reason to believe that they are those of a Native American, he or she shall contact, by telephone within 24 hours, the NAHC and PRC 5097.98 shall be followed.

Upon discovery of human remains, the tribal and/or archaeological monitor/consultant/consultant shall immediately divert work at minimum of 150 feet and place an exclusion zone around the discovery location. The monitor/consultant(s) shall then notify the tribe, the qualified lead archaeologist, and the construction manager who will call the coroner. Work shall continue to be diverted while the coroner determines whether the remains are human and subsequently Native American. The discovery is to be kept confidential and secure to prevent any further disturbance. If the finds are determined to be Native American, the coroner shall notify the NAHC as mandated by State law, who will then appoint a Most Likely Descendent (MLD). If the Gabrieleño Band of Mission Indians – Kizh Nation is designated MLD, the Koo-nas-gna Burial Policy shall be implemented. To the tribe, the term “human remains” encompasses more than human bones. In ancient, as well as, historic times, tribal traditions included, but were not limited to, the preparation of the soil for burial, the burial of funerary objects with the deceased, and the ceremonial burning of human remains. The prepared soil and cremation soils are to be treated in the same manner as bone fragments that remain intact. Associated funerary objects are objects that, as part of the death rite or ceremony of a culture, are reasonably believed to have been placed with individual human remains either at the time of death or later; other items made exclusively for burial purposes or to contain human remains can also be considered as associated funerary objects.

Prior to the continuation of ground disturbing activities, the land owner shall arrange a designated site location within the footprint of the Project for the respectful reburial of the human remains and/or ceremonial objects. In the case where discovered human remains cannot be fully documented and recovered on the same day, the remains shall be covered with muslin cloth and a steel plate that can be moved by heavy equipment placed over the excavation opening to protect the remains. If this type of steel plate is not available, a 24-hour guard should be posted outside of working hours. The tribe



shall make every effort to recommend diverting the Project and keeping the remains in situ and protected. If the Project cannot be diverted, it may be determined that burials shall be removed. The tribe shall work closely with the qualified archaeologist to ensure that the excavation is treated carefully, ethically and respectfully. If data recovery are approved by the tribe, documentation shall be taken which includes at a minimum detailed descriptive notes and sketches. Additional types of documentation shall be approved by the tribe for data recovery purposes. Cremations shall either be removed in bulk or by means as necessary to ensure completely recovery of all material. If the discovery of human remains includes four or more burials, the location is considered a cemetery and a separate treatment plan shall be created. Once complete, a final report of all activities is to be submitted to the tribe and the NAHC. The tribe does not authorize any scientific study or the utilization of any invasive and/or destructive diagnostics on human remains. Each occurrence of human remains and associated funerary objects shall be stored using opaque cloth bags. All human remains, funerary objects, sacred objects and objects of cultural patrimony shall be removed to a secure container on site if possible. These items shall be retained and reburied within six months of recovery. The site of reburial/repatriation shall be on the Project Site but at a location agreed upon between the tribe and the landowner at a site to be protected in perpetuity. There shall be no publicity regarding any cultural materials recovered.

TCR-4 Professional Standards. Archaeological and Native American monitoring and excavation during construction projects shall be consistent with current professional standards. All feasible care to avoid any unnecessary disturbance, physical modification, or separation of human remains and associated funerary objects shall be taken. Principal personnel must meet the Secretary of Interior's Standards for archaeology and have a minimum of 10 years of experience as a principal investigator working with Native American archaeological sites in Southern California. The qualified archaeologist shall ensure that all other personnel are appropriately trained and qualified.

XIX. Utilities and Service Systems

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
UTILITIES AND SERVICE SYSTEMS:				
<i>Would the project:</i>				
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	☐	☐	☒	☐
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	☐	☐	☒	☐



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	☐	☐	☒	☐
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	☐	☐	☒	☐
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	☐	☐	☒	☐

Discussion

- a) ***Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?***

Less Than Significant Impact.

Water

The City of Arcadia provides water service to a majority of the City and currently derives its water supply from groundwater wells that produce water from two groundwater basins, the Main San Gabriel Basin and the Raymond Basin, with the Main San Gabriel Basin as the City's primary groundwater source.⁹¹ According to the City's 2015 Urban Water Management Plan (UWMP), the City has not experienced water supply deficiencies as a result of current management practices in the Main San Gabriel Basin and the Raymond Basin. As determined in the 2015 UWMP, the minimum water supplies available at the end of an average water year, single dry year, and multiple dry years would be at least equal to, if not greater than, the City's water demand. In addition, as concluded in the 2015 UWMP, based on current management practices and reduced pumping in the Raymond Basin, the City will be able to rely on the Main San Gabriel Basin, the Raymond Basin, and imported water for adequate supply through year 2035 under single year and multiple year droughts.

As shown in **Table XIX-1**, the Proposed Project does not meet the criteria to prepare a project-specific Water Supply Assessment under Senate Bill (SB) 610.⁹² In addition, as presented in **Table XIX-1**, the Proposed Project would result in a net reduction in water consumption due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, the Project would

⁹¹ City of Arcadia, *2015 Urban Water Management Plan*, June 2016.

⁹² SB 610 requires urban water suppliers to prepare a WSA for projects that include, but not limited to, the following: more than 500 dwelling units; shopping center or business establishment employing more than 1,000 persons or having more than 500,000 square feet of floor space; commercial office buildings employing more than 1,000 persons or having more than 250,000 square feet of floor space; or hotels, motels, or both, having more than 500 rooms.



not require or result in the relocation or construction of new or expanded water treatment facility, the construction or relocation of which could cause significant environmental effects. Therefore, impacts related to water consumption and water supply would be less than significant.

Table XIX-1
Water Consumption and Wastewater Generation Estimates^a

Land Use	Unit	Rate ^b	Quantity (gpd)
Existing Coco's Restaurant			
Restaurant	13,088 sf	1,000 gpd/1,000 sf	13,088 gpd
Proposed Project			
Assisted Living Facility	80 beds	125 gpd/bed ^c	10,000 gpd
Net Consumption/Generation (Proposed – Existing)			-3,088 gpd

Notes: gpd = gallons per day; sf = square feet

^a Based on a review of other projects and water supply assessment reports prepared for projects in the Los Angeles Metropolitan area, the amount of wastewater generated by a project has been estimated to be approximately the same as the amount of water consumed by such project. It is noted that some amount is lost due to evapotranspiration and landscaping irrigation; however, these quantities are minimal compared to the consumption and generation by the actual uses.

^b Rates from the Sanitation Districts of County of Los Angeles.

^c Rate for convalescent homes was utilized.

Wastewater

Wastewater generated by the City is treated by the Sanitation Districts of Los Angeles County (Sanitation Districts). Wastewater is collected within the City's local sewer collection system, which tie into one of the Sanitation Districts' regional truck sewer lines traversing the City.⁹³ The regional truck sewer lines deliver wastewater to one or more water reclamation plants owned by the Sanitation Districts for treatment, including the Whittier Narrows Water Reclamation Plant (WNWRP) and the Joint Water Pollution Control Plant (JWPCP).

As presented above in **Table XIX-1**, the Proposed Project would result in a net reduction in wastewater generation due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, the Project would not require or result in the relocation or construction of new or expanded wastewater treatment facility, the construction or relocation of which could cause significant environmental effects. Therefore, impacts related to wastewater generation, specifically to the WNWRP and the JWPCP, would be less than significant.

Storm Drains

The Project Site currently drains to an existing private storm drain located at the southeastern corner of the Project Site. As discussed above in Section X, Hydrology and Water Quality, of this Initial Study, the Project would slightly reduce the amount of impervious surfaces on the Project Site due to the increase in the amount of pervious landscape areas proposed by the Project as compared to existing conditions. Further, the Project's LID Plan would be reviewed and approved by the City during the plan-check process, ensuring that the Project's drainage plan would conform to local and regional regulations governing Project Site discharge to storm drains. Specifically, the LID Plan would result in stormwater runoff retention on-site for the runoff from the 85th percentile 24-hour runoff

⁹³ City of Arcadia, 2015 *Urban Water Management Plan*, June 2016.



event. Only stormwater overflow from the Project Site would drain to the existing private storm drain at the southeastern corner of the Project Site. Therefore, the Project would not contribute to additional runoff as compared to existing conditions. Accordingly, the Project would not require or result in the relocation or construction of new or expanded storm drain facilities, the construction or relocation of which could cause significant environmental effects. Therefore, impacts related to storm drains would be less than significant.

Electricity and Natural Gas

Southern California Edison (SCE) and Southern California Gas Company (SoCalGas) provide electricity and natural gas services to the Project Site, respectively. As presented in **Table VI-1** in Section VI, Energy, of this Initial Study, the Proposed Project would result in a net reduction in electricity and natural gas consumption due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, the Project would not require or result in the relocation or construction of new or expanded power or natural gas lines, the construction or relocation of which could cause significant environmental effects. Therefore, impacts related to electricity and natural gas would be less than significant.

Telecommunications

Telecommunication services are provided by private companies, the selection of which is at the discretion of the Applicant. Upgrades to existing telecommunication facilities and construction of new facilities to meet the demand of users are determined by telecommunication providers and is subject to its own environmental review. Accordingly, Project impacts to telecommunication facilities would be less than significant.

b) Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?

Less Than Significant Impact. As discussed above, the 2015 UWMP concluded that the City will be able to rely on the Main San Gabriel Basin, the Raymond Basin, and imported water for adequate supply through year 2035 under single year and multiple year droughts. In addition, as shown in **Table XIX-1**, the Proposed Project would result in a net reduction in water consumption due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, there would be sufficient water supplies available to serve the Project and reasonably foreseeable future development during normal, dry and multiple dry years. Therefore, impacts to water supplies would be less than significant.

c) Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

Less Than Significant Impact. As presented above, the Proposed Project would result in a net reduction in wastewater generation due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, the Project would not affect the capacity of the WNWTP or the JWPCP for treatment of wastewater. Therefore, impacts related to wastewater treatment would be less than significant.



- d) **Would the project generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?**
- e) **Would the project comply with federal, state, and local management and reduction statutes and regulations related to solid waste?**

Less Than Significant Impact. The Project Site is currently served by a commercial hauler, which collects and transports waste generated by the existing restaurant to multiple local landfills. The City's General Plan Update Program Environmental Impact Report determined that there would be no significant adverse impact on landfill capacity and that continuation of existing City and County programs and implementation of pertinent goals, policies, and implementation actions in the General Plan Update would provide for future developments' compliance with solid waste regulations.⁹⁴ In addition, the Project would be required to comply with federal, State, and local management and reduction statutes and regulations related to solid waste to ensure that the solid waste stream diverted to landfills and recycling facilities is reduced in accordance with existing regulations. Furthermore, as shown in **Table XIX-2**, the Proposed Project would result in a net reduction in solid waste generation due to the change in land use from a high turnover restaurant to an assisted living facility. Accordingly, the Project would not generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals. Therefore, impacts related to solid waste generation would be less than significant.

Table XIX-2
Solid Waste Generation Estimates

Land Use	Unit	Rate ^a	Quantity (lbs per day)
Existing Coco's Restaurant			
Restaurant	409 seats ^b	1 lb/seat/day	409
Proposed Project			
Assisted Living Facility	80 persons ^c	5 lbs/person/day	400
Net Solid Waste Generation (Proposed – Existing)			-9

Notes: lb = pound; sf = square feet

^a California Department of Resources Recycling and Recovery (CalRecycle), Estimated Solid Waste Generation Rates, <https://www2.calrecycle.ca.gov/WasteCharacterization/General/Rates>, accessed January 27, 2020.

^b CalRecycle rate that assumes 50% of restaurant is seating and 15 sf per seat.

^c Based on an 80-bed facility, resulting in 80 full-time residents.

⁹⁴ City of Arcadia, *General Plan Update Draft Program EIR*, September 2010, p. 4.16-33.

**XX. Wildfire**

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
WILDFIRE: <i>If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:</i>				
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	☐	☐	☐	☒
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	☐	☐	☐	☒
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	☐	☐	☐	☒
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	☐	☐	☐	☒

Discussion**a) If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project substantially impair an adopted emergency response plan or emergency evacuation plan?**

No Impact. As stated in Section IX.g, above, the Project Site is not located within or adjacent to a Very High Fire Hazard Severity Zone (VHFHSZ), as designated by the California Department of Forestry and Fire Protection.⁹⁵ VHFHSZs in the City of Arcadia are concentrated on the northeastern side of the City, in the foothills near the Cities of Monrovia and Sierra Madre, approximately 2.1 miles northeast of the Project Site. The Project Site is in a fully urbanized area with an urban street network, a fully pressurized water system, and managed landscaping limited to decorative trees and shrubs. As such, wildland fires would not occur on or near the Project Site. Regardless, in any disaster warranting evacuation, the exact emergency routes used would depend on a number of variables, including the type, scope, and location of the incident. It is the responsibility of emergency service and/or appropriate public officials to adequately assess the situation so that safe and efficient evacuation routes are selected. As the Project Site is in a fully urbanized area with multiple major arterial streets and a major highway within close proximity, the Proposed Project would not substantially impair an adopted emergency response plan or emergency evacuation plan, and no impact would occur.

⁹⁵ California Department of Forestry and Fire Protection, Very High Fire Hazard Severity Zone in Local Responsibility Area, September 2011.



- b) If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project, due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?**

No Impact. The Project Site is not within or near a VHFHSZ. Therefore, the Proposed Project would not have the potential to expose Project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire due to slope, prevailing winds, and other factors, or exacerbate wildfire risks. As such, no impact would occur.

- c) If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?**

No Impact. The Project Site is not within or near a VHFHSZ. Therefore, the Proposed Project would not require the installation or maintenance of associated infrastructure that may exacerbate fire risk or result in temporary or ongoing impacts to the environment. As such, no impact would occur.

- d) If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?**

No Impact. The Project Site is not within or near a VHFHSZ. The Project Site is within a flat, urbanized area that is adjacent to existing commercial and residential structures. Therefore, the Project would not expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes. As such, no impact would occur.

XXI. Mandatory Findings of Significance

	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
MANDATORY FINDINGS OF SIGNIFICANCE:				
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	☐	☒	☐	☐



	Potentially Significant Impact	Less Than Significant Impact with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	☐	☐	☒	☐
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	☐	☒	☐	☐

Discussion

- a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?**

Less Than Significant Impact With Mitigation Incorporated. Based on the analysis in Section IV, Biological Resources, of this Initial Study, the Proposed Project would not have substantial impacts to special-status species, stream habitat, and wildlife dispersal. A mitigation measure is proposed (i.e., **Mitigation Measure BIO-1**) to ensure that tree removal would not pose a significant impact on migratory wildlife species. Furthermore, the Proposed Project would not affect the local, regional, or national populations or ranges of any plant or animal species and would not threaten any plant communities. Similarly, as discussed in Section V, Cultural Resources, and Section VII, Geology and Soils, of this Initial Study, with the incorporation of **Mitigation Measures CUL-1** and **GEO-1**, the Proposed Project would not have substantial impacts to historical, archaeological, or paleontological resources and, thus, would not eliminate any important examples of California history or prehistory. Therefore, the Proposed Project would not result in a Mandatory Finding of Significance due to impacts to biological, cultural, or paleontological resources.

- b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?**

Less Than Significant Impact. A significant cumulative impact may occur if the Project, in conjunction with related projects in the region, would result in impacts that are less than significant when viewed separately but would be significant when viewed together. When considering the Proposed Project in combination with other past, present, and reasonably foreseeable future projects in the vicinity of the Project Site, the Proposed Project does not have the potential to cause impacts that are cumulatively considerable. As detailed in the above discussions, the Proposed Project would not result in any significant and unmitigable impacts in any environmental categories. In all cases, the impacts associated with the Project are limited to the Project Site and are of such a negligible degree that they would not result in a significant contribution to any cumulative impacts. In some cases, the



Project would result in a net reduction when compared to existing conditions (i.e., related to emissions, water consumption, and wastewater and solid waste generation). Therefore, the Proposed Project would not result in a Mandatory Finding of Significance due to cumulative impacts.

c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Less Than Significant Impact With Mitigation Incorporated. As detailed above, the Proposed Project does not have the potential to result in direct or indirect substantial adverse effects on human beings. Although construction noise is allowed during the City's allowable construction hours and is not considered to be a significant impact during those hours, the Project could expose adjoining residential uses to temporary high noise levels (91 to 104 dBA) during construction activities. However, **Mitigation Measure NOI-1** is recommended to reduce short-term construction noise impacts through noise reduction methods to a less-than-significant level. In all other environmental issue areas, the Proposed Project does not approach or exceed any significance thresholds typically associated with direct or indirect effects on people, such as air, water, or land pollution, natural environmental hazards, transportation-related hazards, or adverse effects to emergency service response. Therefore, the Proposed Project would not result in a Mandatory Finding of Significance due to direct or indirect effects on human beings.



SECTION E. LIST OF MITIGATION MEASURES

Biological Resources

- BIO-1** Tree removal shall not occur during the local nesting season (February 1 to September 15 for nesting birds and February 1 to June 30 for nesting raptors), to the extent practicable. If any construction or tree removal occurs during the nesting season, a nesting bird survey shall be conducted by a qualified biologist prior to commencement of grading or removal of any trees on the property. If the biologist determines that nesting birds are present, restrictions may be placed on construction activities in the vicinity of the nest observed until the nest is no longer active, as determined by the biologist based on the location of the nest, type of the construction activities, the existing human activity in the vicinity of the nest, and the sensitivity of the nesting species. Grading and/or construction may resume in this area when a qualified biologist has determined that the nest is no longer occupied, and all juveniles have fledged. This measure shall be implemented to the satisfaction of the City of the Planning & Community Development Administrator or Designee.
- BIO-2** Prior to issuance of a building permit, the applicant shall demonstrate that the Project landscaping plan and planned construction are consistent with the City's Tree Protection Ordinance and the Protected Tree Study. The tree protection activities shall include the following:
1. Prior to demolition, the contractor and consulting arborist shall meet on-site to make sure tree protection zones are established around all protected trees to be preserved and to review the goals for the tree protection plan.
 2. Tree protection zone fences shall be placed around each protected tree. Fences shall be at least 4 feet tall and constructed of chain-link fencing secured on metal posts. Where fences are not feasible (e.g., in haul routes or areas where workers will need frequent access), soil and root protection material can be installed.
 3. The contractor shall maintain the fences and/or soil protection material throughout the completion of the Project. No staging of materials or equipment or washing out shall occur within the fenced protected zones.
 4. Trees should be irrigated throughout the year. A deep watering that provides good soil moisture to a depth of 16 inches is optimal. The trees shall be deeply water once every 21 to 28 days during the summer and fall seasons when rain is unlikely.
 5. For Tree No. 49, a protected deodar cedar located on the Project Site's Colorado Boulevard frontage, the deadwood shall be removed to prevent the dead branches from falling. However, no reduction pruning in the live crown of the tree is required. The tree shall be monitored for its health during the life of the Project, and irrigation shall occur at the same frequency of the other trees.
 6. The arborist shall monitor a few critical phases of the Project, including pre-demolition, to direct the installation of protective fences and soil protection measures; grading and excavation; any utility or drainage trenching that is required within a tree protection zone; and a final evaluation during the landscape installation phase.



7. Additional construction best practices described in the Protected Tree Report shall be implemented.

Cultural Resources

CUL-1 Treatment of previously unidentified archaeological deposits: If suspected prehistoric or historical archaeological deposits are discovered during construction, all work within 25 feet of the discovery shall be redirected and a Secretary of the Interior Professional Qualified archaeologist and/or Registered Professional Archaeologist shall assess the situation and make recommendations regarding the treatment of the discovery. Impacts to significant archaeological deposits shall be avoided if feasible, but if such impacts cannot be avoided, the deposits shall be evaluated for their eligibility for the California Register of Historical Resources. If the deposits are not eligible, no further protection of the find is necessary. If the deposits are eligible, impacts shall be avoided or mitigated. Acceptable mitigation may consist of, but is not necessarily limited to, systematic recovery and analysis of archaeological deposits, recording the resource, preparation of a report of findings, and accessioning recovered archaeological materials at an appropriate curation facility.

Geology and Soils

GEO-1 Paleontological Resource Monitor: If paleontological resources (fossils) are discovered during Project grading, work shall be halted in that area until a qualified paleontologist can be retained to assess the significance of the find. The Project paleontologist shall monitor remaining earth-moving activities at the Project Site and shall be equipped to record and salvage fossil resources that may be unearthed during grading activities. The paleontologist shall be empowered to temporarily halt or divert grading equipment to allow recording and removal of the unearthed resources. Any fossils found shall be evaluated in accordance with the CEQA Guidelines and offered for curation at an accredited facility approved by the City of Arcadia. Once grading activities have ceased or the paleontologist determines that monitoring is no longer necessary, monitoring activities shall be discontinued.

Noise

NOI-1 Prior to issuance of a Grading Permit, the Project applicant shall demonstrate, to the satisfaction of the City of Arcadia Planning Division, that the Project complies with the following:

1. Construction contracts specify that all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers and other State-required noise attenuation devices.
2. The contractor shall provide evidence that a construction staff member will be designated as a noise disturbance coordinator and will be present on-site during construction activities. The noise disturbance coordinator shall be responsible for responding to any local complaints about construction noise. When a complaint is received, the noise disturbance coordinator shall notify the City within 24 hours of the complaint and determine the cause of the noise complaint (e.g., starting too early or bad muffler) and shall implement reasonable measures to resolve the complaint, as deemed acceptable by the



Planning & Community Development Administrator (or designee). All notices that are sent to residential units immediately surrounding the construction site and all signs posted at the construction site shall include the contact name and the telephone number for the noise disturbance coordinator. All necessary signage and notices shall be posted on or sent to residential units immediately surrounding the construction site no less than two weeks prior to the start of noise-generating construction activities on the Project Site.

3. During construction, stationary construction equipment shall be placed such that emitted noise is directed away from sensitive noise receivers.
4. Prior to issuance of any Grading or Building Permit, the Project applicant shall demonstrate to the satisfaction of the Community Development Director (or designee) that construction noise reduction methods shall be used where feasible. These reduction methods may include shutting off idling equipment, installing temporary acoustic barriers around stationary construction noise sources, maximizing the distance between construction equipment staging areas and occupied residential areas, and utilizing electric air compressors and similar power tools.
5. Construction haul routes shall be designed to avoid noise-sensitive uses (e.g., residences and convalescent homes) to the extent feasible.

Tribal Cultural Resources

TCR-1 Retail a Native American Monitor/Consultant. The Project Applicant shall be required to retain and compensate for the services of a tribal monitor/consultant, who is both approved by the Gabrieleño Band of Mission Indians-Kizh Nation Tribal Government and listed under the Native American Heritage Commission's (NAHC) Tribal Contact list for the area of the project location. This list is provided by the NAHC. The monitor/consultant shall only be present on-site during the construction phases that involve ground disturbing activities. Ground disturbing activities are defined by the Gabrieleño Band of Mission Indians-Kizh Nation as activities that may include, but are not limited to, pavement removal, pot-holing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the Project area. The tribal Monitor/consultant shall complete daily monitoring logs that will provide descriptions of the day's activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when the Project Site grading and excavation activities are completed or when the tribal representatives and monitor/consultant have indicated that the site has a low potential for impacting tribal cultural resources.

TCR-2 Unanticipated Discovery of Tribal Cultural and Archaeological Resources. Upon discovery of any tribal cultural or archaeological resources, construction activities shall cease in the immediate vicinity of the find until the find can be assessed. All tribal cultural and archaeological resources unearthed by Project construction activities shall be evaluated by the qualified archaeologist and tribal monitor/consultant approved by the Gabrieleño Band of Mission Indians-Kizh Nation. If the resources are Native American in origin, the Gabrieleño Band of Mission Indians-Kizh Nation shall coordinate with the landowner regarding treatment and curation of these resources. Typically, the tribe will request preservation in place



or recovery for educational purposes. Work may continue on other parts of the Project Site while evaluation and, if necessary, additional protective mitigation takes place (CEQA Guidelines Section 15064.5 [f]). If a resource is determined by the qualified archaeologist to constitute a “historical resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources. For unique archaeological resources, preservation in place is the preferred manner of treatment in accordance with PRC Section 21083.2(b). If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. All tribal cultural resources shall be returned to the tribe. Any historic archaeological material that is not Native American in origin shall be curated at a public, nonprofit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, they shall be offered to the tribe or a local school or historical society in the area for educational purposes.

TCR-3

Unanticipated Discovery of Human Remains and Associated Funerary Objects. Native American human remains are defined in PRC 5097.98 (d)(1) as an inhumation or cremation, and in any state of decomposition or skeletal completeness. Funerary objects, called associated grave goods in PRC 5097.98, are also to be treated according to this statute. Health and Safety Code 7050.5 dictates that any discoveries of human skeletal material shall be immediately reported to the County Coroner and excavation halted until the coroner has determined the nature of the remains. If the coroner recognizes the human remains to be those of a Native American or has reason to believe that they are those of a Native American, he or she shall contact, by telephone within 24 hours, the NAHC and PRC 5097.98 shall be followed.

Upon discovery of human remains, the tribal and/or archaeological monitor/consultant/consultant shall immediately divert work at minimum of 150 feet and place an exclusion zone around the discovery location. The monitor/consultant(s) shall then notify the tribe, the qualified lead archaeologist, and the construction manager who will call the coroner. Work shall continue to be diverted while the coroner determines whether the remains are human and subsequently Native American. The discovery is to be kept confidential and secure to prevent any further disturbance. If the finds are determined to be Native American, the coroner shall notify the NAHC as mandated by State law, who will then appoint a Most Likely Descendent (MLD). If the Gabrieleño Band of Mission Indians – Kizh Nation is designated MLD, the Koo-nas-gna Burial Policy shall be implemented. To the tribe, the term “human remains” encompasses more than human bones. In ancient, as well as, historic times, tribal traditions included, but were not limited to, the preparation of the soil for burial, the burial of funerary objects with the deceased, and the ceremonial burning of human remains. The prepared soil and cremation soils are to be treated in the same manner as bone fragments that remain intact. Associated funerary objects are objects that, as part of the death rite or ceremony of a culture, are reasonably believed to have been placed with individual human remains either at the time of death or later; other items



made exclusively for burial purposes or to contain human remains can also be considered as associated funerary objects.

Prior to the continuation of ground disturbing activities, the land owner shall arrange a designated site location within the footprint of the Project for the respectful reburial of the human remains and/or ceremonial objects. In the case where discovered human remains cannot be fully documented and recovered on the same day, the remains shall be covered with muslin cloth and a steel plate that can be moved by heavy equipment placed over the excavation opening to protect the remains. If this type of steel plate is not available, a 24-hour guard should be posted outside of working hours. The tribe shall make every effort to recommend diverting the Project and keeping the remains in situ and protected. If the Project cannot be diverted, it may be determined that burials shall be removed. The tribe shall work closely with the qualified archaeologist to ensure that the excavation is treated carefully, ethically and respectfully. If data recovery are approved by the tribe, documentation shall be taken which includes at a minimum detailed descriptive notes and sketches. Additional types of documentation shall be approved by the tribe for data recovery purposes. Cremations shall either be removed in bulk or by means as necessary to ensure completely recovery of all material. If the discovery of human remains includes four or more burials, the location is considered a cemetery and a separate treatment plan shall be created. Once complete, a final report of all activities is to be submitted to the tribe and the NAHC. The tribe does not authorize any scientific study or the utilization of any invasive and/or destructive diagnostics on human remains. Each occurrence of human remains and associated funerary objects shall be stored using opaque cloth bags. All human remains, funerary objects, sacred objects and objects of cultural patrimony shall be removed to a secure container on site if possible. These items shall be retained and reburied within six months of recovery. The site of reburial/repatriation shall be on the Project Site but at a location agreed upon between the tribe and the landowner at a site to be protected in perpetuity. There shall be no publicity regarding any cultural materials recovered.

TCR-4 Professional Standards. Archaeological and Native American monitoring and excavation during construction projects shall be consistent with current professional standards. All feasible care to avoid any unnecessary disturbance, physical modification, or separation of human remains and associated funerary objects shall be taken. Principal personnel must meet the Secretary of Interior's Standards for archaeology and have a minimum of 10 years of experience as a principal investigator working with Native American archaeological sites in Southern California. The qualified archaeologist shall ensure that all other personnel are appropriately trained and qualified.



SECTION F. REFERENCES

- Arbor Care, Inc., *Protected Tree Report: Tree Survey, Encroachment, Protection and Mitigation 1150 West Colorado Boulevard, Aradia, CA 91106*, revised March 2020.
- California Air Resources board, *California's 2017 Climate Change Scoping Plan*, November 2017.
- California Code of Regulations, Title 24, Part 6, *California's Energy Efficiency Standards for Residential and Nonresidential Buildings*, 2019.
- California Department of Conservation, *California Important Farmland Finder*, accessed November 8, 2019, <https://maps.conservation.ca.gov/DLRP/CIFF/>.
- California Department of Conservation, Department of Oil, Gas, and Geothermal Resources, Well Finder online mapping application, map generated December 3, 2019.
- California Department of Conservation, Fault Activity Map of California, 2010.
- California Department of Conservation, *The California Land Conservation Act of 1965 2016 Status Report*, December 2016.
- California Department of Fish and Wildlife (CDFW), Special Plant and Animal Lists, <https://www.dfg.ca.gov/wildlife/nongame/list.html>, accessed November 8, 2019.
- California Department of Forestry and Fire Protection, Very High Fire Hazard Severity Zone in Local Responsibility Area, September 2011.
- California Department of Toxic Substances Control (DTSC), Cortese List: Section 65962.5(a), <https://calepa.ca.gov/sitecleanup/corteselist/section-65962-5a/>, accessed October 21, 2019.
- California Department of Toxic Substances Control (DTSC), EnviroStor Database search, accessed October 21, 2019.
- California Department of Transportation, *Transportation and Construction Vibration Guidance Manual*, Table 20, September 2013.
- California DTSC, EnviroStor Hazardous Waste and Substance Site List, 2019.
- California Energy Commission, *California Greenhouse Gas Emissions for 2000 to 2017*, https://www.arb.ca.gov/cc/inventory/pubs/reports/2000_2016/ghg_inventory_trends_00-16.pdf, accessed December 27, 2019.
- California Geological Survey, Special Publication 117A: *Guidelines for Evaluating and Mitigating Seismic Hazards in California*, 2008.
- CDFW, Biogeographic Information and Observation System (BIOS), <https://apps.wildlife.ca.gov/bios/>, accessed November 8, 2019.
- CDFW, CDFW Lands, <https://apps.wildlife.ca.gov/lands/>, accessed November 8, 2019.



City of Arcadia Municipal Code Article IX, Division 3, Section 9103.13, Performance Standards, exempts vibration generated from construction activities.

City of Arcadia Ordinance No. 1510, signed and approved July 16, 1974.

City of Arcadia Resolution No. 4440, signed and approved July 2, 1974.

City of Arcadia, *2015 Urban Water Management Plan*, prepared by Stetson Engineers, Inc., June 2016.

City of Arcadia, *Arcadia General Plan Land Use and Community Design Element*, November 2010.

City of Arcadia, *Arcadia General Plan Parks, Recreation, and Community Resources Element*, November 2010.

City of Arcadia, Arcadia Municipal Code Article IX, Division 3, Section 9103.11, Signs.

City of Arcadia, Arcadia Municipal Code Section 9102.03.020.

City of Arcadia, *Code of Ordinances*, Article IX, Chapter 7, Tree Preservation, and Chapter 8, Comprehensive Tree Management Program.

City of Arcadia, *Code of Ordinances*, Article VII, Chapter 8, Part 2, Section 7828, Low Impact Development – Control of Runoff Required for Planning Priority Projects.

City of Arcadia, *Code of Ordinances*, Article VIII, Chapter 1, Building Code.

City of Arcadia, *General Plan Safety Element*, November 2010.

City of Arcadia, *General Plan Update Draft Program EIR*, 2010.

City of Arcadia, Municipal Code Article IV, Chapter 2, Part 6, Nighttime Construction.

City of Arcadia, Municipal Code Section 9102.03.020.

County of Los Angeles, Airports and Airport Influence Areas Map, August 2018.

Federal Emergency Management Agency (FEMA), Flood Insurance Rate Map 06037C1400F, September 26, 2008.

Federal Transit Administration, *Transit Noise and Vibration Impact Assessment Manual*, September 2018.

Los Angeles County Department of Regional Planning, GIS-NET Public, Planning & Zoning Information,
http://rpgis.isd.lacounty.gov/Html5Viewer/index.html?viewer=GISNET_Public.GIS-NET_Public, accessed November 8, 2019.

Main San Gabriel Basin Watermaster, *Five-Year Water Quality and Supply Plan*, November 2019.

Michael Baker International, *Artis Senior Assisted Living Facility Trip Generation Analysis*, December 17, 2019.



South Coast Air Quality Management District, California Emissions Estimator Model (CalEEMod), version 2016.3.2.

South Coast Air Quality Management District, *CEQA Air Quality Handbook*, November 1993.

South Coast Air Quality Management District, *Final 2016 Air Quality Management Plan*, March 2017.

South Coast Air Quality Management District, *Final Localized Significance Threshold Methodology*, July 2008.

South Coast Air Quality Management District, *SCAQMD Air Quality Significance Thresholds*, March 2015.

Southern California Association of Governments (SCAG), Employment Density Study Summary Report, Table B-1, Employment Densities (employees per acre) by Anderson Code, All Counties, 2001.

Southern California Association of Governments, *2016–2040 Regional Transportation Plan/Sustainable Communities Strategy*, April 2016.

Southern California Association of Governments, Appendix, Demographics and Growth Forecast, Table 11, April 2016.

U.S. Environmental Protection Agency (USEPA), NEPAassist, National Land Cover Database 2016 Project Site and Area land cover, map generated December 10, 2019.

U.S. Fish and Wildlife Service (USFWS), Environmental Conservation Online System: Information for Planning and Consultation, resource list generated November 22, 2019.

USEPA, NEPAassist, , accessed November 8, 2019.


USFWS, Environmental Conservation Online System: Information for Planning and Consultation, map generated November 22, 2019.

USFWS, National Wetlands Inventory, accessed November 22, 2019.

California Environmental Quality Act
MITIGATION MONITORING AND REPORTING PROGRAM

Artis Senior Living Project

*Lead
Agency:*



*City of Arcadia
240 W. Huntington Drive
Arcadia, CA 91007
(626) 574-5422
Contact: Vanessa Quiroz,
Associate Planner*

*Prepared
by:*

Michael Baker
INTERNATIONAL

*3760 Kilroy Airport Way
Suite 270
Long Beach, CA 90806
Office: (562) 200-7165
Fax: (562) 200-1766*



I. Introduction

To ensure that the mitigation measures identified in a project's Initial Study are implemented, the California Environmental Quality Act (CEQA) requires the Lead Agency for a project to adopt a program for monitoring or reporting on the measures it has imposed to mitigate or avoid significant environmental effects. As specifically set forth in Section 15097(c) of the CEQA Guidelines, the public agency may choose whether its program will monitor mitigation, report on mitigation, or both. "Monitoring" is generally an ongoing or periodic process of project oversight, while "reporting" generally consists of a written compliance review that is presented to the decision-making body or authorized staff person.

An Initial Study/Mitigated Negative Declaration (IS/MND) has been prepared to address the Artis Senior Housing Project's (Project) potential environmental impacts. The evaluation of the Project includes mitigation measures to avoid or substantially lessen potentially significant impacts to less-than-significant levels. Specifically, the IS/MND includes mitigation measures related to the following environmental issue areas: Biological Resources, Cultural Resources, Geology and Soils, Noise, and Tribal Cultural Resources. This Mitigation Monitoring and Reporting Program (MMRP) is designed to monitor implementation of these Project-specific mitigation measures.

II. Purpose

The overall intent of this MMRP is to:

- Verify compliance with mitigation measures identified in the IS/MND prepared for the Proposed Project;
- Provide a framework to document implementation of the identified mitigation measures;
- Provide a record of mitigation requirements;
- Identify monitoring and enforcement agencies;
- Establish and clarify administrative procedures for the clearance of mitigation measures; and
- Establish the frequency and duration of monitoring.

III. Organization

As shown in Table 1, each mitigation measure for the Proposed Project is listed by environmental issue area, with accompanying information identifying the:

- Enforcement Agency – the agency with the power to enforce the Project's mitigation measures.
- Monitoring Agency – the agency to which reports involving compliance and implementation of the mitigation measures are made.
- Monitoring Phase – the phase of the Project (e.g., pre-construction, construction, architectural coatings, occupation, etc.) during which the mitigation measure shall be monitored.
- Monitoring Frequency – the frequency at which the mitigation measure shall be monitored during the phase identified in the prior column.
- Action Indicating Compliance – the action or actions by which the enforcement/monitoring agency indicates that compliance with the identified mitigation measure has been determined.

**Table 1 – Mitigation Monitoring and Reporting Program**

No.	Mitigation Measures	Enforcement Agency	Monitoring Agency	Monitoring Phase	Monitoring Frequency	Action Indicating Compliance
Biological Resources						
BIO-1	Tree removal shall not occur during the local nesting season (February 1 to September 15 for nesting birds and February 1 to June 30 for nesting raptors), to the extent practicable. If any construction or tree removal occurs during the nesting season, a nesting bird survey shall be conducted by a qualified biologist prior to commencement of grading or removal of any trees on the property. If the biologist determines that nesting birds are present, restrictions may be placed on construction activities in the vicinity of the nest observed until the nest is no longer active, as determined by the biologist based on the location of the nest, type of the construction activities, the existing human activity in the vicinity of the nest, and the sensitivity of the nesting species. Grading and/or construction may resume in this area when a qualified biologist has determined that the nest is no longer occupied, and all juveniles have fledged. This measure shall be implemented to the satisfaction of the City of the Planning & Community Development Administrator or Designee.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Pre-Construction/Construction	During all grading and tree-removal activities	Submittal of compliance documentation by a qualified biologist
BIO-2	Prior to issuance of a building permit, the applicant shall demonstrate that the Project landscaping plan and planned construction are consistent with the City's Tree Protection Ordinance and the Protected Tree Study. The tree protection activities shall include the following: 1. Prior to demolition, the contractor and consulting arborist shall meet on-site to make sure tree protection zones are established around all protected trees to be preserved and to review the goals for the tree protection plan. 2. Tree protection zone fences shall be placed around each protected tree. Fences shall be at least 4 feet tall and constructed of chain-link fencing secured on metal posts. Where fences are not feasible (e.g., in haul routes or areas where workers will need frequent access), soil and root protection material can be installed. 3. The contractor shall maintain the fences and/or soil protection material throughout the completion of the Project. No staging of materials or equipment or washing out shall occur within the fenced protected zones. 4. Trees should be irrigated throughout the year. A deep watering that provides good soil moisture to a depth of 16 inches is optimal. The trees shall be deeply water once every 21 to 28 days during the summer and fall seasons when rain is unlikely. 5. For Tree No. 49, a protected deodar cedar located on the Project Site's Colorado Boulevard frontage, the deadwood shall be removed to prevent the dead branches from falling. However, no reduction pruning in the live crown of the tree is required. The tree shall be monitored for its health during the life of the Project, and irrigation shall occur at the same frequency of the other trees. 6. The arborist shall monitor a few critical phases of the Project, including pre-demolition, to direct the installation of protective fences and soil protection measures; grading and excavation; any utility or drainage trenching that is required within a tree protection zone; and a final evaluation during the landscape installation phase. 7. Additional construction best practices described in the Protected Tree Report shall be implemented.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Pre-Construction/Construction	During Plan Check and construction	Submittal of compliance documentation by a Certified Arborist
Cultural Resources						
CUL-1	Treatment of previously unidentified archaeological deposits: If suspected prehistoric or historical archaeological deposits are discovered during construction, all work within 25 feet of the discovery shall be redirected and a Secretary of the Interior Professional Qualified archaeologist and/or Registered Professional Archaeologist shall assess the situation and make recommendations regarding the treatment of the discovery. Impacts to significant archaeological deposits shall be avoided if feasible, but if such impacts cannot be avoided, the deposits shall be evaluated for their eligibility for the California Register of Historical Resources. If the deposits are not eligible, no further protection of the find is necessary. If the deposits are eligible, impacts shall be avoided or mitigated. Acceptable mitigation may consist of, but is not necessarily limited to, systematic recovery and analysis of archaeological deposits, recording the resource, preparation of a report of findings, and accessioning recovered archaeological materials at an appropriate curation facility	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by a qualified archaeologist

**Table 1 – Mitigation Monitoring and Reporting Program**

No.	Mitigation Measures	Enforcement Agency	Monitoring Agency	Monitoring Phase	Monitoring Frequency	Action Indicating Compliance
Geology and Soils						
GEO-1	Paleontological Resource Monitor: If paleontological resources (fossils) are discovered during Project grading, work shall be halted in that area until a qualified paleontologist can be retained to assess the significance of the find. The Project paleontologist shall monitor remaining earth-moving activities at the Project Site and shall be equipped to record and salvage fossil resources that may be unearthed during grading activities. The paleontologist shall be empowered to temporarily halt or divert grading equipment to allow recording and removal of the unearthed resources. Any fossils found shall be evaluated in accordance with the CEQA Guidelines and offered for curation at an accredited facility approved by the City of Arcadia. Once grading activities have ceased or the paleontologist determines that monitoring is no longer necessary, monitoring activities shall be discontinued.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by qualified Paleontologist
Noise						
NOI-1	Prior to issuance of a Grading Permit, the Project applicant shall demonstrate, to the satisfaction of the City of Arcadia Building Division, that the Project complies with the following: 1. Construction contracts specify that all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers and other State-required noise attenuation devices. 2. The contractor shall provide evidence that a construction staff member will be designated as a noise disturbance coordinator and will be present on-site during construction activities. The noise disturbance coordinator shall be responsible for responding to any local complaints about construction noise. When a complaint is received, the noise disturbance coordinator shall notify the City within 24 hours of the complaint and determine the cause of the noise complaint (e.g., starting too early or bad muffler) and shall implement reasonable measures to resolve the complaint, as deemed acceptable by the Building Official (or designee). All notices that are sent to residential units immediately surrounding the construction site and all signs posted at the construction site shall include the contact name and the telephone number for the noise disturbance coordinator. All necessary signage and notices shall be posted on or sent to residential units immediately surrounding the construction site no less than two weeks prior to the start of noise-generating construction activities on the Project Site. 3. During construction, stationary construction equipment shall be placed such that emitted noise is directed away from sensitive noise receivers. 4. Prior to issuance of any Grading or Building Permit, the Project applicant shall demonstrate to the satisfaction of the Building Official (or designee) that construction noise reduction methods shall be used where feasible. These reduction methods may include shutting off idling equipment, installing temporary acoustic barriers around stationary construction noise sources, maximizing the distance between construction equipment staging areas and occupied residential areas, and utilizing electric air compressors and similar power tools. 5. Construction haul routes shall be designed to avoid noise-sensitive uses (e.g., residences and convalescent homes) to the extent feasible.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Pre-Construction/ Construction	During Plan Check and construction	Approval of a grading permit
Tribal Cultural Resources						
TCR-1	Retain a Native American Monitor/Consultant. The Project Applicant shall be required to retain and compensate for the services of a tribal monitor/consultant, who is both approved by the Gabrieleño Band of Mission Indians-Kizh Nation Tribal Government and listed under the Native American Heritage Commission's (NAHC) Tribal Contact list for the area of the project location. This list is provided by the NAHC. The monitor/consultant shall only be present on-site during the construction phases that involve ground disturbing activities. Ground disturbing	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by tribal monitor



Table 1 – Mitigation Monitoring and Reporting Program

No.	Mitigation Measures	Enforcement Agency	Monitoring Agency	Monitoring Phase	Monitoring Frequency	Action Indicating Compliance
	activities are defined by the Gabrieleño Band of Mission Indians-Kizh Nation as activities that may include, but are not limited to, pavement removal, pot-holing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the Project area. The tribal Monitor/consultant shall complete daily monitoring logs that will provide descriptions of the day’s activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when the Project Site grading and excavation activities are completed or when the tribal representatives and monitor/consultant have indicated that the site has a low potential for impacting tribal cultural resources.					
TCR-2	Upon discovery of any tribal cultural or archaeological resources, construction activities shall cease in the immediate vicinity of the find until the find can be assessed. All tribal cultural and archaeological resources unearthed by Project construction activities shall be evaluated by the qualified archaeologist and tribal monitor/consultant approved by the Gabrieleño Band of Mission Indians-Kizh Nation. If the resources are Native American in origin, the Gabrieleño Band of Mission Indians-Kizh Nation shall coordinate with the landowner regarding treatment and curation of these resources. Typically, the tribe will request preservation in place or recovery for educational purposes. Work may continue on other parts of the Project Site while evaluation and, if necessary, additional protective mitigation takes place (CEQA Guidelines Section 15064.5 [f]). If a resource is determined by the qualified archaeologist to constitute a “historical resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources. For unique archaeological resources, preservation in place is the preferred manner of treatment in accordance with PRC Section 21083.2(b). If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. All tribal cultural resources shall be returned to the tribe. Any historic archaeological material that is not Native American in origin shall be curated at a public, nonprofit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, they shall be offered to the tribe or a local school or historical society in the area for educational purposes.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by tribal monitor
TCR-3	Native American human remains are defined in PRC 5097.98 (d)(1) as an inhumation or cremation, and in any state of decomposition or skeletal completeness. Funerary objects, called associated grave goods in PRC 5097.98, are also to be treated according to this statute. Health and Safety Code 7050.5 dictates that any discoveries of human skeletal material shall be immediately reported to the County Coroner and excavation halted until the coroner has determined the nature of the remains. If the coroner recognizes the human remains to be those of a Native American or has reason to believe that they are those of a Native American, he or she shall contact, by telephone within 24 hours, the NAHC and PRC 5097.98 shall be followed. Upon discovery of human remains, the tribal and/or archaeological monitor/ consultant/consultant shall immediately divert work at minimum of 150 feet and place an exclusion zone around the discovery location. The monitor/consultant(s) shall then notify the tribe, the qualified lead archaeologist, and the construction manager who will call the coroner. Work shall continue to be diverted while the coroner determines whether the remains are human and subsequently Native American. The discovery is to be kept confidential and secure to prevent any further disturbance. If the finds are determined to be Native American, the coroner shall notify the NAHC as mandated by State law, who will then appoint a Most Likely Descendent (MLD). If the Gabrieleño Band of Mission Indians – Kizh Nation is designated MLD, the Koo-nas-gna Burial Policy shall be implemented. To the tribe, the term “human remains” encompasses more than human bones. In ancient, as well as, historic times, tribal traditions included, but	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by tribal monitor



Table 1 – Mitigation Monitoring and Reporting Program

No.	Mitigation Measures	Enforcement Agency	Monitoring Agency	Monitoring Phase	Monitoring Frequency	Action Indicating Compliance
	were not limited to, the preparation of the soil for burial, the burial of funerary objects with the deceased, and the ceremonial burning of human remains. The prepared soil and cremation soils are to be treated in the same manner as bone fragments that remain intact. Associated funerary objects are objects that, as part of the death rite or ceremony of a culture, are reasonably believed to have been placed with individual human remains either at the time of death or later; other items made exclusively for burial purposes or to contain human remains can also be considered as associated funerary objects. Prior to the continuation of ground disturbing activities, the land owner shall arrange a designated site location within the footprint of the Project for the respectful reburial of the human remains and/or ceremonial objects. In the case where discovered human remains cannot be fully documented and recovered on the same day, the remains shall be covered with muslin cloth and a steel plate that can be moved by heavy equipment placed over the excavation opening to protect the remains. If this type of steel plate is not available, a 24-hour guard should be posted outside of working hours. The tribe shall make every effort to recommend diverting the Project and keeping the remains in situ and protected. If the Project cannot be diverted, it may be determined that burials shall be removed. The tribe shall work closely with the qualified archaeologist to ensure that the excavation is treated carefully, ethically and respectfully. If data recovery are approved by the tribe, documentation shall be taken which includes at a minimum detailed descriptive notes and sketches. Additional types of documentation shall be approved by the tribe for data recovery purposes. Cremations shall either be removed in bulk or by means as necessary to ensure completely recovery of all material. If the discovery of human remains includes four or more burials, the location is considered a cemetery and a separate treatment plan shall be created. Once complete, a final report of all activities is to be submitted to the tribe and the NAHC. The tribe does not authorize any scientific study or the utilization of any invasive and/or destructive diagnostics on human remains. Each occurrence of human remains and associated funerary objects shall be stored using opaque cloth bags. All human remains, funerary objects, sacred objects and objects of cultural patrimony shall be removed to a secure container on site if possible. These items shall be retained and reburied within six months of recovery. The site of reburial/repatriation shall be on the Project Site but at a location agreed upon between the tribe and the landowner at a site to be protected in perpetuity. There shall be no publicity regarding any cultural materials recovered.					
TCR-4	Archaeological and Native American monitoring and excavation during construction projects shall be consistent with current professional standards. All feasible care to avoid any unnecessary disturbance, physical modification, or separation of human remains and associated funerary objects shall be taken. Principal personnel must meet the Secretary of Interior’s Standards for archaeology and have a minimum of 10 years of experience as a principal investigator working with Native American archaeological sites in Southern California. The qualified archaeologist shall ensure that all other personnel are appropriately trained and qualified.	City of Arcadia Development Services Department	City of Arcadia Development Services Department	Construction	During all ground disturbing activities	Submittal of compliance documentation by tribal monitor

MEMORANDUM

To: Vanessa Quiroz, City of Arcadia Associate Planner

From: Madonna Marcelo, Michael Baker International

CC: Lisa Flores, City of Arcadia Planning & Community Development Administrator

Date: June 19, 2020

Subject: Artis Senior Living Project Responses to Comments on the Draft Initial Study/Mitigated Negative Declaration

A Draft Initial Study/Mitigated Negative Declaration (Draft IS/MND) was prepared for the Artis Senior Living Project (Proposed Project) in accordance with the California Environmental Quality Act (CEQA) and the CEQA Guidelines. The Draft IS/MND was circulated for public review and comment from April 23, 2020 to May 22, 2020. One letter was received by the City from the following agency and attached hereto:

Lijin Sun, J.D.
Program Supervisor, CEQA IGR
Planning, Rule Development & Area Sources
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765-4178

Below presents the comments followed by the corresponding response to each of the comments.

Comment No. 1

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to comment on the above-mentioned document. The following comments include recommended revisions to the air quality analysis and health risk assessment that the Lead Agency should include in the Final MND.

South Coast AQMD Staff's Summary of Project Description

The Lead Agency proposes to a [sic] 44,192-square-foot senior living care facility with 80 rooms on 2.79 acres (Proposed Project). Based on a review of Figure A-2, Project Location Map, in the MND and aerial photographs, South Coast AQMD staff found that the Proposed Project is located immediately south of Interstate 210 (I-210) and within 100 feet from a gasoline service station. Construction is expected to take 19 months.

South Coast AQMD Staff's Summary of Air Quality Analysis

In the Air Quality Analysis section, the Lead Agency quantified the Proposed Project's construction and operational emissions and compared those emissions to South Coast AQMD's

recommended regional and localized air quality CEQA significance thresholds. Based on the analyses, the Lead Agency found that the Proposed Project's construction and operational air quality impacts would be less than significant.

South Coast AQMD Staff's Comments

Based on reviews of the Air Quality Analysis in the MND, South Coast AQMD staff recommends that the Lead Agency perform a mobile source health risk assessment (HRA) to disclose the potential health risks in the Final MND, incorporate strategies to reduce exposures by senior residents to toxic air contaminants from vehicles and trucks traveling on I-210, and protect public health of those living at the Proposed Project. Detailed comments are provided as follows.

Response to Comment No. 1

The introductory comment is noted for the administrative record. The South Coast AQMD staff's summary of the project description and air quality analysis correctly identifies the aspect of the Project and significance conclusions provided in the Draft Initial Study/Mitigated Negative Declaration (IS/MND). This comment is noted for the administrative record and will be forwarded to the decision-makers for review and consideration.

Comment No. 2

Health Risk Assessment (HRA) from Freeways and Other Sources of Air Pollution

1. Notwithstanding the court rulings, South Coast AQMD staff recognizes that the Lead Agencies that approve CEQA documents retain the authority to include any additional information they deem relevant to assessing and mitigating the environmental impacts of a project. Because of South Coast AQMD's concern about the potential public health impacts of siting sensitive populations within close proximity of I-210, South Coast AQMD staff recommends that the Lead Agency review and consider the following comments when making local planning and land use decisions.

Sensitive receptors are people that have an increased sensitivity to air pollution or environmental contaminants. Sensitive receptors include schools, daycare centers, nursing homes, elderly care facilities, hospitals, and residential dwelling units. As stated above, the Proposed Project will include the operation of a senior living care facility. Based on a review of Figure A-2 in the MND, South Coast AQMD staff found that the Proposed Project immediately south of I-210. Senior residents living at the Proposed Project will be exposed to diesel particulate matter (DPM) emitted from vehicles and trucks traveling on I-210. The California Air Resources Board has identified DPM as a toxic air contaminant (TAC) based on its carcinogenic effects. Additionally, the Proposed Project is located within 100 feet of a gasoline service station to the west. Senior residents will also be exposed to other TACs such as benzene. Therefore, South Coast AQMD staff recommends that the Lead Agency consider health impacts on future senior residents living at the Proposed Project and perform a mobile source HRA analysis to disclose the potential health risks in the Final MND. This recommendation will facilitate the purpose and goal of CEQA on public disclosure and enable

decision-makers with meaningful information to make an informed decision on project approval. It will also foster informed public participation by providing the public with useful information that is needed to understand the potential health risks from living in close proximity to a high-volume freeway.

Response to Comment No. 2

The concerns identified by SCAQMD are acknowledged. The Project Site is immediately south of I-210. However, the analysis of potential health risks due to exposure of future Project residents to emissions from I-210 is not considered within the scope of CEQA in general, or the IS/MND in particular, as that pertains to the effects of the environment on the Project rather than the effects of the Project on the environment. This perspective on the intent and scope of CEQA was affirmed in the California Supreme Court opinion in *California Building Industry Association v. Bay Area Air Quality Management District* (2015) 62 Cal.4th 369. The court held that “agencies subject to CEQA generally are not required to analyze the impact of existing environmental conditions on a project’s future users or residents.” However, it should be noted that there are exceptions to the court’s decision. For instance, when a project has potentially significant exacerbating effects on existing environmental hazards, those impacts are properly within the purview of CEQA because they can be considered as impacts of the project on existing conditions rather than impacts of the environment on the project. The court concluded that it is proper under CEQA to undertake an analysis of the dispersal of existing contaminants because such an analysis would be focused on how the project “would worsen existing conditions.” Finding that CEQA calls upon an agency to evaluate existing conditions in order to assess whether a project could exacerbate hazards that are already present, the court held that most of CEQA Guidelines Section 15126.2(a) is valid. Thus, simply attracting residents or users to a site containing an environmental hazard or risk is not an impact that must be analyzed. Instead, project-induced changes that worsen an existing hazard or risk are.

The Proposed Project would not worsen existing environmental conditions and would not exacerbate an existing environmental condition. As noted in the discussion of the Project’s traffic impacts on pages 82 through 85 of the Draft IS/MND, the Project would result in a reduction in total daily and peak hour trips when compared to the existing restaurant use and would, thus, not exacerbate the level of air pollutants generated by freeway vehicle traffic on I-210, resulting in a less-than-significant impact related to transportation. As such, the assessment of the Project’s air quality impacts has not encompassed an evaluation of potential health risks associated with traffic exhaust emissions along I-210. Please refer to Response to Comment No. 3 below for a discussion of the gasoline service station located to the west of the Project Site.

Comment No. 3

Guidance Regarding Residences Sited Near a High-Volume Freeway or Other Sources of Air Pollution

2. To facilitate stronger collaboration between Lead Agencies and South Coast AQMD to reduce community exposure to source-specific and cumulative air pollution impacts, South Coast

AQMD adopted the Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning in 2005. This Guidance document provides suggested policies that local governments can use in their General Plans or through local planning to prevent or reduce potential air pollution impacts and protect public health. In addition, guidance on siting incompatible land uses (such as placing residential uses near freeways and gasoline service stations) can be found in the California Air Resources Board (CARB)'s *Air Quality and Land Use Handbook: A Community Health Perspective* (Handbook). In the Handbook, CARB recommends avoiding siting new sensitive land uses such as the Proposed Project within 500 feet of a freeway, and 300 feet of a large gasoline dispensing facility (defined as a facility with a throughput of 3.6 million gallons per year or greater.) A 50-foot separation is recommended for typical gasoline dispensing facilities. Therefore, South Coast AQMD staff recommends that the Lead Agency review the guidance documents when making local planning and land use decisions.

Response to Comment No. 3

When determining whether or not an HRA was required for the Proposed Project, the City relied on the guidance in the California Air Resources Board's (CARB) *Air Quality and Land Use Handbook: A Community Health Perspective*. This document recommends that lead agencies avoid siting residences within 300 feet of a large gas station (i.e., a facility with a throughput of 3.6 million gallons per year or greater) or 50 feet for a typical gas station (i.e., a facility with a throughput of less than 3.6 million gallons per year). Based on the small size (five fueling islands) of the 76 gas station across Michillinda Avenue on the southwestern corner of Colorado Boulevard and Michillinda Avenue, this gas station is considered to be a typical gas station within the meaning of CARB's *Air Quality and Land Use Handbook*. Accordingly, pursuant to CARB's guidance, the Proposed Project should be sited 50 feet or more from the gas station's emission sources (i.e., the fueling islands/pumps). The distance between the Proposed Project's property boundary along Michillinda Avenue and the closest fueling canopy at the gas station is approximately 90 feet, with a distance between the property boundary and the nearest fueling island of approximately 100 feet. Therefore, the Proposed Project complies with CARB's guidance. It should also be noted the CARB's guidance is advisory and not regulatory; however, the City strives to comply with this guidance, as discussed herein.

As discussed in Response to Comment No. 2, the Court found in *California Building Industry Association v. Bay Area Air Quality Management District* that agencies subject to CEQA generally are not required to analyze the impact of existing environmental conditions on a project's future residents or users (i.e., reverse CEQA) but need to focus on the impacts of the project's effects on the environment. Since the nearby gas station is already part of the existing environment, the City is not required to evaluate its potential impacts on the Proposed Project.

Operation of the nearby gas station is permitted by SCAQMD, and fuel-related emissions are regulated by SCAQMD Rule 461. Gasoline-dispensing facilities are required to use Phases I/II enhanced vapor recovery systems. Thus, the potential for fugitive volatile organic compounds (VOC) or toxic air contaminant (TAC) emissions from the nearby gasoline pumps is negligible. As such, the fueling pumps would not be a significant source of TACs, and the sensitive receptors

that would be located on the Project Site (approximately 150 feet from the existing fueling pumps) would not be exposed to TAC emissions from the gasoline pumps across Michillinda Avenue. In addition, the Proposed Project would not change the VOC or TAC emissions from this gas station and, thus, would not have any potentially significant exacerbating effects on existing environmental hazards. No further analysis of this issue is warranted, and the determination of the significance of impacts in the Initial Study remains valid and applicable to the Proposed Project.

Comment No. 4

Health Risk Reduction Strategies

3. Many strategies are available to reduce exposures to DPM, including, but are not limited to, building filtration systems with Minimum Efficiency Reporting Value (MERV) 13 or better, or in some cases, MERV 15 or better is recommended; building design, orientation, location; vegetation barriers or landscaping screening, etc. Enhanced filtration units are capable of reducing exposures. Installation of enhanced filtration units can be verified during occupancy inspection prior to the issuance of an occupancy permit.
4. Enhanced filtration systems have limitations. South Coast AQMD staff recommends that the Lead Agency consider the limitations of the enhanced filtration. For example, in a study that South Coast AQMD conducted to investigate filters, a cost burden is expected to be within the range of \$120 to \$240 per year to replace each filter. The initial start-up cost could substantially increase if an HVAC system needs to be installed. In addition, because the filters would not have any effectiveness unless the HVAC system is running, there may be increased energy costs to the residents. It is typically assumed that the filters operate 100 percent of the time while residents are indoors, and the environmental analysis does not generally account for the times when the residents have their windows or doors open or are in common space areas of the project. In addition, these filters have no ability to filter out any toxic gases from vehicle exhaust. Therefore, the presumed effectiveness and feasibility of any filtration units should be carefully evaluated in more detail prior to assuming that they will sufficiently alleviate exposures to toxic emissions.
5. Because of the limitations, to ensure that enhanced filters are enforceable throughout the lifetime of the Proposed Project as well as effective in reducing exposures to DPM emissions, South Coast AQMD staff recommends that the Lead Agency provide additional details regarding the ongoing, regular inspection, maintenance, and monitoring of filters in the Final MND. To facilitate a good faith effort at full disclosure and provide useful information to future sensitive receptors who will live in close proximity to I-210 and a gasoline service station, the Lead Agency should include the following information in the Final MND, at a minimum:
 - Disclosure on potential health impacts to prospective senior residents from living in proximity to a freeway and other sources of air pollution, and the reduced effectiveness of air filtration system when windows are open and when senior residents are outdoor;

- Identification of the responsible implementing and enforcement agency such as the Lead Agency for ensuring that enhanced filters are installed on-site at the Proposed Project before a permit of occupancy is issued;
- Identification of the responsible implementing and enforcement agency such as the Lead Agency's building and safety inspection unit to provide periodic, regular inspection on filters;
- Provide information and guidance to the Project developer or proponent on the importance of filter installation and ongoing maintenance;
- Provide information to the Project developer or proponent about where the MERV filters [sic] can be purchased;
- Disclosure on increased costs for purchasing enhanced filtration systems;
- Disclosure on increased energy costs for running the HVAC system with MERV filters;
- Disclosure on recommended schedules (e.g., once a year or every six months) for replacing the enhanced filtration units;
- Identification of the responsible entity such as residents or property management to ensure filters are inspected for replacement and maintenance on time, if appropriate and feasible;
- Develop ongoing cost sharing strategies, if available, for replacing the enhanced filtration units;
- Set up criteria for assessing progress in installing, replacing, and maintaining the enhanced filtration units; and
- Set up process for evaluating the effectiveness of the enhanced filtration units at the Proposed Project.

Response to Comment No. 4

It is noted that the regulations set forth in Section 150 of Subchapter 7 of the 2019 California Building Energy Efficiency Standards require that residential uses, including the Proposed Project, be equipped with MERV 13 air filters in the mechanical ventilation systems, to provide enhanced filtration of outdoor air before passing through any system thermal conditioning components. These filters are designed to remove small and medium diameter particles. As noted in the SCAQMD comments, these filters can be effective in reducing exposure to DPMs. Although these filters are only effective while mechanical ventilation systems are operating, residents of the Proposed Project could be exposed to freeway emissions while outdoors or when the ventilation systems are not operating. However, the health effects from DPMs are described in terms of individual cancer risk based on a lifetime (i.e., 70-year) resident exposure duration.

Project residents are anticipated to remain mostly indoors since many of them would require continuous supervision and care. In addition, the City will impose a condition of approval that requires the operators of the Proposed Project to submit a copy of the lease agreement. The lease agreement will require all future residents to acknowledge the potential health risk associated with living within 500 feet of a freeway.

Comment No. 5

Conclusion

Pursuant to CEQA Guidelines Section 15074, prior to approving the Proposed Project, the Lead Agency shall consider the MND for adoption together with any comments received during the public review process. Please provide South Coast AQMD with written responses to all comments contained herein prior to the adoption of the Final MND. When responding to issues raised in the comments, response should provide sufficient details giving reasons why specific comments and suggestions are not accepted. There should be good faith, reasoned analysis in response. Conclusory statements unsupported by factual information do not facilitate the purpose and goal of CEQA on public disclosure and are not meaningful, informative, or useful to decision makers and the public who are interested in the Proposed Project.

South Coast AQMD staff is available to work with the Lead Agency to address any air quality questions that may arise from this comment letter. Please contact me at lsun@aqmd.gov, should you have any questions.

Response to Comment No. 5

The City's responses to the AQMD comments are provided in this Response to Comments. All written comments received have been adequately responded to in accordance with CEQA Guidelines Section 15074. The determination of the significance of impacts in the Initial Study, particularly as it relates to air quality, remains valid and applicable to the Proposed Project. Therefore, no further analysis is warranted. No other agency and public comments were received during the Draft IS/MND's public review period.



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:

vquiroz@arcadiaca.gov

Venessa Quiroz, Planner

City of Arcadia, Planning Department

240 W. Huntington Drive

Arcadia, CA 91006

May 5, 2020

Mitigated Negative Declaration (MND) for the Proposed Artis Senior Living Care Facility

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to comment on the above-mentioned document. The following comments include recommended revisions to the air quality analysis and health risk assessment that the Lead Agency should include in the Final MND.

South Coast AQMD Staff's Summary of Project Description

The Lead Agency proposes to a 44,192-square-foot senior living care facility with 80 rooms on 2.79 acres (Proposed Project). Based on a review of Figure A-2, *Project Location Map*, in the MND and aerial photographs, South Coast AQMD staff found that the Proposed Project is located immediately south of Interstate 210 (I-210) and within 100 feet from a gasoline service station. Construction is expected to take 19 months¹.

South Coast AQMD Staff's Summary of Air Quality Analysis

In the Air Quality Analysis section, the Lead Agency quantified the Proposed Project's construction and operational emissions and compared those emissions to South Coast AQMD's recommended regional and localized air quality CEQA significance thresholds. Based on the analyses, the Lead Agency found that the Proposed Project's construction and operational air quality impacts would be less than significant.

South Coast AQMD Staff's Comments

Based on reviews of the Air Quality Analysis in the MND, South Coast AQMD staff recommends that the Lead Agency perform a mobile source health risk assessment (HRA) to disclose the potential health risks in the Final MND, incorporate strategies to reduce exposures by senior residents to toxic air contaminants from vehicles and trucks traveling on I-210, and protect public health of those living at the Proposed Project. Detailed comments are provided as follows.

Health Risk Assessment (HRA) from Freeways and Other Sources of Air Pollution

1. Notwithstanding the court rulings, South Coast AQMD staff recognizes that the Lead Agencies that approve CEQA documents retain the authority to include any additional information they deem relevant to assessing and mitigating the environmental impacts of a project. Because of South Coast AQMD's concern about the potential public health impacts of siting sensitive populations within close proximity of I-210, South Coast AQMD staff recommends that the Lead Agency review and consider the following comments when making local planning and land use decisions.

Sensitive receptors are people that have an increased sensitivity to air pollution or environmental contaminants. Sensitive receptors include schools, daycare centers, nursing homes, elderly care

Comment
No. 1

Comment
No. 2

¹ MND, Page 30

facilities, hospitals, and residential dwelling units. As stated above, the Proposed Project will include the operation of a senior living care facility. Based on a review of Figure A-2 in the MND, South Coast AQMD staff found that the Proposed Project immediately south of I-210. Senior residents living at the Proposed Project will be exposed to diesel particulate matter (DPM) emitted from vehicles and trucks traveling on I-210. The California Air Resources Board has identified DPM as a toxic air contaminant (TAC) based on its carcinogenic effects². Additionally, the Proposed Project is located within 100 feet of a gasoline service station to the west. Senior residents will also be exposed to other TACs such as benzene. Therefore, South Coast AQMD staff recommends that the Lead Agency consider health impacts on future senior residents living at the Proposed Project and perform a mobile source HRA³ analysis to disclose the potential health risks in the Final MND⁴. This recommendation will facilitate the purpose and goal of CEQA on public disclosure and enable decision-makers with meaningful information to make an informed decision on project approval. It will also foster informed public participation by providing the public with useful information that is needed to understand the potential health risks from living in close proximity to a high-volume freeway.

Comment
No. 2
(Continued)

Guidance Regarding Residences Sited Near a High-Volume Freeway or Other Sources of Air Pollution

2. To facilitate stronger collaboration between Lead Agencies and South Coast AQMD to reduce community exposure to source-specific and cumulative air pollution impacts, South Coast AQMD adopted the Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning in 2005⁵. This Guidance document provides suggested policies that local governments can use in their General Plans or through local planning to prevent or reduce potential air pollution impacts and protect public health. In addition, guidance on siting incompatible land uses (such as placing residential uses near freeways and gasoline service stations) can be found in the California Air Resources Board (CARB)'s *Air Quality and Land Use Handbook: A Community Health Perspective* (Handbook)⁶. In the Handbook, CARB recommends avoiding siting new sensitive land uses such as the Proposed Project within 500 feet of a freeway⁷, and 300 feet of a large gasoline dispensing facility (defined as a facility with a throughput of 3.6 million gallons per year or greater.) A 50-foot separation is recommended for typical gasoline dispensing facilities⁸. Therefore, South Coast AQMD staff recommends that the Lead Agency review the guidance documents when making local planning and land use decisions.

Comment
No. 3

² California Air Resources Board. August 27, 1998. Resolution 98-35. Accessed at: <http://www.arb.ca.gov/regact/diesltac/diesltac.htm>.

³ South Coast Air Quality Management District. *Health Risk Assessment Guidance for Analyzing Cancer Risk from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis*. Accessed at: <http://www.aqmd.gov/home/regulations/ceqa/airquality-analysis-handbook/mobile-source-toxics-analysis>.

⁴ South Coast AQMD has developed the CEQA significance threshold of 10 in one million for cancer risk. When South Coast AQMD acts as the Lead Agency, South Coast AQMD staff conducts a HRA, compares the maximum cancer risk to the threshold of 10 in one million to determine the level of significance for health risk impacts, and identifies mitigation measures if the risk is found to be significant.

⁵ South Coast AQMD. May 2005. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning*. Accessed at: <http://www.aqmd.gov/docs/default-source/planning/air-quality-guidance/complete-guidance-document.pdf>.

⁶ California Air Resources Board. *Air Quality and Land Use Handbook: A Community Health Perspective*. Accessed at: <http://www.arb.ca.gov/ch/handbook.pdf>.

⁷ *Ibid.* Page 10.

⁸ *Ibid.* Page 32.

Health Risk Reduction Strategies

3. Many strategies are available to reduce exposures to DPM, including, but are not limited to, building filtration systems with Minimum Efficiency Reporting Value (MERV) 13 or better, or in some cases, MERV 15 or better is recommended; building design, orientation, location; vegetation barriers or landscaping screening, etc. Enhanced filtration units are capable of reducing exposures. Installation of enhanced filtration units can be verified during occupancy inspection prior to the issuance of an occupancy permit.
4. Enhanced filtration systems have limitations. South Coast AQMD staff recommends that the Lead Agency consider the limitations of the enhanced filtration. For example, in a study that South Coast AQMD conducted to investigate filters⁹, a cost burden is expected to be within the range of \$120 to \$240 per year to replace each filter. The initial start-up cost could substantially increase if an HVAC system needs to be installed. In addition, because the filters would not have any effectiveness unless the HVAC system is running, there may be increased energy costs to the residents. It is typically assumed that the filters operate 100 percent of the time while residents are indoors, and the environmental analysis does not generally account for the times when the residents have their windows or doors open or are in common space areas of the project. In addition, these filters have no ability to filter out any toxic gases from vehicle exhaust. Therefore, the presumed effectiveness and feasibility of any filtration units should be carefully evaluated in more detail prior to assuming that they will sufficiently alleviate exposures to toxic emissions.
5. Because of the limitations, to ensure that enhanced filters are enforceable throughout the lifetime of the Proposed Project as well as effective in reducing exposures to DPM emissions, South Coast AQMD staff recommends that the Lead Agency provide additional details regarding the ongoing, regular inspection, maintenance, and monitoring of filters in the Final MND. To facilitate a good faith effort at full disclosure and provide useful information to future sensitive receptors who will live in close proximity to I-210 and a gasoline service station, the Lead Agency should include the following information in the Final MND, at a minimum:
 - Disclosure on potential health impacts to prospective senior residents from living in proximity to a freeway and other sources of air pollution, and the reduced effectiveness of air filtration system when windows are open and when senior residents are outdoor;
 - Identification of the responsible implementing and enforcement agency such as the Lead Agency for ensuring that enhanced filters are installed on-site at the Proposed Project before a permit of occupancy is issued;
 - Identification of the responsible implementing and enforcement agency such as the Lead Agency's building and safety inspection unit to provide periodic, regular inspection on filters;
 - Provide information and guidance to the Project developer or proponent on the importance of filter installation and ongoing maintenance;
 - Provide information to the Project developer or proponent about where the MERV filters can be purchased;
 - Disclosure on increased costs for purchasing enhanced filtration systems;
 - Disclosure on increased energy costs for running the HVAC system with MERV filters;
 - Disclosure on recommended schedules (e.g., once a year or every six months) for replacing the enhanced filtration units;

**Comment
No. 4**

⁹This study evaluated filters rated MERV 13 or better. Accessed at: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/aqmdpilotstudyfinalreport.pdf>. Also see 2012 Peer Review Journal article by South Coast AQMD: <http://d7.igair.com/sites/default/files/pdf/Polidori-et-al-2012.pdf>.

- Identification of the responsible entity such as residents or property management to ensure filters are inspected for replacement and maintenance on time, if appropriate and feasible;
- Develop ongoing cost sharing strategies, if available, for replacing the enhanced filtration units;
- Set up criteria for assessing progress in installing, replacing, and maintaining the enhanced filtration units; and
- Set up process for evaluating the effectiveness of the enhanced filtration units at the Proposed Project.

Comment
No. 4
(Continued)

Conclusion

Pursuant to CEQA Guidelines Section 15074, prior to approving the Proposed Project, the Lead Agency shall consider the MND for adoption together with any comments received during the public review process. Please provide South Coast AQMD with written responses to all comments contained herein prior to the adoption of the Final MND. When responding to issues raised in the comments, response should provide sufficient details giving reasons why specific comments and suggestions are not accepted. There should be good faith, reasoned analysis in response. Conclusory statements unsupported by factual information do not facilitate the purpose and goal of CEQA on public disclosure and are not meaningful, informative, or useful to decision makers and the public who are interested in the Proposed Project.

Comment
No. 5

South Coast AQMD staff is available to work with the Lead Agency to address any air quality questions that may arise from this comment letter. Please contact me at lsun@aqmd.gov, should you have any questions.

Sincerely,

Lijin Sun

Lijin Sun, J.D.

Program Supervisor, CEQA IGR

Planning, Rule Development & Area Sources

LS

LAC200501-05

Control Number



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:

vquiroz@arcadiaca.gov

Venessa Quiroz, Planner
City of Arcadia, Planning Department
240 W. Huntington Drive
Arcadia, CA 91006

May 5, 2020

Mitigated Negative Declaration (MND) for the Proposed Artis Senior Living Care Facility

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to comment on the above-mentioned document. The following comments include recommended revisions to the air quality analysis and health risk assessment that the Lead Agency should include in the Final MND.

South Coast AQMD Staff's Summary of Project Description

The Lead Agency proposes to a 44,192-square-foot senior living care facility with 80 rooms on 2.79 acres (Proposed Project). Based on a review of Figure A-2, *Project Location Map*, in the MND and aerial photographs, South Coast AQMD staff found that the Proposed Project is located immediately south of Interstate 210 (I-210) and within 100 feet from a gasoline service station. Construction is expected to take 19 months¹.

South Coast AQMD Staff's Summary of Air Quality Analysis

In the Air Quality Analysis section, the Lead Agency quantified the Proposed Project's construction and operational emissions and compared those emissions to South Coast AQMD's recommended regional and localized air quality CEQA significance thresholds. Based on the analyses, the Lead Agency found that the Proposed Project's construction and operational air quality impacts would be less than significant.

South Coast AQMD Staff's Comments

Based on reviews of the Air Quality Analysis in the MND, South Coast AQMD staff recommends that the Lead Agency perform a mobile source health risk assessment (HRA) to disclose the potential health risks in the Final MND, incorporate strategies to reduce exposures by senior residents to toxic air contaminants from vehicles and trucks traveling on I-210, and protect public health of those living at the Proposed Project. Detailed comments are provided as follows.

Health Risk Assessment (HRA) from Freeways and Other Sources of Air Pollution

1. Notwithstanding the court rulings, South Coast AQMD staff recognizes that the Lead Agencies that approve CEQA documents retain the authority to include any additional information they deem relevant to assessing and mitigating the environmental impacts of a project. Because of South Coast AQMD's concern about the potential public health impacts of siting sensitive populations within close proximity of I-210, South Coast AQMD staff recommends that the Lead Agency review and consider the following comments when making local planning and land use decisions.

Sensitive receptors are people that have an increased sensitivity to air pollution or environmental contaminants. Sensitive receptors include schools, daycare centers, nursing homes, elderly care

¹ MND. Page 30

facilities, hospitals, and residential dwelling units. As stated above, the Proposed Project will include the operation of a senior living care facility. Based on a review of Figure A-2 in the MND, South Coast AQMD staff found that the Proposed Project immediately south of I-210. Senior residents living at the Proposed Project will be exposed to diesel particulate matter (DPM) emitted from vehicles and trucks traveling on I-210. The California Air Resources Board has identified DPM as a toxic air contaminant (TAC) based on its carcinogenic effects². Additionally, the Proposed Project is located within 100 feet of a gasoline service station to the west. Senior residents will also be exposed to other TACs such as benzene. Therefore, South Coast AQMD staff recommends that the Lead Agency consider health impacts on future senior residents living at the Proposed Project and perform a mobile source HRA³ analysis to disclose the potential health risks in the Final MND⁴. This recommendation will facilitate the purpose and goal of CEQA on public disclosure and enable decision-makers with meaningful information to make an informed decision on project approval. It will also foster informed public participation by providing the public with useful information that is needed to understand the potential health risks from living in close proximity to a high-volume freeway.

Guidance Regarding Residences Sited Near a High-Volume Freeway or Other Sources of Air Pollution

2. To facilitate stronger collaboration between Lead Agencies and South Coast AQMD to reduce community exposure to source-specific and cumulative air pollution impacts, South Coast AQMD adopted the Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning in 2005⁵. This Guidance document provides suggested policies that local governments can use in their General Plans or through local planning to prevent or reduce potential air pollution impacts and protect public health. In addition, guidance on siting incompatible land uses (such as placing residential uses near freeways and gasoline service stations) can be found in the California Air Resources Board (CARB)'s *Air Quality and Land Use Handbook: A Community Health Perspective* (Handbook)⁶. In the Handbook, CARB recommends avoiding siting new sensitive land uses such as the Proposed Project within 500 feet of a freeway⁷, and 300 feet of a large gasoline dispensing facility (defined as a facility with a throughput of 3.6 million gallons per year or greater.) A 50-foot separation is recommended for typical gasoline dispensing facilities⁸. Therefore, South Coast AQMD staff recommends that the Lead Agency review the guidance documents when making local planning and land use decisions.

² California Air Resources Board. August 27, 1998. Resolution 98-35. Accessed at: <http://www.arb.ca.gov/regact/diesltac/diesltac.htm>.

³ South Coast Air Quality Management District. *Health Risk Assessment Guidance for Analyzing Cancer Risk from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis*. Accessed at: <http://www.aqmd.gov/home/regulations/ceqa/airquality-analysis-handbook/mobile-source-toxics-analysis>.

⁴ South Coast AQMD has developed the CEQA significance threshold of 10 in one million for cancer risk. When South Coast AQMD acts as the Lead Agency, South Coast AQMD staff conducts a HRA, compares the maximum cancer risk to the threshold of 10 in one million to determine the level of significance for health risk impacts, and identifies mitigation measures if the risk is found to be significant.

⁵ South Coast AQMD. May 2005. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning*. Accessed at: <http://www.aqmd.gov/docs/default-source/planning/air-quality-guidance/complete-guidance-document.pdf>.

⁶ California Air Resources Board. *Air Quality and Land Use Handbook: A Community Health Perspective*. Accessed at: <http://www.arb.ca.gov/ch/handbook.pdf>.

⁷ *Ibid.* Page 10.

⁸ *Ibid.* Page 32.

Health Risk Reduction Strategies

3. Many strategies are available to reduce exposures to DPM, including, but are not limited to, building filtration systems with Minimum Efficiency Reporting Value (MERV) 13 or better, or in some cases, MERV 15 or better is recommended; building design, orientation, location; vegetation barriers or landscaping screening, etc. Enhanced filtration units are capable of reducing exposures. Installation of enhanced filtration units can be verified during occupancy inspection prior to the issuance of an occupancy permit.
4. Enhanced filtration systems have limitations. South Coast AQMD staff recommends that the Lead Agency consider the limitations of the enhanced filtration. For example, in a study that South Coast AQMD conducted to investigate filters⁹, a cost burden is expected to be within the range of \$120 to \$240 per year to replace each filter. The initial start-up cost could substantially increase if an HVAC system needs to be installed. In addition, because the filters would not have any effectiveness unless the HVAC system is running, there may be increased energy costs to the residents. It is typically assumed that the filters operate 100 percent of the time while residents are indoors, and the environmental analysis does not generally account for the times when the residents have their windows or doors open or are in common space areas of the project. In addition, these filters have no ability to filter out any toxic gases from vehicle exhaust. Therefore, the presumed effectiveness and feasibility of any filtration units should be carefully evaluated in more detail prior to assuming that they will sufficiently alleviate exposures to toxic emissions.
5. Because of the limitations, to ensure that enhanced filters are enforceable throughout the lifetime of the Proposed Project as well as effective in reducing exposures to DPM emissions, South Coast AQMD staff recommends that the Lead Agency provide additional details regarding the ongoing, regular inspection, maintenance, and monitoring of filters in the Final MND. To facilitate a good faith effort at full disclosure and provide useful information to future sensitive receptors who will live in close proximity to I-210 and a gasoline service station, the Lead Agency should include the following information in the Final MND, at a minimum:
 - Disclosure on potential health impacts to prospective senior residents from living in proximity to a freeway and other sources of air pollution, and the reduced effectiveness of air filtration system when windows are open and when senior residents are outdoor;
 - Identification of the responsible implementing and enforcement agency such as the Lead Agency for ensuring that enhanced filters are installed on-site at the Proposed Project before a permit of occupancy is issued;
 - Identification of the responsible implementing and enforcement agency such as the Lead Agency's building and safety inspection unit to provide periodic, regular inspection on filters;
 - Provide information and guidance to the Project developer or proponent on the importance of filter installation and ongoing maintenance;
 - Provide information to the Project developer or proponent about where the MERV filters can be purchased;
 - Disclosure on increased costs for purchasing enhanced filtration systems;
 - Disclosure on increased energy costs for running the HVAC system with MERV filters;
 - Disclosure on recommended schedules (e.g., once a year or every six months) for replacing the enhanced filtration units;

⁹This study evaluated filters rated MERV 13 or better. Accessed at: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/aqmdpilotstudyfinalreport.pdf>. Also see 2012 Peer Review Journal article by South Coast AQMD: <http://d7.igair.com/sites/default/files/pdf/Polidori-et-al-2012.pdf>.

- Identification of the responsible entity such as residents or property management to ensure filters are inspected for replacement and maintenance on time, if appropriate and feasible;
- Develop ongoing cost sharing strategies, if available, for replacing the enhanced filtration units;
- Set up criteria for assessing progress in installing, replacing, and maintaining the enhanced filtration units; and
- Set up process for evaluating the effectiveness of the enhanced filtration units at the Proposed Project.

Conclusion

Pursuant to CEQA Guidelines Section 15074, prior to approving the Proposed Project, the Lead Agency shall consider the MND for adoption together with any comments received during the public review process. Please provide South Coast AQMD with written responses to all comments contained herein prior to the adoption of the Final MND. When responding to issues raised in the comments, response should provide sufficient details giving reasons why specific comments and suggestions are not accepted. There should be good faith, reasoned analysis in response. Conclusory statements unsupported by factual information do not facilitate the purpose and goal of CEQA on public disclosure and are not meaningful, informative, or useful to decision makers and the public who are interested in the Proposed Project.

South Coast AQMD staff is available to work with the Lead Agency to address any air quality questions that may arise from this comment letter. Please contact me at lsun@aqmd.gov, should you have any questions.

Sincerely,

Lijin Sun

Lijin Sun, J.D.

Program Supervisor, CEQA IGR

Planning, Rule Development & Area Sources

LS

LAC200501-05

Control Number



State of California – Natural Resources Agency
DEPARTMENT OF FISH AND WILDLIFE
South Coast Region
3883 Ruffin Road
San Diego, CA 92123
(858) 467-4201
www.wildlife.ca.gov

GAVIN NEWSOM, Governor
CHARLTON H. BONHAM, Director



May 21, 2020

Vanessa Quiroz
Associate Planner
240 W. Huntington Drive
Arcadia, CA 91007
vquiroz@arcadiaca.gov

Subject: CEQA Filing Fee Exemption Request
Project Name: Artis Senior Living Project
SCH Number and/or local agency ID number: N/A

Dear Ms. Quiroz:

Based on a review of the project referenced above, the California Department of Fish and Wildlife has determined that for the purposes of the assessment of CEQA filing fees (Fish and G. Code § 711.4(c)) the project has the potential to affect fish and wildlife, or their habitat, and the project as described requires payment of a CEQA filing fee pursuant to the California Code of Regulations, Title 14, Section 753.5(d). At the time of filing of the Notice of Determination with the county clerk or Office of Planning and Research (State Clearinghouse), the appropriate CEQA filing fee will be due and payable. Please see the following website for a list of current fees: <https://www.wildlife.ca.gov/Conservation/CEQA/Fees>.

This determination is for the purpose of assessment of CEQA filing fees and is independent of a lead agency's conclusion or determination regarding a project's effect on the environment pursuant to CEQA Guidelines section 15064. If you have any questions, please contact Andrew Valand at (562) 342-2142 or by email at Andrew.Valand@wildlife.ca.gov.

Sincerely,

DocuSigned by:

Megan Evans

93F0E529BCA44B5...

For Victoria Tang

Sr. Environmental Scientist, Supervisor